



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2023/B/3351135
Dated/दिनांक : 20-04-2023

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	20-05-2023 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	20-05-2023 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	90 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Finance
Department Name/विभाग का नाम	Department Of Economic Affairs
Organisation Name/संगठन का नाम	Security Printing And Minting Corporation Of India Limited (spmci)
Office Name/कार्यालय का नाम	Janpath
Total Quantity/कुल मात्रा	176
Item Category/मद केटेगरी	Solenoid Valve-2way-0.25 inch BSP , Caller ID Telephone , Telephone set without caller ID , Double Acting Butter Fly Valve-250 Mm , DP transmitter gauge type , Double Acting Butter Fly Valve-200 Mm , Veriflax Detector Head 50mm , 3 KVA Online UPS , 1 plus 1 PLAN TELEPHONE INSTRUMENT , Universal HART communicator , ABB make Magnatic flow meter 150mm , Soldering station , Digital Portable Storage Oscilloscope , Micro 850 controller 2080 , DI32XDC24V,321-1BL00-0AA0 card , ET200M, 153-2 link , SCADA operator panel for refiner house
BOQ Title/बीओक्यू शीर्षक	spares for general maintenance
MSE Exemption for Years Of Experience/वर्षों के अनुभव के लिए एमएसई को छूट प्राप्त है and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/ वर्षों के अनुभव के लिए स्टार्टअप को छूट प्राप्त है and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),Additional Doc 1 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid

Bid Details/बिड विवरण

Primary product category	Universal HART communicator
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	7 Days
Estimated Bid Value/अनुमानित बिड मूल्य	2878880
Evaluation Method/मूल्यांकन पद्धति	Item wise evaluation/

EMD Detail/ईएमडी विवरण

Required/आवश्यकता	No
-------------------	----

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता	No
-------------------	----

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता	Yes
--	-----

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता	Yes
---	-----

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum

local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .In case Buyer has selected Purchase preference to Micro and Small Enterprises clause in the bid, the same will get precedence over this clause.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Estimated Value	Item/Category	Quantity
Schedule 1	25632	Solenoid Valve-2way-0.25 Inch Bsp	8
Schedule 2	58750	Caller Id Telephone	50
Schedule 3	62400	Telephone Set Without Caller Id	100
Schedule 4	343278	Double Acting Butter Fly Valve-250 Mm	1
Schedule 5	158660	Dp Transmitter Gauge Type	1
Schedule 6	345526	Double Acting Butter Fly Valve-200 Mm	1
Schedule 7	332028	Veriflax Detector Head 50mm	2
Schedule 8	222666	3 Kva Online Ups	3
Schedule 9	8202	1 Plus 1 Plan Telephone Instrument	2
Schedule 10	466100	Universal Hart Communicator	1
Schedule 11	236224	Abb Make Magnatic Flow Meter 150mm	1
Schedule 12	21703	Soldering Station	1
Schedule 13	92040	Digital Portable Storage Oscilloscope	1
Schedule 14	52392	Micro 850 Controller 2080	1

Schedule 15	46645	Di32xdc24v,321-1bl00-0aa0 Card	1
Schedule 16	54540	Et200m, 153-2 Link	1
Schedule 17	352094	Scada Operator Panel For Refiner House	1

Solenoid Valve-2way-0.25 Inch BSP

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	8	90

Caller ID Telephone

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	50	90

Telephone Set Without Caller ID

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	100	90

Double Acting Butter Fly Valve-250 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

DP Transmitter Gauge Type

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

Double Acting Butter Fly Valve-200 Mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

Veriflax Detector Head 50mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	2	90

3 KVA Online UPS

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	3	90

1 Plus 1 PLAN TELEPHONE INSTRUMENT

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	2	90

Universal HART Communicator

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

ABB Make Magnatic Flow Meter 150mm

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

Soldering Station

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

Digital Portable Storage Oscilloscope

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

Micro 850 Controller 2080

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

DI32XDC24V,321-1BL00-0AA0 Card

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

ET200M, 153-2 Link

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
------------------------	---------------------------

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

SCADA Operator Panel For Refiner House

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Brand Type/ब्रांड का प्रकार	Unbranded
-----------------------------	-----------

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
----------------	---	-------------	-----------------	------------------------------

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Neeraj Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Generic

Without prejudice to Buyer's right to price adjustment by way of discount or any other right or remedy available to Buyer, Buyer may terminate the Contract or any part thereof by a written notice to the Seller, if:

- The Seller fails to comply with any material term of the Contract.
- The Seller informs Buyer of its inability to deliver the Material(s) or any part thereof within the stipulated Delivery Period or such inability otherwise becomes apparent.
- The Seller fails to deliver the Material(s) or any part thereof within the stipulated Delivery Period and/or to replace/rectify any rejected or defective Material(s) promptly.
- The Seller becomes bankrupt or goes into liquidation.
- The Seller makes a general assignment for the benefit of creditors.
- A receiver is appointed for any substantial property owned by the Seller.
- The Seller has misrepresented to Buyer, acting on which misrepresentation Buyer has placed the Purchase Order on the Seller.

3. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

4. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

i) Required Terms of Delivery: F.O.R. Security Paper Mill Narmadapuram (Duly Unloaded) Transport the contracted material/supplies only through Registered Common Carriers.

ii) Payment Terms: 100% on receipt and acceptance (suitability) of goods by the SPM, Narmadapuram and on production of all required documents by the supplier.

iii) Bidder Should Quote Prices Inclusive of GST And All Cost Components Such As Packing & Forwarding Details, Freight & Insurance Charges upto Destination etc. on FOR Security Paper Mill, Narm

adapuram (Madhya Pradesh), India basis only.

iv) Liquidated Damages (LD) Clause: If the contractor fails to deliver the goods and/or services or any installment thereof within the Delivery Period, SPM Narmadapuram shall, without prejudice to other rights and remedies available to SPM, Narmadapuram under the contract, deduct from the contract price, as Liquidated damages, a sum equivalent to the rate of 0.5 Percent of the delivered price of the delayed goods and/or services along with applicable GST of 18% on the LD amount for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% (plus GST on the LD amount) of the delayed goods or services.

v) The terms and conditions, guidelines of SPMCIL Procurement Manual Version 2.0 will be applicable to this bid at any stage to avoid any conflict at later stage. Kindly refer General Instructions to Tenderer (GIT) and General Conditions of Contract (GCC) of SPMCIL Procurement Manual Version 2.0 for additional terms and conditions as per the links given below:

GIT: <https://spmcil.com/uploaddocument/GIT/new.pdf>

GCC: <https://spmcil.com/uploaddocument/GCC/new.pdf>

vi) SPM (as Buyer) is liable to deduct TDS u/s 194Q @ applicable rate on goods purchases (if applicable). In case of deduction of TDS under section 194Q; the Supplier (Vendor) need not to charge TCS u/s 206C (1H) on invoicing on or after 01.07.2021.

vii) Vendor has to submit declaration in specified format for the compliance of Section 206AB of Income Tax Act, 1961. In case of non-submission of declaration; TDS will be deducted at higher rates (as applicable) as per section 206AB.

viii) GST Return: Supplier should file the GST returns for outward supplies in time. In case of any Input Credit Loss to SPM by way of their failure to file GST Returns in time, SPM reserves the right to withhold the payment of further supplies till production of evidence of filing of Returns.

ix) Bidder shall submit duly seal & signed copy of **Technical Specifications**.

x) COMPLIANCE OF LABOUR LAWS:

Unloading of material shall be in the scope of supplier. Any contractor's labour entering in SPM premises on behalf of supplier shall be complete responsibility of the supplier and shall be governed by all acts laws pertaining to contract labour act in India.

Contractor/supplier should all times indemnify SPM against their all claims, damages or compensation under the provisions of Payment of Wages Act 1936; Minimum Wages Act 1948; Employers Liability Act 1938; The Workmen Compensation Act 1923; Industrial Disputes Act 1947; Maternity Benefit Act 1961; Payment of bonus Act 1965. Factory Act 1948 or any modification thereof or any other law relating thereto and rules made hereunder from time to time.

Contractor's/supplier's staff shall always be disciplined, properly dressed and use personal protective equipment's during performing any work on behalf of supplier. The persons deployed by supplier / contractor for unloading job shall be properly trained, have requisite experience and skills for carrying out the tasks at SPM. The Contractor shall be solely responsible to tackle the matters in case any of its staff deployed under this contract fall sick or is injured or goes on strike etc. In case any injury/accident to the contract labour engaged by supplier/contractor the supplier has to fulfill all his statutory liabilities as per contract labour engaged by supplier/contractor fails to comply with the statutory requirements then SPM, as a Principal Employer shall perform all the statutory requirements and if it involves any financial implication the same shall be deducted from suppliers bill.

xi) WARRANTY CLAUSE:

20.1 The warranty shall remain valid for twelve months after the goods have been delivered to the final destination and accepted by SPM in terms of the contract or for fifteen months from the date of dispatch from the supplier's premises for domestic goods whichever is earlier.

20.2 In case of any claim arising out of this warranty, SPMCIL shall promptly notify the same in writing to the supplier.

20.3 Upon receipt of such notice, the supplier shall, with all reasonable speed replace the defective goods or parts thereof, free of cost, at the ultimate destination. The supplier shall take over the replaced parts/ goods after providing their replacements and no claim, whatsoever shall lie on SPM for such replaced parts/ goods thereafter.

20.4 In the event of any rectification of a defect or replacement of any defective goods during the warranty period, the warranty for the rectified/ replaced goods shall be extended to a further period of twelve months from the date such rectified / replaced goods starts functioning to the satisfaction of SPM.

20.5 If the supplier, having been notified, fails to rectify/replace the defect(s) within a reasonable period SPM may proceed to take such remedial action(s) as deemed fit by SPM, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which SPM may have against the supplier.

6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and

conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---

Item of Requisition	Short Text	Technical Details	Quantity Requested	Unit of Measure
10	Solenoid Valve-2way-1/4"BSP	1.Solenoid Valve-2Way-1/4"BSP Marker solenoid Valve 2way-2/2 NC type 24Vdc 1/4" BSP Valve actuation - solenoid	8	EA
20	Caller ID Telephone	Telephone instrument with caller ID with 16 digit display 18 outgoing memory, 99 incoming memory 6 one touch memory,FSK/DTMF compatible,15 nos. memory for Redial, Pause and programmable flash function Mute function, 2 way speaker phone Basic calculator function. Make Beetel/Panasonic/BPL(no other make except the two mentioned will be consider)	50	EA
30	Telephone set without caller ID	telephone instrument without caller id last no. redial facility, Tone/pulse switchable, ringer volume control, Flash Mute, Ringer volume LED Make Beetel/Panasonic/BPL(no other make except the two mentioned will be consider)	100	EA
40	Double Acting Butter Fly Valve-250 Mm	Double acting Butter fly valve 250 with Electrical Actuator modulating/ proportional control quarter turn actuator (for Main flow) Make: Deltech/ FISCHER/Keystone/Dezurik or equivalent. Specification of Butter fly valve:- a. Size----250 b. Body----carbon steel c. Disc----316 stainless steel with finish polish. d. Stem----316 stainless steel, one piece stem. e. End conection---wafer type, ND 10 table. f. Mounting: ISO 5211 Mounting pad allows for mounting of actuator g. Fluid---Paper pulp with consistency 1% to 3% h. Inlet pressure of fluid---15Kg/cm2 (maximum) i. Seat material ----EPDM. Specification of Electric Actuator with positioner:- Make: PS automation / Bellimo/brayline/Koei/ Regeltechnik or equivalent a. Operating voltage: can run on 24 Volt +/- 10% Hz AC and DC both. b. Output torque of Actuator. i) Switching torque : 500Nm. ii) Modulating Torque : 250 Nm c. Degree of Protection IP67 d. Operation speed: 15 sec(50 Hz) e. Control: linear and equal percentage. f. Input control signal : 4 to 20mA. g. Travel angle 0 to 90 degree h. Action mode: direct or reverse action selectable. i. Characteristic: Linear and equal percentage. j. Mode when signal "OFF": Close. k. Rated operation time continuous. l. Housing: water proof. m. Indication: visual indication of valve open/close position. n. Flange:F10+F12 o. Ambient Temperature: 0 deg.C to +60 deg.C p. Motor protection: Multi Fuses or better protection. q. Drive Bush: matched. r. Provsion to limit the closing of actuator should be there at the user end. s.Warranty: 2 years covering all parts for valve & actuator t. Position feedback 0 to 10v DC or 4-20mA u. feature to programme the travel angle from 0 to 90 degree should be available on the actuator by the user.	1	EA

50	DP transmitter gauge type	<p>Make Honeywell STD 720-E1HC4AS-1-0-AHC-1 or equivalent</p> <ol style="list-style-type: none"> 1. Differential pressure transmitter with HART communication protocol (smart type), retrofit type model should not be offered. 2. Span :- <ol style="list-style-type: none"> a. Max.: 400psi b. Min.:4psi Note :- External Zero, Span configuration facility with screw or button 3. Limits:- <ol style="list-style-type: none"> a. URL:- 400H2O b. LRL:- -400H2O <p>Stability : 0.1 % of URL for 05 years for standard ranges under Overall working Conditions.</p> <ol style="list-style-type: none"> 4. Process wetted Heads and Diaphragm Materials- SS 316L 5. Fill Fluid- Silicone Oil 200 6. Process Connection- ½" NPT Female(Materials to match Head & Bolt Materials selection)on SS kidney oval flange. 7. Bolt/Nut material – Carbon steel 8. Vent/Drain, Type <ol style="list-style-type: none"> a. Head Type- Dual Ended b. Vent type- Standard Vent c. Vent Material- Matches Head material 9. Gasket Material- Teflon or PTFE (glass filled) 10. Electronic Housing Material & connection type:- <ol style="list-style-type: none"> a. Material- Polyester coated Aluminum b. Connection – ½" NPT 11. Output/Protocol <ol style="list-style-type: none"> a. Analog Output- 4 to 20mA b. Digital Protocol- HART 12. Display: min. 5 digit numeric display, min. 6 digit unit display, Local switch for Configuring engineering units including flow units. 13. Accuracy : 0.055% of span. 14. Mounting : 2" pipe bracket in SS304 or better. 15. Rangeability : up to 100:1 16. Transmitter should be suitable for horizontal impulse piping. 17.Sensor: Silicon resonant/capacitance type. 18. Language – English 19. Protection IP 67 or better. 20. Diagnostics- Transmitter should have self-diagnostic feature and the diagnostic Message should be given on the LCD. 	1	EA
60	Double Acting Butter Fly Valve-200 Mm	<ol style="list-style-type: none"> 1) Double acting Butter fly valve 200mm with Electrical Actuator modulating/ proportional control quarter turn actuator (for Vat level) <p>Make: Deltech/ FISCHER/Keystone/Dezurik or equivalent.</p> <p>Specification of Butter fly valve:-</p> <ol style="list-style-type: none"> a. Size----200mm b. Body----carbon steel c. Disc----316 stainless steel with finish polish. d. Stem----316 stainless steel, one piece stem. e. End conection---wafer type, ND 10 table. f. Mounting: ISO 5211 Mounting pad allows for mounting of actuator g. Fluid---Paper pulp with consistency 1% to 3% h. Inlet pressure of fluid---15Kg/cm2 (maximum) i. Seat material ----EPDM. j.2 feet Extension stem required between valve and actuator to lift the actuator at height. <p>Specification of Electric Actuator with positioner:-</p> <p>Make: PS automation / Bellimo/brayline/Koei/ Regeltechnik or equivalent</p> <ol style="list-style-type: none"> a. Operating voltage: can run on 24 Volt +/- 10% Hz AC and DC both. b. Output torque of Actuator. i) Switching torque : 500Nm. ii) Modulating Torque : 250 Nm c. Degree of Protection IP67 d. Operation speed: 15 sec(50 Hz) e. Control: linear and equal percentage. f. Input control signal : 4 to 20mA. g. Travel angle 0 to 90 degree 	1	EA

		<p>h. Action mode: direct or reverse action selectable. i. Characteristic: Linear and equal percentage. j. Mode when signal "OFF": Close. k. Rated operation time continuous. l. Housing: water proof. m. Indication: visual indication of valve open/close position.</p> <p>n. Flange:F10+F12 o. Ambient Temperature: 0 deg.C to +60 deg.C p. Motor protection: Multi Fuses or better protection. q. Drive Bush: matched. r. Provision to limit the closing of actuator should be there at the user end. s.Warranty: 2 years covering all parts for valve & actuator t. Position feedback 0 to 10v DC or 4-20mA u. feature to programme the travel angle from 0 to 90 degree should be available on the actuator by the user.</p>		
70	Veriflax Detector Head 50mm	<p>ELECTROMAGNETIC FLOW METER</p> <p>A) FLOWMETER 1. Bore Diameter (Line size) : 2Inch (DN 50) 2. Liner material : PTFE 3. Electrode design : Standard. 4. Measuring electrode material : Stainless steel 316Ti 5. Grounding accessories : Standard. 6. Process connection material : Carbon steel flanges. 7. Calibration : Standard factory calibration. 8. Output signal : 4 to 20mA (Qty. 1 No. minimum) 9. Ambient temperature range : (-10) deg. Centigrade to 60 deg.C. 10.Signal cable length and type : 30 m Standard cable. 11.Protection class : Flow tube IP68 and Transmitter IP67. 12.Conductivity of water : 0.5 to 1 mS/cm. 13.The Flow meter should work on 230V AC power supply.</p> <p>A) TOTALIZER 1. Range of Totalizer : 0 to 99999999. 2. Comprehensive I/O : 2 Universal input,1 Analog output and 1 Relay fitted as standard. 3. Scalable to match application requirements. 4. Configuration : Standard 5. Supply : 100 to 230V AC. 6. Totalizer reset function should be there.</p>	2	EA
80	3 KVA Online UPS	<p>Online UPS with inbuilt batteries as per below specifications:- 1.UPS Rating - 3KVA 2.Technology - IGBT-PWM with inbuilt isolation transformer 3. Input power- single phase 160- 260V sinewave, 50Hz 4. output power- Single phase 230V +/- 1% sinewave 50Hz 5. Backup time- 15minutes(min) 6. Warranty - 2year. 7. Minimum VAH-2400 8. Degree of protection - IP20 9. Voltage regulation - less than or equal to 3% 10. Overall efficiency- greater than or equal to 90% 11. Protection for over voltage, short circuit and overload at UPS output terminal. 12. Metering- digital metering in UPS for AC input and output voltage, frequency, battery voltage and current. 13. Indicator for mains presence, battery charging/discharging, output overload, low battery voltage.</p>	3	nos
90	1+1 PLAN TELEPHONE INSTRUMENT	<p>1+1 telephone set with caller ID and speaker 2 way make Beetal model M78 or exact equivalent</p>	2	nos

100	Universal HART communicator	<p>MAKE : YOKOGAWA/EMERSON or exact equivalent</p> <ol style="list-style-type: none"> 1. It should support all the smart instruments <ol style="list-style-type: none"> a. Range set up. b. Loop test. c. Process variable monitoring. d. Field calibration. 2. Processor and memory.(min) <ol style="list-style-type: none"> a. Microprocessor- 1 GHZ. b. Memory internal flash-512 MB c. RAM-256 MB d. System card upto 64 GB e. USB- supporting upto 115 Kbps 3. Physical:- <ol style="list-style-type: none"> a. Display- LCD screen 4.3" display b. Key pads- <ol style="list-style-type: none"> (1) 52 keys including QWERTY. (2) 12 alphanumeric keys. (3) Tab keys. (4) Back light keys. (5) Power keys. (6) 4 cursor control (arrow) keys. 4. Power supply/chargers <ol style="list-style-type: none"> a. Battery- Rechargeable lithium ion power module b. Battery operating time- <ol style="list-style-type: none"> (1) 20 hours- continuously use (2) 40 hours- typical use (3) 200 hours- stand by c. Battery charger - input voltage 100-240 VAC, 50- 60 Hz with indian adapter. 5. Environmental:- <ol style="list-style-type: none"> a. (-10deg.C) to (50deg.C) b. Storage with batteries (-20deg.C) to (55deg.C) c. Without batteries (-20deg.C) to (60deg.C) 6. Accessories:- <ol style="list-style-type: none"> a. ten no. 250 ohm load resistance. b. All other standard/required accessories along with one spare for each accessory supplied with the item. <p>And as per your accepted offer & our tender enquiry.</p>	1	EA
110	ABB make Magnatic flow meter 150mm	<p>ELECTROMAGNETIC FLOW METER make ABB or exact equivalent</p> <p>A) FLOWMETER</p> <ol style="list-style-type: none"> 1. Bore Diameter (Line size) : 6 Inch (DN 150) 2. Liner material : PTFE 3. Electrode design : Standard. 4. Measuring electrode material : Stainless steel 316Ti 5. Grounding accessories : Standard. 6. Process connection material : Carbon steel flanges. 7. Calibration : Standard factory calibration. 8. Output signal : 4 to 20mA (Qty. 1 No. minimum) 9. Ambient temperature range : (-10) deg. Centigrade to 60 deg.C. 10. Signal cable length and type : 30 m Standard cable. 11. Protection class : Flow tube IP68 and Transmitter IP67. 12. Conductivity of water : 0.5 to 1 mS/cm. 13. The Flow meter should work on 230V AC power supply. <p>A) TOTALIZER</p> <ol style="list-style-type: none"> 1. Range of Totalizer : 0 to 99999999. 2. Comprehensive I/O : 2 Universal input, 1 Analog output and 1 Relay fitted as standard. 3. Scalable to match application requirements. 4. Configuration : Standard 5. Supply : 100 to 230V AC. 6. Totalizer reset function should be there. 	1	EA
120	Soldering station	Soldering station with bits and hot air blower make soldron or equivalent	1	EA

130	Digital Portable Storage Oscilloscope	<p>DIGITAL PORTABLE STORAGE OSCILLOSCOPE.</p> <p>BAND WIDTH.....DC-200MHz NO.OF INPUTS.....4 isolated Cannels with flexibility of Connectors. DISPLAY.....LCD color(size minimum 320X240mm) Touch screen. SAMPLE RATE.....2.5 G. SAMPLE/SECOND. SWEEP SPEED.....1nS/div. to 200 S./div. approx. RECORD LENGHT.....2500 points per channel and up to 50,000 per channel with the "Extended Acquisition Memory" option. VERTICAL RESOLUTION.....12 bit. 2.5mv to 200V/div. ACQUISITION & USER MEMORY.....2500 sample/channel, 2 MB internal memory. 50,000 points/ channel with the "Extended Acquisition Memory" Upto 2Gb. INPUT IMPEDANCE.....1 Mega ohms per channel. TRIGGERING.....Edge, pulse duration,delay count & TV. CURSOR.....2 OR 3 cursor: Simultaneous V&T or phase resolution 12 bits, display 4 digits. MULTI METER.....A.C, D.C & Resistance, capacitance,continuity measurement,etc communication with P.C.... Via RS232, Ethernet or centronics(optional). BATTERY OPERATION.....Battery life up to 4 hours on full channel. RECORD.....Time stamped, Graphic recording from 2 second to 30 days. HARMONIC ANALYZER.....Even or odd orders up to 61 order. DOCUMENTATION.....Operation & service manual complete in english. SPARE PARTS AVAILABILITIES.....Minimum 5 Years from the date of purchase. USER TRAINNING.....Minimum 2 days operation training. WARRANTY..... 2 Years covering all parts from the date of receipt. REPAIR FACILITY.....5 Years after covering warranty period.</p>	1	EA
140	Micro 850 controller 2080	<p>Allen Bradely Micro 850 controller, 28-24V DC/V AC input 20-20V DC source output controller code : 2080-LC50-48QBB fully programmed for silk fibre dosing plant</p>	1	EA
150	DI32XDC24V,321-1BL00-0AA0 card	<p>SIEMENS MAKE DI32XDC24V,321-1BL00-0AA0. CAT NO.6ES7321-1BL00-0AA0</p>	1	EA
160	ET200M, 153-2 link	<p>SIEMENS MAKE SIMATIC ET200M/LINK,IM153-2 CAT NO.6ES7153-2BA10-0XB0</p>	1	EA
170	SCADA operator panel for refiner house	<p>PRELOADED AND PREPROGRAMMED SCADA OPERATOR STATION FOR REFINER house ALONG WITH COMMUNICATION PROCESSOR.</p> <p>specification for IPC:-</p> <p>windows 10 Prof 64 Bit Processor – i5 10th Gen. with CPU cooler RAM - 16 GB 1 TB hard disk + 256 SSD (OS) 2 GB Graphics Card Microsoft Office Home/Business 2019 DVD writer with Keyboard & Mouse</p>	1	EA

Declaration for Section 206AB of TDS under income tax Act, 1961

(to be submitted on Letter Head)

Vendor Code: _____

M/s _____

PAN _____

GSTIN _____

I/We _____ (Legal Name and complete address) _____, PAN:

_____ (PAN no) _____, TAN: _____ (TAN no.)

_____, referring to the provisions of 206AB of the IT Act, 1961, hereby declare the following:-

Financial Year	Aggregate TDS & TCS credit in our name was Rs. 50,000 or more ("Yes/ No")	Income Tax Return ("ITR") Filed ("Yes/No")	E-filing Acknowledgment Number (15 digit - numeric) (Attach copy of acknowledgments)	Date of Filing of Return of Income u/s 139(1) (DD/MM/YYYY)	Linked PAN with Aadhaar number or will link it before 30 Jun 2021 (or any further date as may be notified by CBDT ("Yes / No")
2020-21					
2021-22					

We do hereby declare that to the best of my /our knowledge and belief what is stated above is correct, complete and is truly stated. In case there is a tax liability, interest or penal consequences which are levied on SPM on account of the false representation/ declaration, I/we undertake to fully indemnify SPM for the same.

FOR _____

Authorized Signatory

Date:

Note: In case the vendor failed to comply with the above provisions, TDS shall be deducted at the higher of the following rates, namely: -

- (i) at twice the rate specified in the relevant provision of the Act; or*
- (ii) at twice the rate or rates in force; or*
- (iii) at the rate of five per cent (5%).*

(To be submitted on the Letter Head)

DECLARATION

We do hereby declare that,

1. We have not been blacklisted/debarred by BNPMIPL/BRBNMPL/SPMCIL or any Govt. Departments for participation in tenders. The information provided above is correct and true to the best of my knowledge and belief.
2. We do hereby declare that we have read and understood all terms and conditions of tender document including GIT, SIT, GCC, SCC, Technical Specification, Quality Control Criteria and confirm to abide to those conditions without any counter conditions.
3. We are accepting all the terms and conditions of the tender document without any deviation and withdraw all deviations if any.

Signature.....

Name.....

Designation.....

Date.....

Stamp of the Organization.....

(To be submitted on the Letter Head)

**DECLARATION
(Refer GIT Clause No.3.5)**

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India. I certify that M/s..... (Firm's name) is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that M/s..... (Firm's name) fulfils at requirements in this regard and is eligible to be considered." (Where applicable, evidence of valid registration by the competent Authority shall be attached)"

I, the undersigned, declare that the item originates in..... (Name of the country).

Signature.....

Name.....

Designation.....

Date.....

Stamp of the Organization.....