

प्रतिभूति कागज कारखाना, नर्मदापुरम-461005 (म.प्र.)

(भारत प्रतिभृति मुद्रण तथा मुद्रा निर्माण निगम लिमिटेड की इकाई)

भारत सरकार के पूर्ण स्वामित्वाधीन

(मिनीरल श्रेणी-1 सीपीएसई एवं आई.एस.ओ 9001:2015, 14001:2015, 45001:2018, 50001:2018 एवं आई.ई.सी.17025:2017 प्रमाणित

SECURITY PAPER MILL, NARMADAPURAM - 461005 (MP)

(A Unit of Security Printing & Minting Corporation of India Limited) Wholly owned by Government of India

Miniratna Category-I CPSE & ISO 9001:2015, 14001:2015, 45001:2018, 50001:2018 & IEC17025:2017 Certified CIN:U22213DL2006GOI144763, GSTIN: 23AAJCS6111J3ZE

Tel. No.: 07574-255259, Fax No.07574-255170, E-mail: gm.spm@spmcil.com, Website: http://spmnarmadapuram.spmcil.com

Notice Inviting Tender

Tender no. - 6000018223/CIVIL/23-24/431, Dated 24.07.2023

E-tenders are invited from eligible bidders for "Renovation Work of Boiler House". All the regarding tenders are available at our SPM website https://www.spmnarmadapuram.spmcil.com and **MSTC** website https://www.mstcecommerce.com/eproc/. In future corrigendum/extension etc., if any, shall be published only on website https://www.spmnarmadapuram.spmcil.com and https://www.mstcecommerce.com/eproc/.

Further event details available on MSTC website (https://www.mstcecommerce.com/eproc/) is as below:

Buyer	Category	
SECURITY PRINTING & MINTING	N. F. S. Lee	
CORPORATION OF INDIA LTD.	Works	

Event Number	Description Event	Bidding Period
501.401/15		27.07.2023
SPMCIL/Security Paper Mill Narmadapuram/Purchase/11/23-		06:00:00
	RENOVATION WORK	to
24/ET/61(RENOVATION WORK)		25.08.2023
		15:00:00

SD/Manager (Material) & CPSO
SPM, Narmadapuram

Vendor Registration Procedure for Common Portal(V3) e-Procurement

System Requirements:

- 1. OS Windows 10 and above, browser Internet Explorer 10 and above
- 2. Digital Signature Class 3 and above (both signing and encrypting)

STEPS:

- 1. Please visit https://www.mstcecommerce.com
- 2. Scroll onto e-Procurement and click on "Common Portal"
- 3. In the Vendor Login, please click on "Register"
- 4. Please fill all the details and follow the onscreen form to get registered.
- 5. Click on Submit button.
- **6.** After the successful registration, an automated confirmation e-mail is sent to the provided email address.

Post Submission Login using your Digital Signature **Class 3** (both signing and encryption)

For System Settings:

MSTC Help Desk Ph. 033 23400020, 23400021, 23400022

For System Settings Video Tutorial open link: bit.ly/v3mstcvid



SECURITY PAPER MILL, NARMADAPURAM - 461005 (M.P), INDIA

(A Unit of Security Printing and Minting Corporation of India Limited) (Wholly owned by Government of India)

(Miniratna Category-I CPSE & ISO 9001:2015 & ISO 14001:2015 CERTIFIED)

Website: http://spmnarmadapuram.spmcil.com

E-Mail:gm.spm@spmcil.com

CIN: U22213DL2006GOI144763 GSTIN: 23AAJCS6111J3ZE Ph.No:91-7574-255259, Fax No: 07574-255170

PR Number	PR Date	Indenter	Department		
12004570	27.04.2023	CIVIL	CIVIL WING		
Not Transferable					
Security Classification:					

TENDER DOCUMENT FOR: RENOVATION WORK OF BOILER HOUSE Tender No: 6000018223/CIVIL/23-24/431, Dated: 24.07.2023

This Tender Document Contains _52 _ Pages.

Tender Documents is issued to:

M/s	

Details of Contact person in SPMCIL regarding this tender:

Name, Designation: Vikas Kumar (Manager (Material)

Address: SPM5 (PM5, SPM Narmadapuram)

Phone, Fax, email: 07574-286842

Email: kumar.vikas@spmcil.com

Dated: 24.07.2023



Section I: Notice Inviting Tender (NIT)

Tender Sl. No. 6000018223/CIVIL/23-24/431,

1 Sealed tenders are invited from eligible and qualified tenderers for supply of the following:

Schedul e No.	Brief Description of Goods/ services	Quantity (with unit)	Earnest Money (in Rs.)	Remarks
01	Strengthening of old boiler house building	1.000 AU	1,10,000.00INR	

Type Of Tender (Two Bid/ PQB/ EOI/ RC/ Development/ Indigenization/ Disposal of Scrap/ Security Item etc.)	TWO-BID NATIONAL COMPETETIVE BID
Dates of Sale of Tender documents	As per MSTC E-Procurement Portal
Place of sale of tender documents	As per MSTC E-Procurement Portal
Closing date and time for receipt of tenders	As per e-procurement on MSTC.
Place of receipt of tenders	On MSTC E-procurement Portal
Time and date of opening of tenders	As per e-procurement on MSTC.
Place of opening of tenders	ADM OFFICE SECURITY PAPER MILL NARMADAPURAM
Nominated Person/ Designation to Receive Bulky Tenders (Clause 21.21.1 of GIT)	VIKAS KUMAR, MANAGER(MATERIAL)

- 2 Eligibility to participate as per Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/ revised) and Ministry of Finance, Department of Expenditure, Public Procurement Division's Orders (Public Procurement 1, 2 and 3) F.No.6/18/2019-PPD dated 23rd/ 24th July 2020 (or any further amendments thereof) regarding eligibility of bidders from neighboring countries shall apply to this tender.
- 3 Interested tenderers may obtain further information about this requirement from https://www.mstcecommerce.com/eproc/.
- 4 Tenderer may also download the tender documents from the web site https://spmnarmadapuram.spmcil.com/ or https://www.mstcecommerce.com/eproc/ and submit its tender by utilizing MSTC E-procurement Portal.
- Tenderer may also download the tender documents from the web site mentioned above and submit its tender by utilizing the downloaded document; the bidder must not make any changes to the contents of the documents, except for filling the required information. A certificate to this effect must be submitted by the bidder in the Tender Form (Section X).
- Tenderers shall ensure that their tenders, duly sealed and signed, complete in all respects as per instructions contained in the Tender Documents, are to be submitted on MSTC Govt. e-procurement portal and the website is https://www.mstcecommerce.com/eproc/.



- In the event of any of the above-mentioned dates being declared as a holiday/ closed day for the purchase organization, the tenders will be sold/ received/ opened on the next working day at the appointed time.
- 8 The tender documents are not transferable.
- 9 The bidder, their affiliates, or subsidiaries including subcontractors or suppliers for any part of the contract should not stand declared ineligible/ blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations. A declaration to this effect shall be submitted by the bidder in the Tender Form (Section X).
- 10 EMD amount mentioned in Section VI List of Requirements shall be furnished in any one of the following forms:
 - a) Account Payee Demand Draft
 - b) Fixed Deposit Receipt
 - c) Banker's cheque

In acceptable form, otherwise the tender will not be accepted in any case. The demand draft, fixed deposit receipt or banker's cheque shall be drawn on any scheduled commercial bank in India, in favour of account and place of payment specified in the para 1 above. In case of bank guarantee, the same is to be provided from/confirmed by any scheduled commercial bank in India as per the format specified under section XIII in these documents.

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

- 11 Enclosed: BIDDER'S CHECK LIST BEFORE TENDER SUBMISSION
 - 1. Price Schedule (Annexure-I)
 - 2. Check list (Annexure-II)
 - 3. Declaration (Annexure-III)
 - 4. Declaration (Annexure-IV)
 - 5. Declaration (Annexure-V)

Yours faithfully,

(Vikas Kumar) Manager(Material) For Chief General Manager

E-mail: <u>kumar.vikas@spmcil.com</u> PHONE:- (07574) 286848 & 286588



CORRESPONDING ADDRESS

THE CHIEF GENERAL MANAGER SECURITY PAPER MILL NARMADAPURAM-461005(M.P.)

	NATURE OF BIDDER WITH NAME , SIGNATION & SEAL
-	[Name, designation, address, tel. No etc. of the officer signing the document] For and on behalf of



<u>Section II: General Instructions to Tenderer (GIT)</u> Part I: General Instructions Applicable to all Types of Tenders

Kindly refer https://spmcil.com/uploaddocument/GIT/new.pdf for further details (GIT contains 61 pages)



Section II: General Instructions to Tenderer (GIT) Part II: General Instructions Applicable to all Types of Tenders

Kindly refer https://spmcil.com/uploaddocument/GIT/new.pdf for further details (GIT contains 61 pages)



Section III: Special Instructions to Tenderers (SIT)

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/ substitute/ supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail.

(Clauses of GIT listed below include a possibility for variation in their provisions through SIT. There could be other clauses in SIT as deemed fit.)

SI. No.	GIT Clause No.	Topic	SIT Provision
1	3.	Eligible Tenderers	Applicable
2	3.4	Eligible Goods and Services (Origin of Goods)	Applicable
3	6.1	The tender documents includes:	Applicable
4	8	Pre-bid Conference	Not Applicable
5	9	Time Limit for receiving request for clarification of Tender Documents	A Tenderer requiring any clarification or elucidation on any issue of the tender documents may take up the same with SPMN in writing or by fax/e-mail/telex. SPMN will respond in writing to such request provided the same is received before 14 days prior to the prescribed date of submission of tender.
6	10.1	The Technical bid to be submitted by Tenderer shall contain the following documents, duly filled in, as required:	Applicable
7	11.2	Tender Currency	Supplier is requested to quote price in INR within 2 Decimal place. Quotation with price quote beyond 2 decimal place is ignored.
8	12.1	Tender Prices	Applicable
9	12.2,33,3 6.1	Schedule wise evaluation	Not Applicable
10	12.6	GST details	Applicable
11	14	PVC Clause & Formula	Not Applicable
12	14.4 to 14.7	Exchange Rate Variation (ERV)	Not Applicable
13	16.1 a) to c)	Documents Establishing Tenderer's Eligibility and Qualifications	Not Applicable



14	18.4, 18.5	Earnest Money Deposit (EMD)	@ 2% i.e. Rs.1,10,000
15	19	Tender Validity	120 DAYS FROM THE DATE OF OPENING OF BID
16	20.4	Number of Copies of Tenders to be submitted	One copy in original
17	20.8	Two Bid System	Applicable.
18	20.9	E-Procurement	Applicable
19	34. and 35.1	Comparison on CIF Destination Basis	Not Applicable
20	35.2 to 35.6	Additional Factors for Evaluation of Offers and Preferential schemes	Not Applicable
21	43	Parallel Contracts	Not Applicable
22	44.1	Serious Misdemeanors	Applicable
23	44.3	Integrity Pact	Not Applicable
24	45.1	Notification of Award	Applicable
25	50.	Applicability of additional GIT for rate Contracts	Not Applicable
26	51.	Applicability of additional GIT for PQB Tenders	Not Applicable
27	52.	Applicability of additional GIT for Tenders involving Samples	Not Applicable
28	53.	Applicability of additional GIT for EOI Tenders	Not Applicable
29	54.	Applicability of additional GIT for Tenders for Disposal of Scrap	Not Applicable
30	55.	Applicability of additional GIT for Development/Indigenization Tenders	Not Applicable
31	Special Condition	GST Returns	Supplier Should file the GST returns in time. SPM reserves the right to withhold the payment of GST till production of evidence of filling of Returns.
32	Special Condition	TCS u/s 206C (1H) read with TDS u/s 194Q:	SPM (as Buyer) is liable to deduct TDS u/s 194Q @ applicable rate on goods purchases (if applicable). In case of deduction of TDS under section 194Q; the Supplier (Vendor) need not to charge TCS u/s 206C (1H) on invoicing on or after 01.07.2021.
33	Special Condition	Sec. 206AB of IT Act:	Vendor has to submit declaration in specified format for the compliance of Section 206AB of Income Tax Act, 1961. In case of non-submission of declaration; TDS will be deducted at higher rates (as applicable) as per section 206AB.



Section IV: General Conditions of Contract (GCC) Part I: General Conditions of Contract applicable to all types of Tenders

Kindly refer https://spmcil.com/uploaddocument/GCC/new.pdf for further details (GIT contains 36 pages).



Section IV: General Conditions of Contract (GCC) Part II: Additional General Conditions of Contract applicable to all types of Tenders

Kindly refer https://spmcil.com/uploaddocument/GCC/new.pdf for further details (GIT contains 36 pages)



Section V: Special Conditions of Contract (SCC)

The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below. These Special Conditions will modify/ substitute/ supplement the corresponding (GCC) clauses.

Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

(Clauses of GCC listed below include a possibility for variation in their provisions through SCC. There could be other clauses in SCC as deemed fit)

S. No.	GCC Clause No.	Topic	SCC Provision
1	1.2	Abbreviations:	APPLICABLE
2	6.1, 6.3 & 6.5	Performance Bond/ Security	REFER SECTION-VI, CLAUSE NO.5 OF THE TENDER ENQUIRY)
3	8.2	Packing and Marking	NOT APPLICABLE
4	9	Inspection and Quality Control	NOT APPLICABLE
5	11.2	Transportation of Domestic Goods	APPLICABLE
6	12.	Insurance	APPLICABLE
7	15	Distribution of Dispatch Documents for clearance/ Receipt of Goods	APPLICABLE
8	16.2, 16.4	Warrantee Clause	REFER SECTION-VI, CLAUSE NO.6 OF THE TENDER ENQUIRY)
9	19.3	Option Clause	The Chief General Manager, Security Paper Mill, Narmadapuram may reserve the right to increase the ordered quantity by 25% at any time, till final delivery date of the contract, by giving reasonable notice even though the quantity ordered initially has been supplied in full before the last date of Delivery Period.
10	20.1	Price Adjustment Clause	NOT APPLICABLE
11	21.	Taxes and Duties	APPLICABLE
12	22.	Terms and Mode of payments	REFER SECTION-VI, CLAUSE NO.4 OF THE TENDER ENQUIRY)
13	24.1	Quantum of LD	If the contractor fails to deliver the goods and/or services or any installment thereof within the Delivery Period, SPM Narmadapuram shall, without prejudice to other rights and remedies available to SPM, Narmadapuram under the contract, deduct from the contractor price, as Liquidated damages, a sum equivalent to the rate of 0.5 % of the delivered price of the delayed goods and/or services along with applicable GST of



			18% on the LD amount, for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% (plus GST on the LD amount) of the delayed goods or services.
14	25.1	Bank Guarantee and Insurance for Material Loaned to Contractor	Not Applicable
15	33.1	Resolution of Disputes	APPLICABLE
16	36.3.2,	Disposal/ Sale of Scrap by Tender	Not Applicable



Section VI: List of Requirements

Sche	Brief description of goods	HSN	Accounting	Quantity	Amount of	Place	of
dule	and services (Related	Code	unit		Earnest	Delivery	for
No.	specifications etc. are in				Money	GST	
	Section-VII)				(INR)	purpose	
4	Strengthening of old boiler house building.		1.00 AU	1.00	1,10,000.00INR		

Technical bid and financial bid are to be submitted on the MSTC E-Procurement Portal. It may be noted that the price is not to be quoted either in technical bid (Technical Cover). It shall only be quoted in price bid (Price Cover). Non-adherence to this shall be making tender liable for rejection.

Tenders shall be submitted in parts as below:-

SUBMISSION OF TENDER: The bid is to be submitted in two parts are as follows:

- I. PART-A: TECHNO-COMMERCIAL BID: KINDLY SUBMIT FOLLOWING DOCUMENTS WITH TECHNO-COMMERCIAL BID:
- (1). Tender Fee: NOT Applicable
- (2 Earnest Money Deposit: Applicable and Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

NOTE: As per MSME office Memorandum No. F.No.1(3)/2018-MP, Part-III dated 25.03.2022. Subjected "Revised FAQs in respect of Public Procurement Policy for MSEs Order, 2012 reg. FAQ Question No.18 the works contracts are excluded from the purview of Public Procurement policy of MSME order 2012."

- (3) Power of Attorney/ Authorization with the seal of the company of person signing the tender documents.
- (4) Containing un-priced tender consisting commercial package including all terms and conditions. No price details to be given in this tender (as per Section-X).
- (5) The tenderer shall submit the acceptance of detailed scope of work as per Section VII of this tender document.
- (6) Blank price bid duly sealed and signed without mentioning any price element.
- (7) Please confirm the validity, place of work, contract period and payment terms as per the other terms and condition (point no.1 to 4) of Section VI of tender document.
- (8) Submit the following declaration on your letter head with seal and sign as per the Annexure III of this tender:
- a. We have not been blacklisted / debarred by BNPMIPL/BRBNMPL/SPMCIL or any Govt. Departments for participation in tenders. The information provided above is correct and true to the



best of my knowledge and belief.

- b. We do hereby declare that we have read and understood all terms and conditions of tender document including GIT, SIT, GCC, SCC, Technical Specification, Quality Control Criteria and confirm to abide to those conditions without any counter conditions.
- c. "We are accepting all the terms and conditions of the tender document without any deviation and withdraw all deviations if any"
- (9) All Section & pages (front and back) of the tender documents strictly should be signed, name and sealed by bidder firm.
- (10) Submit the declaration duly seal and signed by Competent Authority on your letter head as per section-IX: Qualification/Eligibility criteria point no. VI (as per annexure-IV) as below:
- "I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India: I certify that M/s.....(firm's name) is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that M/s(firm's name) fulfills at requirements in this regard and is eligible to be considered."
- I, the undersigned, declare that the item.....originate in.....(Name of the country).
- II. PART B: PRICE BID:

The bidders shall quote the price and other elements of price as per the format given as Section – XI of this tender documents. Insertion, post script, addition and alteration shall not be made, if any, will not be considered for calculating the price.

Note:

- 1. Un- Workable rates shall be liable for rejection.
- 2. "BIDDER TO FURNISH STIPULATED DOCUMENTS ALONG WITH TENDER IN SUPPORT OF FULFILLMENT OF TENDER CRITERIA. FURTHER CORRESPONDENCE IN THIS REGARD WILL NOT BE ENTERTAINED FOR ANY REASON. NON-SUBMISSION OR INCOMPLETE SUBMISSION OF DOCUMENTS MAY LEAD TO REJECTION OF OFFER
- 3. Non submission of any of the above document may lead to rejection of bid.

OTHER IMPORTANT TERMS AND CONDITIONS:

- (1). Validity: 120 days from the date of opening of the tender, offer valid for a shorter period shall be treated as unresponsive & rejected.
- (2). Place of work: Security Paper Mill, Narmadapuram.
- (3). Required completion period of work :- 08 months after issue of NAC / PO.
- (4) TERMS AND MODE OF PAYMENT:
- a. Monthly payment shall be made as based on actual measurement of completed work/items on monthly basis after completion, suitability and on production of all required documents.
- b. The payment will be made by SPM through RTGS / NEFT to the contractor after submission of their bill duly certified by CIVIL DEPARTMENT.



- c. Applicable taxes may please mention on Price schedule/ Invoice of document along with HSN/ SAC code.
- d. Registration certificate of GSTIN issued from the concerned authority may please be attached along with tender document.
- e. If income tax is payable then the bill payment will be made after the deduction of such taxes. The TDS certificate will be provided to the Contractor accordingly. The contractor will provide PAN in bills.
- f. Any TDS or surcharge applicable to the contractor then as per rule the deduction from the bill will be made along with surcharge. The copy of the same will be provided accordingly.

(5) PERFORMANCE SECURITY

- (5.1) Within twenty-one days after the issue of notification of award by SPMH, the supplier shall furnish performance security of the value equal to 10% of the value of the contract to SPMH, valid up to sixty days after the date of completion of all contractual obligations by the supplier, including the warranty obligations.
- (5.2) The performance security shall be denominated in Indian Rupees or in the currency of the contract and shall be in one of the following forms:
- (a) Account payee Demand Draft or Fixed Deposit Receipt drawn on any commercial bank in India, in favour of Security Paper Mill, Narmadapuram as indicate in the clause 3 of NIT.
- (b) Bank Guarantee issued by a commercial bank in India, in the prescribed form as provided in Section XV of this document.
- (5.3) In the event of any loss due to supplier's failure to fulfill its obligations in terms of the contract, the amount of the performance security shall be payable to SPM to compensate SPM for the same.
- (5.4) In the event of any amendment issued to the contract, the supplier shall, within twenty-one days of issue of the amendment, furnish the corresponding amendment to the Performance Security (as necessary), rendering the same valid in all respects in terms of the contract as amended.

(6) WARRANTY:

- i. The supplier warrants that the goods supplied under the contract is new, unused and incorporate all recent improvements in design and materials unless prescribed otherwise by SPM in the contract. The supplier further warrants that the goods supplied under the contract shall have no defect arising from design, materials (except when the design adopted and / or the material used are as per SPM's specifications) or workmanship or from any act or omission of the supplier, that may develop under normal use of the supplied goods under the conditions prevailing in India.
- ii. This warranty shall remain valid for twelve months after the goods or any portion thereof as the case may be, have been delivered to the final destination and installed and commissioned at the final destination and accepted by SPM in terms of the contract or for eighteen months from the date of dispatch from the supplier's premises whichever is later.
- iii. In case of any claim arising out of this warranty, SPM shall promptly notify the same in writing to the supplier.
- iv. Upon receipt of such notice, the supplier shall, with all reasonable speed and time, repair or replace the defective goods or parts thereof, free of cost, at the ultimate destination. The supplier



shall take over the replaced parts/ goods after providing their replacements and no claim, whatsoever shall lie on SPM for such replaced parts/ goods thereafter.

v. In the event of any rectification of a defect or replacement of any defective goods during the warranty period, the warranty for the rectified/ replaced goods shall be extended to a further period of twelve months from the date such rectified / replaced goods starts functioning to the satisfaction of SPM.

vi. If the supplier, having been notified, fails to rectify/ replace the defect(s) within a delivery period, SPM may proceed to take such remedial action(s) as deemed fit by SPM, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which SPM may have against the supplier.

(7) Procurement Preference for MSE

NOTE: As per MSME office Memorandum No. F.No.1(3)/2018-MP, Part-III dated 25.03.2022. Subjected "Revised FAQs in respect of Public Procurement Policy for MSEs Order, 2012 reg. FAQ Question No.18 the works contracts are excluded from the purview of Public Procurement policy of MSME order 2012."

(8) SCHEDULE WISE EVALUATION

The Evaluation of L1 bidder shall be based on the consolidated Grand total offered by the bidder as per section - XI of this tender document

- (9) Any dispute, arising out of the supply order/ contract will be subject to the exclusive jurisdiction of the competent court at Hoshangabad.
- (10) Authorized representatives of the tenderers, who have submitted tenders on time may attend the tender opening, provided they bring with them letters of authority through firm.
- (11) All Sections & pages of the tender documents strictly should be signed, name and sealed by bidder firm.

Note:

(12) OTHER TERMS AND CONDITIONS

The Contractor must fulfill all the provisions/conditions required under the following Acts;

- 1. The Contract Labour (Regulation & Abolition) Act, 1970.
- 2. The Minimum Wages Act, 1948
- 3. The Payment of Wages Act, 1936
- 4. The Employee Provident Fund & Misc. Provisions Act, 1936
- 5. The Employee Estate Insurance Act, 1948.
- 6. The Industrial Dispute Act, 1947
- 7. The Employees Compensation Act. 1923
- 8. The Payment of Bonus Act.
- 9. Other Misc. as & when Applicable

(13) Safety Conditions:

- 13.1 The manpower supplied by the contractor will work under their supervisor and will obey all the instructions given by supervisors.
- 13.2 All contractor must appoint their supervisor to look after the day to day activity of their labour at



site.

- 13.3 Any injury/accident occurred at work place shall immediately be reported to the safety department of SPM/respective section .
- 13.4 The charges of such medical treatment will be borne by the contractor is addition to the various provisions under the ESI Act.
- 13.5 Safety helmet, belt and other safety appliances as per the requirement at the working places shall have to be provided by the contractor.
- 13.6 The firm shall have to ensure the safety of their employee during the course of employment.

NOTE: "BIDDER TO FURNISH STIPULATED DOCUMENTS ALONG WITH TENDER IN SUPPORT OF FULFILLMENT OF TENDER CRITERIA. FURTHER CORRESPONDENCE IN THIS REGARD WILL NOT BE ENTERTAINED FOR ANY REASON. NON-SUBMISSION OR INCOMPLETE SUBMISSION OF DOCUMENTS MAY LEAD TO REJECTION OF OFFER."

SIGNATURE OF BIDDER WITH NAME, DESIGNATION & SEAL



Section VII: Technical Specifications

The Renovation work shall be carried out as per Scope and specifications given below

A) Bill of quantities

1. Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m.

All kinds of soil. Qty:- 120 Cum

2. Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.

Qty :- 75 Cum

3. Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :

1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)

Qty :- 11 Cum

4. Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level :

1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)

Qty :- 52 Cum

5. Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement:

1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources

Qty :- 42 Cum

6. Centering and shuttering including strutting, propping etc. and removal of form for

i. Foundations, footings, bases of columns, etc. for mass concrete

Qty:- 82 Sqm

ii. Columns, Pillars, Piers, Abutments, Posts and Struts

Qtv: - 470 Sqm

7. Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level

Thermo-Mechanically Treated bars of grade Fe-500D or more.

Qty:- 2710 KG

8. Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.

Thermo-Mechanically Treated bars of grade Fe-500D or more.

Qty:-3765 KG



9. Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer.

Using M.S. angels 40x40x6 mm for diagonal braces

Qty:- 5.5 Sqm

10. 52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and top layer 12 mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate 6 mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacturer's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.

Qty:- 120 Sqm

11. Extra for providing and fixing wind ties of 40x 6 mm flat iron section.

Qty:- 144 Mtr

12. Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete:

Ridges plain (500-600mm)

Qty:-70Mtr

13. Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion,

Single socketed pipes.

110 mm diameter

Qty:- 80 Mtr

14. Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion.

i. Coupler-110 mm

Qty:- 8 EA

ii. Bend 87.5 dgree-110 mm

Qty:- 16 EA

iii. Shoe (Plain) -110 mm

Qty:- 16 EA

15. Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete.

110 mm Qty:- 35 EA

16. Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete:

Gutter (600 mm over all girth)

Qty:- 140 Mtr



17. 6 mm cement plaster of mix:

1:3 (1 cement : 3 fine sand)

Qty:- 350 Sqm

18. Finishing walls with Acrylic Smooth exterior paint of required shade :

New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)

Qty:- 350 Sqm

19. Painting with synthetic enamel paint of approved brand and manufacture to give an even shade: Two or more coats on new work

Qty:- 400 Sqm

20. Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :

One or more coats on old work

Qty:- 600 Sqm

21. Distempering with 1st quality acrylic distember (Ready mix) having VOC content less than 50 grams/ litre of approved brand and manufacture to give an even shade:

Old work (one or more coats)

Qty:- 1500 Sqm

22. Finishing walls with Acrylic Smooth exterior paint of required shade :

Old work (One or more coat applied @ 0.90 ltr/10 sgm).

Qty: 900 Sqm

23. Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq.meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.

With cement mortar 1:4 (1 cement : 4 fine sand)

Qty:- 200 Sqm

24. Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.

Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)

Qty:- 30 Cum

- 25. Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer in- charge. Qty:- 20 Cum
- 26. Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.

In cement mortar cum

Qty:- 10 Cum

27. Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead:

Of area 3 sq. metres and below

Qty:- 1EA



28. Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres lead of:

Asbestos Cement sheet

Qty: 430 Sqm

29. Dismantling cement asbestos or other hard board ceiling or partition walls including stacking of serviceable materials and disposal of unserviceable materials within 50 metres lead.

Qty:- 620 Sqm

30. Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.

Qty:- 350 Sqm

31. Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge . (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 8 mm thickness (weight not less than 20 kg/sqm)

Qty:- 20 Sqm

32. Chipping of unsound/weak concrete material from slabs, beams, columns etc. with manual Chisel and/ or by standard power driven percussion type or of approved make including tapering of all edges, making square shoulders of cavities including cleaning the exposed concrete surface and reinforcement with wire brushes etc. and disposal of debris for all lead and lifts all complete as per direction of Engineer-In-Charge

50mm average thickness

Qty:- 300 Sqm

33. Providing, mixing and applying bonding coat of approved adhesive on chipped portion of RCC as per specifications and direction of Engineer-In-charge complete in all respect.

SBR Polymer (@10% of cement weight) modified cementitious bond coat @ 2.2 kg cement per sqm of surface area mixed with specified proportion of approved polymer

Qty:- 200 Sqm

34. Providing, mixing and applying SBR polymer (of approved make) modified Cement mortar in proportion of 1:4 (1 cement: 4 graded coarse sand with polymer minimum 2% by wt. of cement used) as per specifications and directions of Engineer-in-charge.

Note: Measurement and payment: The pre-measurement of thickness shall be done just after the surface preparation is completed and Payment under this item shall be made only after proper wet curing has been done and surface has been satisfactorily evaluated by sounding / tapping with a blunt metal instrument and/or the 75mm size cube crushing strength at the end of 28 days to be not less than 30 N/Sqmm2).

50 mm average thickness in 3 layers.

Qty:-200 Sqm

35. Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. Qty:- 1800 KG

36. Centering and shuttering work to supprt/ hold roof truss/RCC beam during column strenthening work with adequate bracing, propping etc., including all required materials and cost of de-shuttering and decentering at all levels, over a height of 6.0 meter to 9.0 meter all complete as per direction of Engineer in Charge (Plan area to be measured).

Qty:- 100 Sqm



37. Dismantling steel work in single sections including dismembering and stacking within 50 metres lead in:

Channels, angles, tees and flats

Qty:- 6300 KG

38. Steel work in built up tubular (round, square or rectangular hollow tubes etc.) trusses etc., including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer, including welding and bolted with special shaped washers etc. complete. Hot finished welded type tubes

Qty:- 4400 KG

- 39. Providing and fixing precoated galvanised iron profile sheets (size, shape and pitch of corrugation as approved by Engineer-in-charge) 0.50 mm (+ 0.05 %) total coated thickness with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required. Qty:- 1050 Sqm
- B) Specification of the works The work shall be carried out as per CPWD specifications 2019 Vol. I & II with up to date correction slips, if any.
- C) Quantity of work: SPM authority reserve the full rights to increase or decrease the quantities of item, at the time of award tender and any time during execution of contract period or extended period of contract as per its actual requirement. SPM reserve the rights "that it is not necessary that all the items will be executed in the said period of contract and therefore the contractor has no right to claim for any works/item of works for the execution in the time period of contract or extended period of the contract."
- D) Records: The Firm shall maintain complete official records like material brought at site register, site order book, cement register, test register, hindrance register etc.. SPM have rights to see these records time to time and firm shall submit all records as mentioned in this point to SPM after completion of the work.3
- E) T &P: All the required T&P shall be arranged by contractor himself.
- F) As the plant shall run 24 X 7 hrs and old boiler house building requires special type of repair work therefore all the works shall be pre-planned in parts. The production should not be hampered. Planning of the works should be approved from SPM authority before starting the work and while running and all the work shall be carried out as per direction of Engineer-in-charge.

[22]

G) Time: 08 months



Section VIII: Quality Control Requirements

• All Material shall comply IS code.



Section IX: Qualification/ Eligibility Criteria

Experience & Past Performance :

The bidder should have experience of having successfully completed similar works during last 7 years ending on 31.03.2023.

- a. Three similar completed works each costing not less than the amount equal to Rs.21,99,982/- or
- b. Two similar completed works each costing not less than the amount equal to Rs.27,49,977.50/- or
- c. One similar completed work costing not less than the amount equal to Rs.43,99,964/-

Capability - Equipment & manufacturing Facilities:

The bidder should be enlisted in either Central Public Works Department (CPWD) or Military Engineering Services (MES) or any other Government / PSU / Autonomous bodies.

Financial Standing:

The average annual financial turnover of the bidder during the last three years, ending on 31.03.2023, should be at least Rs.21,99,982/- (or equivalent in foreign currency at exchange rate prevalent on '31.03.2023 as per the annual report (audited balance sheet and profit & loss account) of the relevant period, duly authenticated by a Chartered Accountant/ Cost Accountant in India or equivalent in relevant countries.

The bidder should not have suffered any financial loss for more than one year during the last three years, ending on 31.03.2023.

- i) The net worth of the Bidder should not be negative on 31.03.2023 and also
- ii) should not have eroded by more than 30% in the last three years, ending on 31.03.2023.

NOTE:

- 1. All experience, past performance and capacity/capability related data should be certified by the Authorized Signatory of the Bidder firm. The credentials regarding experience and past performance to the extent required as per the above eligibility criteria as submitted by the bidder may be verified by the parties for whom work has been done.
- **2.** All financial standing data should be certified by Chartered Accountants (CA) in India and certified Public Accountant/ Chartered Accountants of other countries.
- As per MSME office Memorandum No. F.No.1(3)/2018-MP, Part-III dated 25.03.2022. Subjected "Revised FAQs in respect of Public Procurement Policy for MSEs Order, 2012 reg. FAQ Question No.18 the works contracts are excluded from the purview of Public Procurement policy of MSME order 2012.
- 4. Bidder shall submit the supporting document in support of above.

SIGNATURE OF BIDDER WITH NAME, DESIGNATION & SEAL



Date.....

Section X: Tender Form

To,
(Complete address of SPMCIL)
Ref: Your Tender document No: 6000018223/CIVIL/23-24/431, Dated: 24.07.2023
We, the undersigned have examined the above-mentioned tender enquiry document, including amendment No, dated

If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.

We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 6, read with modification, if any, in Section V – "Special Conditions of Contract", for due performance of the contract.

We agree to keep our tender valid for acceptance for a period upto......, as required in the GIT clause19, read with modification, if any in Section-III - "Special Instructions to Tenderers" or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender upto the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us.

We confirm that in case of downloaded Tender Document, we have not changed/ edited its contents. We realise that in case any such change is noticed at any stage including after the award of contract, we would be liable to action under clause 44 of the GIT.

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

We also solemnly declare as under:

herewith and made part of this tender.



1. Make in India Status:

Self-Certification for category of supplier:

(a)

Having read and understood the Public Procurement (Preference to Make in India PPP_MII) Order, 2017 (as amended and revised till date) and related notifications from the relevant Nodal Ministry/ Department, and solemnly declare the following:

(b	 Class-I Local Supplier/ Non-Local Supplier. We also declare that There is no country whose bidders have been notified as ineligible on reciprocal basis under this order for offered product, or We do not belong to any Country whose bidders are notified as ineligible on reciprocal basis under this order
2.	Restrictions on procurement from bidders from a country or countries, or a class of countries under Rule 144 (xi) of the General Financial Rules 2017
	Having read and understood the Order (Public Procurement No. 1) issued vide F.No.6/18/2019-PPD dated 23 rd July 2020 (and its amendments if any) by Department of Expenditure, Ministry of Finance under the above provision and solemnly declare the following:
	□ We do not belong to any Country whose bidders are notified as ineligible under this order
3.	Debarment Status: Please state whether business dealings with you currently stand suspended/banned by any Ministry/ Depts. of Government of India or by any State Govt:
	 Yes (with period of Ban) No, We, solemnly declare that neither we nor any of our affiliates or subsidiaries – including subcontractors or suppliers for any part of the contract–do not stand declared ineligible/blacklisted/banned/debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations.
4.	Penalties for false or misleading declarations: I/we hereby confirm that the particulars given above are correct and complete and also undertake to advise any future changes to the above details. We understood that any wrong or misleading self-declaration by us would be violation of code of Ethics and would attract penalties as mentioned in this tender document, including debarment.
	(Signature with date)



	CURITY PRINTING AND MINTING DRPORATION OF INDIA LIMITED	
Naı	me and designation	
Dul	ly authorized to sign	tender for and on behalf o



Section XI: Price Schedule

(As per Annexure-I)

OFFER FORM for Tender No	Date of opening	Time
Weherel	by certify that we are established firm of	manufacturers /
authorized agents of M/swith factories at	which ar	e fitted with modern
equipment and where the production methods, quality	control and testing of all materials and parts ma	nufactured or used by
us are open to inspection by the representative of(Nar.	ne of Purchaser)We hereby offer to suppl	y the following items at
the prices indicated below:		
Price Schedule as per Annexure-1 1. Scope of Work: Strengthening of old boiler hou	use building as per Section-VII.	
2. Taxation Details:		
a. PAN number	:	
b. Type of GST Registration (Registered, Unregc. GSTIN number	istered, Composition, SEZ, RCM etc.)	
 d. Registered Address as per GST registration a e. Contact Names, Nos. & email IDs for GST ma 		ndary contacts)
3. It is hereby certified that we have understood to SIT), and also the General and Special Conditional have thoroughly examined specifications/ Qual VII & VIII – Technical Specifications and Qual nature of stores required and our offer is to support according to the terms of the tender. We agree Contract and other conditions of the tender in awarded to us	ons of Contract (GCC and SCC) attacher ality Control Requirements and other stip ity Control Requirements; and are thoroughly stores strictly in accordance with the to abide solely by the General and Sp	ed to the tender and coulations in Section bughly aware of the e requirements and pecial Conditions of
 We hereby offer to supply the stores detailed acceptance of tender at the price quoted and adays from the date of opening of tender of acceptance despatched. 		ance for a period of
Earnests Money/Bid Guarantee for an amount in form of Documents.		is enclosed as per the Tender
6. The method of evaluation of L1 criteria for award the total landed price up to SPM Narmadapuran		into consideration
7. TCS (u/s 206C (1 H) of IT Act is not applicable	e, as SPM will deduct TDS u/s 194Q.	
Dated		
Signature and seal of Manufacturer/Bidder		
- 5		
Note:		

(i) The Bidder may prepare their own offer forms as per this proforma.



- (ii) No change in the proforma is permissible.
- (iii) No erasures or alternations in the text of the offer are permitted. Any correction made in the offer shall be initialled by the bidder.
- (iv) Figures in Columns 5 to 7 (both inclusive) and in Break-up of price in column 6, should be in both figures and words.
- (v) This Section should not bring in any new Technical Parameter that has not been mentioned in the Technical Bid.

SIGNATURE OF BIDDER WITH NAME, DESIGNATION & SEAL



1. Vendor/ Contractor particulars:

Section XII Vendor Details

The tenderer should furnish specific details mentioned below. In case a question/issue does not apply to a tenderer, the same should be answered with the remark "not applicable".

Wherever necessary and applicable, the tenderer shall enclose certified copy as documentary proof/ evidence to substantiate the corresponding statement.

In case a tenderer furnishes a wrong or misleading answer against any of the under mentioned question/ issues, its tender will be liable to be ignored.

(a)	Name of the Company:
(b)	Corporate Identity No. (CIN):
(c)	Registration if any with SPMCIL:
(d)	Complete Postal Address:
(e)	Pin code/ ZIP code:
(f)	Telephone nos. (with country/area codes):
(g)	Fax No.: (with country/area codes):
(h)	Cell phone Nos.: (with country/area codes):
(i)	Contact persons /Designation:
(j)	Email IDs:
2. Taxat	tion Details:
(a)	PAN Number:
` ,	Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc.):
, ,	GSTIN number:
, ,	
(u) 1	Registered Address as per GST registration and Place of Delivery for GST Purpose:
` ,	Contact Names, Nos. & email IDs for GST matters (Please mention primary and secondary contacts):



We solemnly declare that our GST rating on the GST portal / Govt. official website is NOT negative / blacklisted during the last three financial years.
(Signature with date)
(Full name, designation & address of the person duly authorized sign on behalf of the tenderer)
For and on behalf of
(Name, address, and stamp of the tendering firm)



Section XIV: Manufacturer's Authorization Form

To
(Name and address of SPMCIL)
Dear Sirs,
Ref. Your Tender document No, dated
We,
We further confirm that no supplier or firm or individual other than Messrs
We also hereby extend our full warranty, as applicable as per clause 16 of the General Conditions of Contract read with modification, if any, in the Special Conditions of Contract for the goods and services offered for supply by the above firm against this tender document.
Yours faithfully,
[Signature with date, name, and designation]
for and on behalf of Messers
Name & address of the manufacturers

Note: This letter of authorization should be on the letter head of the manufacturing firm and should be signed by a person competent and having the power of attorney to legally bind the manufacturer.



Section XV: Bank Guarantee Form for Performance Security

PROFORMA OF BANK GUARANTEE FOR CONTRACT PERFORMANCE GUARANTEE BOND

(ON BANK'S LETTERHEAD WITH ADHESIVE STAMP)	
Re	ef
Ba	ank Guarantee No
То),
(Ir	nsert Name & Address of the Purchaser)
De	ear Sir,
1.	Against contract vide Notification for Award of the Tender No
2.	We
3.	It is fully understood that this guarantee is effective from the date of the said contract and that we



4.	We undertake to pay to the Purchaser, any money so demanded, notwithstanding any dispute or
	disputes raised by the Contractor, in any suit or proceeding pending before any Court or Tribunal,
	relating thereto, our liability under this present, being absolute and unequivocal. The payments so
	made by us under this bond, shall be a valid discharge of our liability for payment thereunder, and
	the Contractor shall have no claim against us, for making such payments.

	the Contractor shall have no claim against us, for making such payments.
5.	We
6.	This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor.
Da	ite:
Pla	ace:
Siç	gnature
(P	rinted Name)

(Bank's Common Seal)

(Designation).....

Witnesses



Section XVI: Contract Form

Idress of SPMCIL's office issuing the contract)
ntract No dated
s is in continuation to this office' Notification of Award No dated
Name & address of the Supplier
SPMCIL's Tender document No
Supplier's Tender No

- 4. In addition to this Contract Form, the following documents etc, which are included in the documents mentioned under paragraphs 2 and 3 above, shall also be deemed to form and be read and construed as part of this contract:
 - (i) General Conditions of Contract;
 - (ii) Special Conditions of Contract;
 - (iii) List of Requirements;
 - (iv) Technical Specifications;
 - (v) Quality Control Requirements;
 - (vi) Tender Form furnished by the supplier;
 - (vii) Price Schedule(s) furnished by the supplier in its tender;
 - (viii) Manufacturers' Authorization Form (if applicable for this tender);
 - (ix) SPMCIL's Notification of Award

Note: The words and expressions used in this contract shall have the same meanings as are respectively assigned to them in the conditions of contract referred to above. Further, the definitions and abbreviations incorporated under Section – V - 'General Conditions of Contract' of SPMCIL's Tender document shall also apply to this contract.

- 5. Some terms, conditions, stipulations etc. out of the above-referred documents are reproduced below for ready reference:
 - (i) Brief particulars of the goods and services which shall be supplied/ provided by the supplier are as under:

Schedule No.	Brief description of goods/ services	Accounting unit	Quantity to be supplied	Unit Price (in Rs.)	Total price



he



The General Manager

Section XVII: Letter of Authority for attending / Bid Opening (Refer to clause 24.2 of GIT)

Unit Address									
Subject: Authorization for attending bid opening on (date) in the Tender of									
	Following persons are hereby authorized to attend the bid opening for the tender mentioned above on behalf of								
Order of Preference	Name	Specimen Signatures							
I.									
II.									
Alternate Representative									
Signatures of bidder or									
Officer authorized to sign the bid Documents on behalf of the bidder									

NOTE

- 1. Maximum of two representatives will be permitted to attend pre-bid conference/bid opening. In cases where it is restricted to one, first named representative will be allowed to attend. Alternate representative will be permitted when regular representatives are not able to attend.
- 2. In case of pre-bid conference, self-attested copy of proof of purchase of Bid documents, in the name of the bidder must be enclosed with this authorization, without which entry would be refused. Bid documents would be available for sale at the site also.
- 3. Permission for entry to the hall where even is held may be refused in case authorization as prescribed above is not produced.



Section XVIII: Proforma of Bills for Payments (Refer Clause 22.6 of GCC)

Name	e and Address of the	Firm				
Bill N	o		Da	ted		
Purcl	nase order		No	Date	∋d	
Name	e and address of the	consignee				
S. No	Authority for purchase	Description of Stores	Number or quantity	Rate Rs. P.	Price per Rs. P.	Amount
Total						
2. 3. 4. 5. 6.	GST/ CGST/ SGST/ Freight (if applicable) Excise Duty (if applicable) Packing and Forward Others (Please specion PVC Amount (with case) (-) deduction/Discour	able) ling charges (if appli y) alculation sheet encl	cable)			
	Net amount payable	,				
·	atch detail RR No. ot					
Date	b				(encl	osed)
Inspe	ection Certificate No		dated		(encl	osed)
Place	e and Date					
Rece	ived Rs					
Rupe	es)					



We solemnly certify that:

- a. Goods and Services Tax (GST) charged on this Bill is not more than what is payable under the provision of the relevant Act or the Rules made there under.
- b. Goods on which GST has been charged have not been exempted under the GST Act or the rules made there under and the charges on account of GST on these goods are correct under the provisions of that Act or the Rules made there under.
- c. We are registered with above indicated GSTIN as dealer in the State where in their Billing address is located for the purpose of GST.
- d. This bill form / invoice is not a replacement for the GST invoice. The proper GST invoice as per requirements of GST rules has been sent to the Purchaser as and when deliveries are made to the consignee.
- e. That the payment being claimed is strictly in terms of the contract and all the obligations on the part of the supplier for claiming that payment has been fulfilled as required under the contract.

Revenue stamp

Signature and of Stamp Supplier



Section XIX: NEFT Mandate (Refer clause 22.2 of GCC)

From	: M/s	Date:
To:		
(Inse	rt Name and Address of Purchaser's Payir	ng Authority as per NIT Clause 1)
Sub:	NEFT payments	
above	e scheme to our under noted account.	te SPMCIL for making payments to us through the
NA H	ONAL ELECTRONIC FUNDS TRANSFER	MANDATE FORM
1.	Name of City	
2.	Bank Code No.	
3.	Branch Code No.	
4.	Bank's Name	
5.	Branch Address	
6.	Branch Telephone / Fax No.	
7.	Supplier's Account No.	
8.	Type of Account	
9.	IFSC code for NEFT	
10.	IFSC code for RTGS	
11.	Supplier's name as per Account	
12.	MICR Code No.	
phot		nder, please attach a bank cancelled cheque or ank passbook issued by your bank for verification of

I hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information, I would not hold the user institution responsible. I have read the option intimation letter and agree to discharge responsibility expected of me as a participant under the scheme.



Date

Signature of the Customer

Certified that the above particulars are correct as per our record.

Stamp and
Signature of authorized
Official of the bank



ANNEXURE-I

TENDER NO. 6000018223/CIVIL/23-24/431, Dated: 24.07.2023

The Price bid should clearly indicate the break-up of the price as under:-

GSTIN No. of your Firm:

Sr.	N NO. OF YOUR FIRM : Description	HSN	Qty	Unit	Rate	Amount
No	2000 i pilon	/SA C	۷.,		raio	7 till Galle
1	Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil		120	Cum		
2	Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m		75	Cum		
3.	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:4:8 (1 Cement: 4 coarse sand (zone-III) derived from natural sources: 8 graded stone aggregate 40 mm nominal size derived from natural sources)		11	Cum		
4.	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level: 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources: 3 graded stone aggregate 20 mm nominal size derived from natural sources)		52	Cum		
5.	Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement:		42	Cum		



	T				
	1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources				
6.	Centering and shuttering including strutting, propping etc. and removal of form for				
	i. Foundations, footings, bases of columns, etc. for mass concrete	82	Sqm		
	ii. Columns, Pillars, Piers, Abutments, Posts and Struts	470	Sqm		
7.	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.	2710	KG		
8.	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level. Thermo-Mechanically Treated bars of grade Fe-500D or more.	3765	KG		
9.	Providing and fixing 1mm thick M.S. sheet door with frame of 40x40x6 mm angle iron and 3 mm M.S. gusset plates at the junctions and corners, all necessary fittings complete, including applying a priming coat of approved steel primer. Using M.S. angels 40x40x6 mm for diagonal braces	5.5	Sqm		
10.	52 mm thick cement concrete flooring with concrete hardener topping, under layer 40 mm thick cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) and top layer 12 mm thick cement hardener consisting of mix 1:2 (1 cement hardener mix : 2 graded stone aggregate 6 mm nominal size) by volume, hardening compound mixed @ 2 litre per 50 kg of cement or as per manufacturer's specifications. This includes cost of cement slurry, but excluding the cost of nosing of steps etc. complete.	120	Sqm		
11.	Extra for providing and fixing wind ties of 40x 6 mm flat iron section.	144	Mtr		



12.	Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete:Ridges plain (500-600mm)	70	Mtr	
13.	Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, Single socketed pipes. 110 mm diameter	80	Mtr	
14.	Providing and fixing on wall face unplasticised - PVC moulded fittings/accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion. i.Coupler-110 mm	8	EA	
	,			
	ii. Bend 87.5 dgree-110 mm	16	EA	
	iii. Shoe (Plain) -110 mm	16	EA	
15	Providing and fixing unplasticised -PVC pipe clips of approved design to unplasticised - PVC rain water pipes by means of 50x50x50 mm hard wood plugs, screwed with M.S. screws of required length, including cutting brick work and fixing in cement mortar 1:4 (1 cement : 4 coarse sand) and making good the wall etc. complete.	35	EA	
16.	Providing and fixing precoated galvanised steel sheet roofing accessories 0.50 mm (+0.05 %) total coated thickness, Zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns using self drilling/ self tapping screws complete: Gutter (600 mm over all girth) 6 mm cement plaster of mix:	350	Mtr	



	1:3 (1 cement : 3 fine sand)				
18	Finishing walls with Acrylic Smooth	350	Sam		
10	,	330	Sqm		
	exterior paint of required shade:				
	New work (Two or more coat applied @				
	1.67 ltr/10 sqm over and including				
	priming coat of exterior primer applied				
- 10	@ 2.20 kg/10 sqm)	100			
19	Painting with synthetic enamel paint of	400	Sqm		
	approved brand and manufacture to				
	give an even shade: Two or more coats				
	on new work				
20.	Painting with synthetic enamel paint of	600	Sqm		
	approved brand and manufacture of				
	required colour to give an even shade :				
	One or more coats on old work				
21	Distempering with 1st quality acrylic	1500	Sqm		
	distember (Ready mix) having VOC		•		
	content less than 50 grams/ litre of				
	approved brand and manufacture to				
	give an even shade :				
	Old work (one or more coats)				
22	Finishing walls with Acrylic Smooth	900	Sqm		
	exterior paint of required shade :	000	9		
	Old work (One or more coat applied @				
	0.90 ltr/10 sqm).				
23	Repairs to plaster of thickness 12 mm	200	Sam		
23		200	Sqm		
	to 20 mm in patches of area 2.5				
	sq.meters and under, including cutting				
	the patch in proper shape, raking out				
	joints and preparing and plastering the				
	surface of the walls complete, including				
	disposal of rubbish to the dumping				
	ground, all complete as per direction of				
	Engineer-in-Charge. With cement				
	mortar 1:4 (1 cement : 4 fine sand)				
24	Demolishing cement concrete	30	Cum		
	manually/ by mechanical means				
	including disposal of material within 50				
	metres lead as per direction of				
	Engineer - in - charge.				
	Nominal concrete 1:3:6 or richer mix (i/c				
	equivalent design mix)			<u> </u>	
25	Demolishing R.C.C. work manually/ by	20	Cum		
	mechanical means including stacking of				
	steel bars and disposal of				
	unserviceable material within 50 metres				
	lead as per direction of Engineer - in-				
	charge.				
26	Demolishing brick work manually/ by	10	Cum		
	mechanical means including stacking of	10	Cann		
	serviceable material and disposal of				
	unserviceable material within 50 metres				
	lead as per direction of Engineer-in-				
	lead as per direction of Engineer-in-				



	charge. In cement mortar cum			
27	charge. In cement mortar cum Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead: Of area 3 sq. metres and below Dismantling roofing including ridges, hips, valleys and gutters etc., and stacking the material within 50 metres	430	EA Sqm	
29	lead of: Asbestos Cement sheet Dismantling cement asbestos or other hard board ceiling or partition walls including stacking of serviceable materials and disposal of unserviceable materials within 50 metres lead.	620	Sqm	
30	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 metres lead.	350	Sqm	
31	Providing and fixing glazing in aluminium door, window, ventilator shutters and partitions etc. with EPDM rubber / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge. (Cost of aluminium snap beading shall be paid in basic item): With float glass panes of 8 mm thickness (weight not less than 20 kg/sqm)	20	Sqm	
32	Chipping of unsound/weak concrete material from slabs, beams, columns etc. with manual Chisel and/ or by standard power driven percussion type or of approved make including tapering of all edges, making square shoulders of cavities including cleaning the exposed concrete surface and reinforcement with wire brushes etc. and disposal of debris for all lead and lifts all complete as per direction of Engineer-In-Charge 50mm average thickness	300	Sqm	
33	Providing, mixing and applying bonding coat of approved adhesive on chipped portion of RCC as per specifications and direction of Engineer-In-charge complete in all respect. SBR Polymer (@10% of cement weight) modified cementitious bond coat @ 2.2 kg cement per sqm of	200	Sqm	



	surface area mixed with specified			
	proportion of approved polymer			
34	Providing, mixing and applying SBR	200	Sqm	
	polymer (of approved make) modified			
	Cement mortar in proportion of 1:4 (1			
	cement: 4 graded coarse sand with			
	polymer minimum 2% by wt. of cement			
	used) as per specifications and			
	directions of Engineer-in-charge.			
	Note: Measurement and payment: The			
	pre-measurement of thickness shall be			
	done just after the surface preparation			
	is completed and Payment under this			
	item shall be made only after proper			
	wet curing has been done and surface			
	has been satisfactorily evaluated by			
	sounding / tapping with a blunt metal			
	instrument and/or the 75mm size cube			
1	crushing strength at the end of 28 days			
	to be not less than 30 N/Sqmm2).			
25	50 mm average thickness in 3 layers.	1000	I/C	
35	Structural steel work in single section,	1800	KG	
	fixed with or without connecting plate,			
	including cutting, hoisting, fixing in			
	position and applying a priming coat of			
36	approved steel primer all complete. Centering and shuttering work to	100	Cam	
30	Centering and shuttering work to supprt/ hold roof truss/RCC beam	100	Sqm	
	• •			
	during column strenthening work with adequate bracing, propping etc.,			
	including all required materials and cost			
	of de-shuttering and decentering at all			
	levels, over a height of 6.0 meter to 9.0			
	meter all complete as per direction of			
	Engineer in Charge (Plan area to be			
	measured).			
37	Dismantling steel work in single	6300	KG	
"	sections including dismembering and	5555		
	stacking within 50 metres lead in:			
	Channels, angles, tees and flats			
38	Steel work in built up tubular (round,	4400	KG	
	square or rectangular hollow tubes etc.)			
	trusses etc., including cutting, hoisting,			
	fixing in position and applying a priming			
	coat of approved steel primer, including			
	welding and bolted with special shaped			
	washers etc. complete.			
	Hot finished welded type tubes	 		
39	Providing and fixing precoated	 1050	Sqm	
	galvanised iron profile sheets (size,			
	shape and pitch of corrugation as			
	approved by Engineer-in-charge) 0.50			
	mm (+ 0.05 %) total coated thickness			



	with zinc coating 120 grams per sqm as per IS: 277, in 240 mpa steel grade, 5-7 microns epoxy primer on both side of the sheet and polyester top coat 15-18 microns. Sheet should have protective guard film of 25 microns minimum to avoid scratches during transportation and should be supplied in single length upto 12 metre or as desired by Engineerin-in-charge. The sheet shall be fixed using self drilling /self tapping screws of size (5.5x 55 mm) with EPDM seal, complete upto any pitch in horizontal/ vertical or curved surfaces, excluding the cost of purlins, rafters and trusses and including cutting to size and shape wherever required.			
40	Total			
41	Any other charges (if any)			
42	Total			
43	Total GST amount (mention GST % also)			
44	Total			
45	Total Price (F.O.R, SPM, NARMADAPURAM) (in figures only) (43+44)			
46	Total Price (F.O.R, SPM, NARMADAPURAM) (in words only)			

Note :-The method of evaluation of L1 criteria for awarding the contract shall be decided taking into consideration the total landed price up to SPM Narmadapuram.

Signature
Name
Designation
Date



ANNEXURE - II

TWO BID, SINGLE STAGE (TWO PACKET) TENDER BIDDER'S CHECK LIST BEFORE TENDER SUBMISSION

Part I: - TECHNO-COMMERCIAL BID

S.No.	Tender Submission Check Points	Check before submission Tick ()
1	Tender Fee	Not Applicable
2	Earnest Money Deposit	Applicable
4	Term of Delivery :- FOR, SPM Narmadapuram, duly unloaded	
5	Delivery Period: Acceptance of delivery period as per tender Document	
6	Tender Validity 120 days as per the tender	
7	Payment Terms as per the tender document.	
8	Accept the Warranty clause as per tender	
9	Technical Specification –Section VII as per tender	
10	Submit Manufacturer's Authorization form	
11	Consisting of all the Quality control requirements as per Section viii of the tender (if applicable)	
12	Submit the documents as per Qualification / Eligibility criteria – Section IX	
13	Blank Price Bid as per Section XI (Without Price but mention the taxes & other Other charges)	
14	Fill Tender Form – Section X duly seal & sign (Without mentioning price)	
15	Submit a document on letter head with seal and sign stating "unconditional accepting all the terms and conditions of tender enquiry without any deviations with acceptance of all section of this tender document (GIT, SIT, SCC, Quality Control requirement, Tender Form, Questionnaire etc.,)	

NOTE: "BIDDER TO FURNISH STIPULATED DOCUMENTS ALONG WITH TENDER IN SUPPORT OF FULFILLMENT OF TENDER CRITERIA. FURTHER CORRESPONDENCE IN THIS REGARD WILL NOT BE ENTERTAINED FOR ANY REASON. NON-SUBMISSION OR INCOMPLETE SUBMISSION OF DOCUMENTS MAY LEAD TO REJECTION OF OFFER

Part II: - PRICE BID

S.No.	Tender Submission Check Points	Check before submission Tick ()
1	Price Bid as per Section XI (Price including all taxes & other charges)	

(Bidder's Seal & Sign)
Seal & Sign)



<u>ANNEXURE – III</u>

Tender No. 6000018223/CIVIL/23-24/431, Dated: 24.07.2023 (To be submitted on the letter head)

DECLARATION

We do hereby declare that,

- We have not been blacklisted /debarred by BNPMIPL /BRBNMPL /SPMCIL or any Govt.
 Departments for participation in tenders. The information provided above is correct and true to the best of my knowledge and belief.
- 2. We do hereby declare that we have read and understood all terms and conditions of tender document including GIT, SIT, GCC, SCC, Technical Specification, Quality Control Criteria and confirm to abide to those conditions without any counter conditions.
- 3. "We are accepting all the terms and conditions of the tender document without any deviation and withdraw all deviations if any"
- 4. "We Declare that If we withdraw or modify our bids during period of validity of tender etc. than we will be suspended for the period of 03 years from the date of opening of tender."

Signature
lame
Designation
Date
Stamp of the Organization



ANNEXURE-IV

Tender No. 6000018223/CIVIL/23-24/431, Dated: 24.07.2023 (To be submitted on the letter head)

DECLARATION

"I have read the clause regarding restrictions on procurement from a bidder of a country which
shares a land border with India. I certify that M/s
(firm's name) is not from such a country or, if from such a country, has been registered
with the Competent Authority. I hereby certify that M/s
(firm's name) fulfils at requirements in this regard and is eligible to be considered."
(where applicable, evidence of valid registration by the competent Authority shall be attached)
I, the undersigned, declare that the itemoriginate in(Name
of the country).
Signature
Name
Designation
Date
Stamp of the
Organization



Annexure-V

Declaration for Section 206AB of TDS under income tax Act, 1961

(to be submitted on Letter Head)

Vendor Cod	de:				
M/s					
PAN				GSTIN	
				-	complete address >,, referring to the
			, hereby declare th		,
Financia I Year	Aggregate TDS & TCS credit in our name was Rs. 50,000 or more ("Yes / No")	Income Tax Return ("ITR") Filed ("Yes/No	E-filing Acknowledgme nt Number (15 digit - numeric) (Attach copy of acknowledgme nts)	of Return of Income u/s 139(1) (DD/MM/YYYY)	Linked PAN with Aadhaar number or will link it before 30 Jun 2021 (or any further date as may be notified by CBDT ("Yes / No")
2020-21					
2021-22					
correct, cor which are le	mplete and is t	ruly stated. Ir on account o	n case there is a ta	x liability, interest o	what is stated above is or penal consequences , I/we undertake to fully
FOR					
Authorized	Signatory				
Date:					
	se the vendor le following rate		pply with the above	provisions, TDS s	hall be deducted at the

- (i) at twice the rate specified in the relevant provision of the Act; or
- (ii) at twice the rate or rates in force; or
- (iii) at the rate of five per cent (5%).