

**Bid Document/ बिड दस्तावेज**

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	25-07-2023 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	25-07-2023 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Finance
Department Name/विभाग का नाम	Department Of Economic Affairs
Organisation Name/संगठन का नाम	Security Printing And Minting Corporation Of India Limited (spmcl)
Office Name/कार्यालय का नाम	Janpath
Total Quantity/कुल मात्रा	70
Item Category/मद केटेगरी	Title 1 , Title 2 , Title 3
BOQ Title/बीओक्यू शीर्षक	FIRE EXTINGUISHER
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज	Experience Criteria,OEM Authorization Certificate,Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Title 1
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No



**Bid Details/बिड विवरण****Evaluation Method/मूल्यांकन पद्धति**

Total value wise evaluation

**EMD Detail/ईएमडी विवरण**

Required/आवश्यकता

No

**ePBG Detail/ईपीबीजी विवरण**

Required/आवश्यकता

No

**Splitting/विभाजन**

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

**MII Purchase Preference/एमआईआई खरीद वरीयता**

MII Purchase Preference/एमआईआई खरीद वरीयता

No

**MSE Purchase Preference/एमएसई खरीद वरीयता**

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any

impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

## Title 1

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vikas Kumar	461005, Security Paper Mill , Narmadapuram , Madhya Pradesh	30	60

## Title 2

### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा



S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vikas Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	15	60

### Title 3

#### Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	<a href="#">View File</a>
BOQ Detail Document	<a href="#">View File</a>

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

#### Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vikas Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	25	60

### Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

#### 1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

#### 2. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

predispatch inspection is mandatory before dispatching the material

### 3. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

### Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---



OFFICE OF THE SR. COMMANDANT  
CENTRAL INDUSTRIAL SECURITY FORCE  
(MINISTRY OF HOME AFFAIRS)

**SUB:- PROCUREMENT OF VARIOUS TYPE & CAPACITY OF FIRE EXTINGUISHER:REG:-**

Kindly refer to CISF FHQRs. New Delhi letter No-E-37015/3/Gen/Fire/SOP ( VETT/SPM ( H) 40262- ( E) dated:30.09.2022 ( Attached herewith) on the above subject matter.

02. It is submitted that CISF FHQRs. New Delhi has approved the proposal for the procurement of 70 Nos. Fire Extinguishers and also vetted the Tech. Specification of the following type and capacity of Fire Extinguishers.

S.N	TYPES & CAPACITY OF FIRE EXTINGUISHER	QUANTITY
01	09 ltr. Water Type Fire Extinguisher ( Gas Cartridge)	30 Nos.
02	06 kg Dry Chemical Powder Fire Extinguisher ( Gas Cartridge)	15 Nos.
03	09 ltr. Mechanical Foam Type Fire Extinguisher ( Gas Cartridge)	25 Nos.
G. TOTAL		70 Nos.

03. The vetted specification of 09 ltr. Water Type Fire Extinguisher, 06 kg Dry Chemical Powder Fire Extinguisher & 09 ltr. Mechanical Foam Type Fire Extinguisher are enclosed as per Annexure- 'A', 'B', and 'C' respectively.

04. The following is required to be ensured during the procurement process.

- i) The specification shall be generic without mention of any vendor name.
- ii) The equipments shall be procured from OEM, authorized agency only.
- iii) The vendor shall have all the test facilities as per relevant Indian or International standards.
- iv) PDI is mandatory even if the procurement is carried out through GeM since provision of inspection is there in GeM also.
- v) The CISF representative for PDI will be detailed by the Fire Directorate.

ASSTT. COMMANDANT/FIRE  
CISF UNIT SPM NARMADAPURAM

**TECH. SPECIFICATION FOR 09 LTR CAPACITY WATER TYPE FIRE EXTINGUISHER  
(CO<sub>2</sub> GAS CARTRIDGE TYPE) CONFIRMING TO IS: 15683:2018**

**01) GENERAL:-** ISI Marked 9 ltr Water Type (CO<sub>2</sub> Gas Cartridge type ) Fire Extinguisher confirming to IS: 15683:2018 with fire rating 3A made of deep drawn MS Shell fitted with squeeze grip lever type cap with ISI marked. CO<sub>2</sub> gas cartridge of suitable capacity confirming to IS: 4947 with internal discharge tube/siphon tube, discharge hose, working range 0°C to +55°C complete with wall mounting brackets and screws as per IS: 15683:2018.

**02) TECHNICAL DATA:-**

- i. The internal discharge tube/siphon tube shall be of copper, fitted with strainer at the bottom.
- ii. ISI Marked Gas Cartridge capacity 90 gm confirming to IS: 4947. The content shall be as per IS: 15222-2002.
- iii. The discharge hose shall be of PVC braided type, of minimum 400 mm length.
- iv. Cap assembly shall be fitted with SS made locking pin provided with SS made chain in spite of rubber be of SS type.
- v. Piercer shall be of SS type.
- vi. The external as well as inner surface of the extinguisher shall be coated with epoxy polyester powder coating after anti-corrosive treatment. There shall be no visible uncoated area both internally or externally.
- vii. Label shall be of water proof type.
- viii. Nozzle shall be of stainless steel.
- ix. Colour of extinguisher body should be red conforming to shade No. 536 or 538 of IS 5.
- x. Marking on each extinguisher and Gas cartridge should be strictly as per IS: 15683:2018.
- xi. Other requirements should be as per IS: 15683:2018

**03) SPARES:-** One spare ISI Marked CO<sub>2</sub> Gas cartridge of such capacity confirming to IS: 4947 with each extinguisher shall also be provided.

**04) DOCUMENTS:-** The following documents must be provided by the supplier:-

- i. Acceptance test certificate
- ii. Certified BIS certification & Test Report/certificate from the original manufacturer
- iii. Certificate for manufacturing from BIS
- iv. Certificate for using ISI mark from BIS
- v. Purity certificate of CO<sub>2</sub> gas refilled in CO<sub>2</sub> gas cartridge as per IS: 15222-2018

**05) WARRANTY:-**

- i. The Water type fire extinguisher with its associated components shall be provided at least 1 year guarantee for their stipulated performance, leakage or any other defects.
- ii. Any expense on account of repair/supply of spares against guarantee defects shall to be borne by the supplier.

**06) IMPORTANT NOTES AS UNDER:-** The tenderer should specify the following points specifically.

- i. Warranty/Guarantee period.
- ii. Precious purchase order.
- iii. The tenderer should have all the testing facilities and all the expenditure of testing shall be born by the tenderer.
- iv. The tenderer shall furnish the offer by specifying the technical data (Clause by Clause). In case there is any deviation, the same should be clearly brought out in the offer.
- v. The tenderer shall either be the original Manufacturer or Authorised dealer only.
- vi. Joint PDI shall be carried out by CISF and SPM representative at vendor's work.



## **ANNEXURE- 'B'**

### **TECH. SPECIFICATION OF 06 KG DRY CHEMICAL POWDER (CO<sub>2</sub> GAS CARTRIDGE TYPE) FIRE EXTINGUISHER CONFIRMING TO IS: 15683:2018**

**01) GENERAL :-** ISI Marked 06 kg Dry Chemical Powder (ABC) type (CO<sub>2</sub> Gas Cartridge type ) Fire extinguisher with fire rating 2A (Class-A) and 21B (Class-B); confirming to IS: 15683:2018.

#### **02) TECHNICAL DATA:-**

- i. The material for the construction of siphon tube and CO<sub>2</sub> gas inject tube (Inner container) shall be of copper, and shall be subjected to anti-corrosive treatment.
- ii. ISI Marked CO<sub>2</sub> Gas cartridge of 120 gm capacity confirming to IS: 4947 latest revision. The content shall be as per IS: 15222: 2002.
- iii. The inner and outer surface of the body shall be painted completely with epoxy polyester powder coating of shade no.539 or 538 of IS: 5 and the paint shall confirm to IS: 2932 the surface of extinguisher shall be treated with anti-corrosive before painting of the extinguisher.
- iv. The discharge hose shall be of PVC braided type, of minimum 450 mm length for 06 kg.
- v. Cap assembly shall be fitted with SS made locking pin provided with SS made chain inspire of rubber with plastic mode lock guard also.
- vi. Piercer shall be made of stainless steel.
- vii. Label shall be of water proof type.
- viii. Refill pack of Dry Chemical powder shall be Mono- Ammonium Phosphate base material of 6 kg shall be as per IS: 4308 :2019 with ISI marks and it should be provided separately in hermetically sealed moisture proof plastic bags.
- ix. Wall mounting brackets & screw shall be supplied for each extinguisher.
- x. Colour of extinguisher body should be red conforming to shade No. 536 or 538 of IS 5.
- xi. Marking on each extinguisher and Gas cartridge should be strictly as per IS: 15683:2018.
- xii. Other requirements should be as per IS: 15683:2018.

**03) SPARES:-** One extra spare filled CO<sub>2</sub> Gas cartridge of 120 gm capacity required for above extinguisher should be provided along with each extinguisher.

**04) DOCUMENTS:-** The following documents must be provided by the supplier:-

- i. Acceptance test certificate
- ii. Certified BIS certification & Test Report/certificate from the original manufacturer
- iii. Certificate for manufacturing from BIS
- iv. Certificate for using ISI mark from BIS
- v. Purity certificate of CO<sub>2</sub> gas refilled in CO<sub>2</sub> gas cartridge as per IS: 15222-2018

#### **05) WARRANTY:-**

- i. The DCP type fire extinguisher with its associated components shall be provided at least 1 year guarantee for their stipulated performance or any other defects.
- ii. Any expense on account of repair/supply of spares against guarantee defects shall to be borne by the supplier.

Contd.- (02)

**06) IMPORTANT NOTES AS UNDER:-** The tenderer should specify the following points specifically.

- i. Warranty/Guarantee period.
- ii. Precious purchase order.
- iii. The tenderer should have all the testing facilities and all the expenditure of testing shall be born by the tenderer.
- iv. The tenderer shall furnish the offer by specifying the technical data (Clause by Clause). In case there is any deviation, the same should be clearly brought out in the offer.
- v. The tenderer shall either be the original Manufacturer or Authorised dealer only.
- vi. Joint PDI shall be carried out by CISF and SPM representative at vendor's work.



**TECH. SPECIFICATION FOR 09 LTR CAPACITY MECHANICAL FOAM TYPE FIRE EXTINGUISHER (CO<sub>2</sub> GAS CARTRIDGE TYPE) CONFIRMING TO IS: 15683:2018**

**01) GENERAL:-** ISI Marked 9 ltr Mechanical Foam Type (CO<sub>2</sub> Gas Cartridge type ) Fire Extinguisher confirming to IS: 15683:2018 with fire rating 4A (Class-A) & 144B (Class-B), made of deep drawn MS Shell fitted with squeeze grip lever type cap with ISI marked. CO<sub>2</sub> gas cartridge of suitable capacity confirming to IS: 4947 with internal discharge tube/siphon tube, discharge hose, working range 0°C to +55°C complete with wall mounting brackets and screws as per IS: 15683:2018.

**02) TECHNICAL DATA:-**

- i. The internal discharge tube/siphon tube shall be of copper, fitted with strainer at the bottom.
- ii. ISI Marked Gas Cartridge capacity 90 gm confirming to IS: 4947. The content shall be as per IS: 15222-2002.
- iii. The discharge hose shall be of PVC braided type, of minimum 400 mm length.
- iv. Cap assembly shall be fitted with SS made locking pin provided with SS made chain in spite of rubber be of SS type.
- v. Piercer shall be of SS type.
- vi. The external as well as inner surface of the extinguisher shall be coated with epoxy polyester powder coating after anti-corrosive treatment. There shall be no visible uncoated area both internally or externally.
- vii. Label shall be of water proof type.
- viii. Nozzle shall be of stainless steel.
- ix. Colour of extinguisher body should be red conforming to shade No. 536 or 538 of IS 5.
- x. Marking on each extinguisher and Gas cartridge should be strictly as per IS: 15683:2018.
- xi. Other requirements should be as per IS: 15683:2018

**03) SPARES:-** One spare ISI Marked CO<sub>2</sub> Gas cartridge of such capacity confirming to IS: 4947 with each extinguisher shall also be provided.

**04) DOCUMENTS:-** The following documents must be provided by the supplier :-

- i. Acceptance test certificate
- ii. Certified BIS certification & Test Report/certificate from the original manufacturer
- iii. Certificate for manufacturing from BIS
- iv. Certificate for using ISI mark from BIS
- v. Purity certificate of CO<sub>2</sub> gas refilled in CO<sub>2</sub> gas cartridge as per IS: 15222-2018

**05) WARRANTY:-**

- i. The Mech. Foam type fire extinguisher with its associated components shall be provided at least 1 year guarantee for their stipulated performance, leakage or any other defects.
- ii. Any expense on account of repair/supply of spares against guarantee defects shall to be borne by the supplier.

**06) IMPORTANT NOTES AS UNDER:-** The tenderer should specify the following points specifically.

- i. Warranty/Guarantee period
- ii. Precious purchase order
- iii. The tenderer should have all the testing facilities and all the expenditure of testing shall be born by the tenderer.
- iv. The tenderer shall furnish the offer by specifying the technical data (Clause by Clause). In case there is any deviation, the same should be clearly brought out in the offer.
- v. The tenderer shall either be the original Manufacturer or Authorised dealer only.
- vi. Joint PDI shall be carried out by CISF and SPM representative at vendor's work.