



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/4515042
Dated/दिनांक : 12-02-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	13-03-2024 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	13-03-2024 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	180 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Finance
Department Name/विभाग का नाम	Department Of Economic Affairs
Organisation Name/संगठन का नाम	Security Printing And Minting Corporation Of India Limited (spmci)
Office Name/कार्यालय का नाम	Janpath
Total Quantity/कुल मात्रा	22
Item Category/मद केटेगरी	butter fly valve , moog valve , tool kit , transmitter , vps , bar graph , hmi , relay
BOQ Title/बीओक्यू शीर्षक	Electronics Spares
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC), Compliance of BoQ specification and supporting document *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	butter fly valve
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days

Bid Details/बिड विवरण**Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)**

No

Evaluation Method/मूल्यांकन पद्धति

Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक

Indusind bank

EMD Amount/ईएमडी राशि

44000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक

Indusind bank

ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)

5.00

Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).

14

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

security paper mill narmadapuram
security paper mill ,Narmadapuram
(Security Paper Mill)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता

Yes

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. Preference to Make In India products (For bids < 200 Crore):Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer)of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY.The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

5. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc. This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Butter Fly Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/कमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document

[View File](#)

BOQ Detail Document[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Vikas Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

Moog Valve

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ**Specification Document**[View File](#)**BOQ Detail Document**[View File](#)

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Vikas Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	2	90

Tool Kit

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Vikas Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	6	90

Transmitter

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vikas Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

Vps

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vikas Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	4	90

Bar Graph

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vikas Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	3	90

Bar Graph

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vikas Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	3	90

Hmi

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Vikas Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

Relay

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

Specification Document	View File
BOQ Detail Document	View File

Advisory-Please refer attached BOQ document for detailed consignee list and delivery period.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Vikas Kumar	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Forms of EMD and PBG

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

security paper mill
payable at
narmadapuram

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

3. Forms of EMD and PBG

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C (Name of the Buyer). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

4. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

5. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

If required SPM may visit the factory during any stage, to ascertain the bidder manufacturing capability & quality control methodology.

Firm should submit the following:-

Firm should submit the following information regarding the capacity and performance:-

- Name of the machine utilized to supply the quoted product.
- The number of machines being utilized for the production and the capacity of each machine.

c) Supply orders in hand and proportionate capacity to supply quoted amount.

viii. Firm shall submit the declaration on letter head duly seal & signed by competent authority stating, "We have not been blacklisted/debarred by BNPMIPL/BRBNMPL/SPMCIL or any Govt. Departments for participation in tenders as on the date of opening of tender. The information provided above is correct and true to the best of my knowledge and belief."

6. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

7. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

security paper mill
payable at
narmadapuram

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

8. Forms of EMD and PBG

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

security paper mill

A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. Any clause(s) incorporated by the Buyer regarding following shall be treated as null and void and would not be considered as part of bid:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process.

9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---

Item No.	Material	Short Text	Item description.	Unit of Measure	Qty
10	SPEI000883	Double Acting Butter Fly Valve-250 Mm	<p>1) Double acting Butter fly valve 250mm with Electrical Actuator modulating/ proportional control quarter turn actuator (for Main Flow)</p> <p>Make: FISCHER/Keystone/Dezurik/flowshree or equivalent</p> <p>Specification of Butter fly valve:-</p> <ul style="list-style-type: none"> a. Size-----250mm (Main Flow) b. Body---- Cast iron or better c. Disc----316 stainless steel with finish polish stem SS410 or better d. Extension Stem----Not Required e. End conection---wafer type, ND 10 table./ANSI B 16.5 Class 150 f. Mounting: ISO 5211 Mounting pad allows for mounting of actuator / Flange: F10+F12. g. Fluid---Paper pulp with consistency 1% to 3% h. Inlet pressure of fluid---15Kg/cm2 (maximum) i. Seat material ----EPDM. j. face to face Standard---.ASME B 16.10/API 609 Category A/ BS EN 558-1 Series 20 k. Pressure Rating--PN 10 <p>Specification of Electric Actuator with positioner:-</p> <p>Make: Bellimo/brayline/Koei/ Regeltechnik/flowshree or equivalent</p> <ul style="list-style-type: none"> a. Operating voltage: 24 Volt DC. b. Output torque of Actuator. i) Switching torque : 500Nm. ii) Modulating Torque : 250 Nm c. Degree of Protection IP68 or better. d. Operation speed: 15 sec. e. Control: linear and equal percentage. f. Input control signal : 4 to 20mA. g. Travel angle 0 to 90 degree h. Action mode: direct or reverse action selectable. i. Characteristic: Linear and equal percentage. j. Mode when signal "OFF": Close. k. Rated operation time continuous. l. Housing: water proof. m. Indication: visual indication of valve open/close position. n. Flange:F10+F12 o. Ambient Temperature: 0 deg.C to +60 deg.C p. Motor protection: Multi Fuses or better protection. q. Drive Bush: matched. r. Provsion to limit the closing of actuator should be there at the user end. s.Warranty: 2 years covering all parts for valve & actuator t. Position feedback 0 to 10v DC or 4-20mA 	EACH	1
20	SPEI001513	Moog Servo Valve for J Cutter	-760-191 B Servo Valve H10 F0F M4VP4 or its exact equivalent installation wise and working wise	EACH	2

30	SPTL003272	Instrumentation tool kit	<p>Instrumentation tool kit should contain below items :1. portable hand held Syska LED Torch 5 watt or equivalent reputed make2. Allen key set-extra long3. Screw driver set4. Crimping tool kit5. Plyer/knoch plyer6. Auto digital clamp multimeter with following specifications:1000A AC TRMS Auto / Manual, 3½ Digit, 2000 Counts,APO Temperature, Data Hold, Max, Backlight,Torchlight, NCV (LED, Buzzer & EF Strength)6.1 AC Current -2A, 20A, 200A, 1000A Accuracy $\pm(3\%rdg+5dgt)$ on 2A & 20A $\pm(2\%rdg+5dgt)$ on 200A & 1000A AC Response - 40Hz ~ 1KHz Overload - 1000A AC max. for 1 min.6.2 AC Voltage - 2 2 200V, 750V V, 0V, Accuracy $\pm(1.2\%rdg+3dgt)$ AC Response - 40Hz ~ 1KHz6.3 DC Voltage - 200mV, 2V, 20V, 200V, 1000V Accuracy $\pm(0.8\%rdg+3dgt)$6.4 Temperature -20 Deg. C to 750 Deg. C/-4 F to 1382 F Accuracy $\pm(3\%rdg+5dgt)$6.5 Resistance - 200V, 2kV, 20KV, 200kV, 2MV, 20M V Accuracy $\pm(1.2\%rdg+3dgt)$6.6 Audible Continuity -30V(approx.)6.7 Diode Test- 1.0 \pm0.6mA (approx.)6.8 Power- Two 1.5V 'AA' Battery6.9 Battery Life - 200 Hours6.10 Typical Dimension - 245 x 95 x 35 mm (approx.)6.11 Weight - 309gms Including Battery (approx.)6.12 Jaw Opening- Cable Dia. 52mm (max.)6.13 Safety Standard-CAT III 600V6.14 Accessories - One Pair of Test Leads, Instruction Manual, Carrying Case, Battery (installed) K Type Thermocouple (upto 260 0 C)</p>	EACH	6
----	------------	--------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------	---

40	SPEI006634	Conductivity transmitter	<p>Make :- Flaxa21-D-P-D-AB-C1-NN-A-N-LA-N-NN/U+SC4A-S-AD-09-002-05-T1 + SS316 Flow Thru Tee, Process Connection : 1/2"NPTF, Sensor : 3/4"NPTF</p> <ol style="list-style-type: none"> 1. Type : 2 wire, microprocessor based , programmable, HART Power supply: 16 to 40V DC 2. Output/Protocol <ol style="list-style-type: none"> a. Analog Output - 4 to 20mA b. Digital Protocol- HART 3. Local switch fro setting engineering units. 4. Construction Type : Modular Construction 5. Configuration flexibility : Smart / Analog 6. Trend recording/ trend recorder : Inbuilt 7. Bargraph indication/ indicator : Inbuilt 8. Indication of Sensor Heath : Provided 9. Sensor Life Prediction : Provided 10. Automatic Correction of Value : Provided 11. Data logging : Inbuilt 12. Worded warning : soft alarm on display 13. Accuracy : 0.5% F.S. 14. Mounting : 2" Pipe bracket in SS 304 or better. 15. Sensor diagnostics Required : Sensor wellness, the degree of polarization, Last calibrated, Sensor Ohm, Calibration due, Projected replacement. 16. Tag & process details : Electronic, on face of analyser itself 17. Field Communication : 2 wire HART 18. Protection class : NEMA4X, IP66 or better 19. Burn out function : NAMUR 43 20. "Measurement Parameters : Conductivity" 21. Housing case : Polycarbonate 22. Ambient Operating Temperature : -20 to +55°C 23. Storage Temperature Range : -30 to +70°C 24. Humidity : 10 to 90% RH at 40°C 25. Temperature compensation : Manual/Automatic 26. Process temperature compensation : Matrix type algorithm for 	EA CH	1
----	------------	--------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------	---

			<p>accurate temperature compensation based on application</p> <p>27. Languages : English</p> <p>28. Make : Sensor Yokogawa SC4A or equivalent</p> <p>29. Body & Electrode : SS316</p> <p>30. Temperature sensor : Built On Pt1000</p> <p>31. Measuring System : 2-Electrode</p> <p>32. Temperature rating : 110 Deg. C, Sterilize : At 135 Deg. C</p> <p>33. Pressure rating : 10 bar</p> <p>34. Cell constant : 0.02/cm or 0.1/cm (depending on measurement range) Cable : Integral, 5 meter</p>		
--	--	--	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--	--

50	SPEI010580	Regulated Dual Channel variable Power	<p>Regulated Dual Channel Variable Power Suply</p> <p>Input Supply -110 to 230 Volts AC</p> <p>Output Voltage - 0 to 30 Volt DC (Variable)</p> <p>Current- 3 Amp (Each Channel)</p> <p>Each channle are independent & Voltage & current can be operated in each chaneel independetly.</p> <p>Each Channel should be provided Voltage & Current display indicators.</p> <p>Size- Comapact in size for Panel use.</p>	EACH	4
----	------------	---------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------	---

60	SPEI002528	SINGLE CHANNEL BARGRAPH- PROCESSINDICATOR	<p>Single channel bar graph type process indicator</p> <p>a) Panel cut out : size 36 X 144 X 245 mm</p> <p>b) Process input universal selectable.</p> <p>c) Range : selectable.</p> <p>d) Transmitter Power supply :TPS 24V DC</p> <p>e) Display :4 Digit 7 Segment Green,Red,LED</p> <p>f) Operating Temperature and Humidity : Temperature 45 Degree</p> <p>Humidity 95% non condensing.</p> <p>g) Alarm Limit : 2 Digital alarm limit for Low and Hi</p> <p>Configurable.</p> <p>h) Output : two relay O/P per channel</p> <p>i) Power Supply : 85-265 Volt AC 50HZ.</p> <p>j) Documentation : Installation and operating Guide with Trouble shooting</p> <p>k) Retransmission of signal feature to be provided</p>	EACH	3
----	------------	-------------------------------------------------	------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------	---

70	SPEI002529	DOUBLE CHANNEL BARGRAPH- PROCESSINDICATOR	<p>Double channel bar graph type process indicator</p> <p>a) Panel cut out size 72 X 144X 245 mm</p> <p>b) Process input universal selectable.</p> <p>c) Range : selectable.</p> <p>d) Transmitter Power supply TPS 24V DC</p> <p>e) Display 4 Digit 7 Segment Green, Red LED Per Channel</p> <p>f) Operating Temperature and Humidity : Temperature 45 Degree C , Humidity 95% Non Condensing.</p> <p>g) Alarm Limit : 2 Digital alarm limit for Low and Hi user Configurable.</p> <p>h) Output : two Relay O/P per channel</p> <p>i) Power Supply : 85-265 Volt AC 50 HZ.</p> <p>j) Documentation : Installation and Operating Guide with Trouble Shooting.</p> <p>K) Retransmission of signal feature to be provided .</p>	EACH	3
----	------------	-------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------	---

80	SPEI010578	HMI for Fiber Silk Plant	Pre-Programmed Man Machine Interface as per progaming logic of SILK PLANT. Colour TFT, 12.1", DOP Series. model No : DOP-W127B Input voltage +24 V DC Class 2 / 770 mA make: DELTA or Equivalent	EACH	1
90	SPEI010579	Relay Sigma GHR 302 0004 R0004	Relay ABB Sigma GHR 302 000 R0004 or exact equiv.	EACH	1

ANNEXURE-I

Declaration for Section 206AB of TDS under income tax Act, 1961

(to be submitted on Letter Head)

Vendor Code: _____

M/s _____

PAN _____

GSTIN _____

I/We _____ (Legal Name and complete address) _____,

PAN: _____ (PAN no) _____, TAN:

_____ (TAN no.) _____, referring to the provisions of

206AB of the IT Act, 1961, hereby declare the following:-

Financial Year	Aggregate TDS & TCS credit in our name was Rs. 50,000 or more ("Yes/ No")	Income Tax Return ("ITR") Filed ("Yes/No")	E-filing Acknowledgment Number (15 digit - numeric) (Attach copy of acknowledgments)	Date of Filing of Return of Income u/s 139(1) (DD/MM/YYYY)	Linked PAN with Aadhaar number or will link it before 30 Jun 2023 (or any further date as may be notified by CBDT ("Yes / No")
2021-22					
2022-23					

We do hereby declare that to the best of my /our knowledge and belief what is stated above is correct, complete and is truly stated. In case there is a tax liability, interest or penal consequences which are levied on SPM on account of the false representation/ declaration, I/we undertake to fully indemnify SPM for the same.

FOR _____

Authorized Signatory

Date:

Note: In case the vendor failed to comply with the above provisions, TDS shall be deducted at the higher of the following rates, namely: -

- (i) at twice the rate specified in the relevant provision of the Act; or*
- (ii) at twice the rate or rates in force; or*
- (iii) at the rate of five per cent (5%).*

ANNEXURE-II

(To be submitted on the Letter Head)

DECLARATION

We do hereby declare that,

1. We have not been blacklisted/debarred by BNPMIPL/BRBNMPL/SPMCIL or any Govt. Departments for participation in tenders. The information provided above is correct and true to the best of my knowledge and belief.
2. We do hereby declare that we have read and understood all terms and conditions of tender document including GIT, SIT, GCC, SCC, Technical Specification, Quality Control Criteria and confirm to abide to those conditions without any counter conditions.
3. We are accepting all the terms and conditions of the tender document without any deviation and withdraw all deviations if any.

Signature.....

Name.....

Designation.....

Date.....

Stamp of the Organization.....

(To be submitted on the Letter Head)

**DECLARATION
(Refer GIT Clause No.3.5)**

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India. I certify that M/s..... (Firm's name) is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that M/s..... (Firm's name) fulfils at requirements in this regard and is eligible to be considered." (Where applicable, evidence of valid registration by the competent Authority shall be attached)"

I, the undersigned, declare that the item originates in..... (Name of the country).

Signature.....

Name.....

Designation.....

Date.....

Stamp of the Organization.....

1. Required Terms of Delivery: F.O.R. Security Paper Mill Narmadapuram (Duly Unloaded).

2. Destination: Security Paper Mill, Narmadapuram (M.P.)-461005

3. Payment Terms: 100% on receipt and acceptance (suitability) of goods by the SPM, Narmadapuram and on production of all required documents by the supplier.

4. Bidder Should Quote Prices Inclusive of GST And All Cost Components Such As Packing & Forwarding Details, Freight & Insurance Charges upto Destination etc. on FOR Security Paper Mill, Narmadapuram (Madhya Pradesh), India basis only.

5. Liquidated Damages (LD) Clause: If the contractor fails to deliver the goods and/or services or any installment thereof within the Delivery Period, SPM Narmadapuram shall, without prejudice to other rights and remedies available to SPM, Narmadapuram under the contract, deduct from the contract price, as Liquidated damages, a sum equivalent to the rate of 0.5 Percent of the delivered price of the delayed goods and/or services along with applicable GST of 18% on the LD amount for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% (plus GST on the LD amount) of the delayed goods or services.

6. The terms and conditions, guidelines of SPMCIL Procurement Manual Version 2.0 will be applicable to this bid at any stage to avoid any conflict at later stage. Kindly refer General Instructions to Tenderer (GIT) and General Conditions of Contract (GCC) of SPMCIL Procurement Manual Version 2.0 for additional terms and conditions as per the links given below:

GIT: <https://spmCIL.com/uploaddocument/GIT/new.pdf>

GCC: <https://spmCIL.com/uploaddocument/GCC/new.pdf>

7. SPM (as Buyer) is liable to deduct TDS u/s 194Q @ applicable rate on goods purchases (if applicable). In case of deduction of TDS under section 194Q; the Supplier (Vendor) need not to charge TCS u/s 206C (1H) on invoicing on or after 01.07.2021.

8. Vendor has to submit declaration in specified format (*refer Buyer added Specific ATC*) for the compliance of Section 206AB of Income Tax Act, 1961. In case of non-submission of declaration; TDS will be deducted at higher rates (as applicable) as per section 206AB.

9. GST Return: Supplier should file the GST returns for outward supplies in time. In case of any Input Credit Loss to SPM by way of their failure to files GST Returns in time, SPM reserves the right to withhold the payment of further supplies till production of evidence of filling of Returns.

10. Bidder shall submit duly seal & signed copy of Technical Specifications.

11. WARRANTY CLAUSE:

11.1 The warranty shall remain valid for twelve months after the goods have been delivered to the final destination and accepted by SPM in terms of the contract or for fifteen months from the date of dispatch from the supplier's premises for domestic goods whichever is earlier.

11.2 In case of any claim arising out of this warranty, SPMCIL shall promptly notify the same in writing to the supplier.

11.3 Upon receipt of such notice, the supplier shall, with all reasonable speed replace the defective goods or parts thereof, free of cost, at the ultimate destination. The supplier shall take

over the replaced parts/ goods after providing their replacements and no claim, whatsoever shall lie on SPM for such replaced parts/ goods thereafter.

11.4 In the event of any rectification of a defect or replacement of any defective goods during the warranty period, the warranty for the rectified/ replaced goods shall be extended to a further period of twelve months from the date such rectified / replaced goods starts functioning to the satisfaction of SPM.

11.5 If the supplier, having been notified, fails to rectify/replace the defect(s) within a reasonable period SPM may proceed to take such remedial action(s) as deemed fit by SPM, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which SPM may have against the supplier.

12. No Deviation Certificate: Bidder should confirm in their quotation, "We acceptance of all terms and condition with technical specification of Bid document without any deviation".