



Bid Number/बोली क्रमांक (बिड संख्या):
GEM/2024/B/4931868
Dated/दिनांक : 16-05-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	14-06-2024 15:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	14-06-2024 15:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Finance
Department Name/विभाग का नाम	Department Of Economic Affairs
Organisation Name/संगठन का नाम	Security Printing And Minting Corporation Of India Limited (spmci)
Office Name/कार्यालय का नाम	Janpath
Total Quantity/कुल मात्रा	19
Item Category/मद केटेगरी	Laboratory Steel Furniture (Q3) , Classroom Chairs (Q3)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),OEM Authorization Certificate,Additional Doc 1 (Requested in ATC),Additional Doc 2 (Requested in ATC),Additional Doc 3 (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Laboratory Steel Furniture
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	2 Days

Bid Details/बिड विवरण**Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)**

No

Evaluation Method/मूल्यांकन पद्धति

Total value wise evaluation

EMD Detail/ईएमडी विवरण

Advisory Bank/एडवाइजरी बैंक

Indusind bank

EMD Amount/ईएमडी राशि

20000

ePBG Detail/ईपीबीजी विवरण

Advisory Bank/एडवाइजरी बैंक

Indusind bank

ePBG Percentage(%) / ईपीबीजी प्रतिशत (%)

5.00

Duration of ePBG required (Months) / ईपीबीजी की अपेक्षित अवधि (महीने).

17

(a). EMD EXEMPTION: The bidder seeking EMD exemption, must submit the valid supporting document for the relevant category as per GeM GTC with the bid. Under MSE category, only manufacturers for goods and Service Providers for Services are eligible for exemption from EMD. Traders are excluded from the purview of this Policy./जेम की शर्तों के अनुसार ईएमडी छूट के इच्छुक बिडर को संबंधित केटेगरी के लिए बिड के साथ वैध समर्थित दस्तावेज़ प्रस्तुत करने हैं। एमएसई केटेगरी के अंतर्गत केवल वस्तुओं के लिए विनिर्माता तथा सेवाओं के लिए सेवा प्रदाता ईएमडी से छूट के पात्र हैं। व्यापारियों को इस नीति के दायरे से बाहर रखा गया है।

(b). EMD & Performance security should be in favour of Beneficiary, wherever it is applicable./ईएमडी और संपादन जमानत राशि, जहां यह लागू होती है, लाभार्थी के पक्ष में होनी चाहिए।

Beneficiary/लाभार्थी :

Narmadapuram
Security Paper Mill, Narmadapuram
(Security Paper Mill)

Splitting/विभाजन

Bid splitting not applied/बोली विभाजन लागू नहीं किया गया.

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता

Yes

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.

3. Preference to Make In India products (For bids < 200 Crore): Preference shall be given to Class 1 local supplier as defined in public procurement (Preference to Make in India), Order 2017 as amended from time to time and its subsequent Orders/Notifications issued by concerned Nodal Ministry for specific Goods/Products. The minimum local content to qualify as a Class 1 local supplier is denoted in the bid document. If the bidder wants to avail the Purchase preference, the bidder must upload a certificate from the OEM regarding the percentage of the local content and the details of locations at which the local value addition is made along with their bid, failing which no purchase preference shall be granted. In case the bid value is more than Rs 10 Crore, the declaration relating to percentage of local content shall be certified by the statutory auditor or cost auditor, if the OEM is a company and by a practicing cost accountant or a chartered accountant for OEMs other than companies as per the Public Procurement (preference to Make-in -India) order 2017 dated 04.06.2020. Only Class-I and Class-II Local suppliers as per MII order dated 4.6.2020 will be eligible to bid. Non - Local suppliers as per MII order dated 04.06.2020 are not eligible to participate. However, eligible micro and small enterprises will be allowed to participate .The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023.

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

4. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for 25%(selected by Buyer) percentage of total QUANTITY. The buyers are advised to refer the OM No.F.1/4/2021-PPD dated 18.05.2023

[OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017.

Laboratory Steel Furniture (8 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Type of Lab furniture	Side bench without rack with table top

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Provision of Electrical raceway	Yes
	Provision of Electrical points	Yes
	Provision of modular type reagent rack	Door type (two doors)
	Provision of Electrical service panels	Door type (two doors)
	Provision of Gas service panels	N.A
	Provision of Verticals	Single
	Verticals (single)	1 number
	Verticals (double)	N.A
	Mini Vertical Service channel connector	1 number
	Provision of blower (to remove airborne contaminants)	Yes
	Provision of ducting (for purpose of ventilation)	Yes
MATERIAL	Thickness of Frame	1.2 mm
	Thickness of Cabinet frame cover panel	1.2 mm
	Drawers support brackets shelves slides thickness	1.2 mm
	Side cover panels material	1.2 mm
	Side cover panels thickness	1.2 mm
	Handles thickness	1.2 mm
	Sandwich type metal shutters thickness	1.2 mm
	Rear panel material thickness	1.2 mm
	Glass for framed sliding and swinging doors	N.A
	Glass for reagent shelf's	N.A
	Legs made up of	2.5 mm thick EDD quality GI steel square having 2.5 mm wall thickness
	Leg size	N.A
	Work tops	Acid resistant granite 20 mm thick
	Electrical points	Provided with one number of 3 Module Plate having 5/15Amps combined switch and 3 sets of sockets

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Modular type reagent rack	One number rack with 2 Shelf of grade Aluminium and 6 mm thick compact laminate (to fit the table)
DIMENSION	Size of side benches/Island benches (LxWxH)	1200 mm X 600 mm X 900 mm
	C Type Fixed Under Bench Cabinet size	N.A
	C Type Sliding Under Bench Cabinet size	N.A
	Electrical raceway size	150 mm(H) x 150 mm(W) x 900 mm
	Electrical service panels slideable size	200 mm (H) x 150 mm(W) x 900 mm
	Size of Verticals	150 mm x 25 mm thick x 1200 mm (H)
SIDE SINK ACCESSORIES	Eye Wash fountain (table mounted)	N.A
BLOWER	Motor	N.A
LAB STEEL STOOL	Seat made up of	N.A
	Backrest made up of	N.A
TEST REPORT	Availability of Test certificate of the furniture system as per SEFA 8M duly certified by SEFA approved laboratory to prove conformity of products to the specification	No

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Balbir Singh Prajapati	461005, Security Paper Mill ,Narmadapuram , Madhya Pradesh	8	90

Laboratory Steel Furniture (1 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
---------------	------------------------------------	--

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Balbir Singh Prajapati	461005, Security Paper Mill ,Narmadapuram , Madhya Pradesh	1	90

Classroom Chairs (10 pieces)

(Minimum 50% and 20% Local Content required for qualifying as Class 1 and Class 2 Local Supplier respectively/क्रमशः श्रेणी 1 और श्रेणी 2 के स्थानीय आपूर्तिकर्ता के रूप में अर्हता प्राप्त करने के लिए आवश्यक)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
GENERIC	Chair Type	Without Arms
	Type of Seat and Backrest	Made of polypropelene.
Backrest Details	Density of Cusion Used in Backrest (Kg/Cubic Metre)	No Cushion
	Thickness of Cushion in Backrest in mm (+/- 2 mm)	No Cushion
	Material of Fabric of Backrest Cover	No ciushion no cover
SUPPORT / UNDER STRUCTURE	Frame Material	SS 202 STRUCTURE
Writing Pad Details	Writing Pad Material	N.A

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Warranty	Warranty period in number of years	1
Certification	Product having BIFMA certification	NO
	OEM of offered product is ISO 9001:2015 certified	YES
	OEM of offered product is ISO 14001:2015 certified	NO
	OEM of offered product is ISO 18001:2007/ 45001:2018 certified	NO

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Balbir Singh Prajapati	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	10	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें

1. Generic

Manufacturer Authorization:Wherever Authorised Distributors/service providers are submitting the bid, Authorisation Form /Certificate with OEM/Original Service Provider details such as name, designation, address, e-mail Id and Phone No. required to be furnished along with the bid

2. Certificates

Bidder's offer is liable to be rejected if they don't upload any of the certificates / documents sought in the Bid document, ATC and Corrigendum if any.

3. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during

the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

4. **Forms of EMD and PBG**

Bidders can also submit the EMD with Account Payee Demand Draft in favour of

Security Paper Mill
payable at
Narmadapuram

. Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

5. **Forms of EMD and PBG**

Bidders can also submit the EMD with Fixed Deposit Receipt made out or pledged in the name of A/C (Name of the Buyer). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of EMD, the FDR will be released in the favour of the bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Bidder has to upload scanned copy/ proof of the FDR along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date/ Bid Opening date

6. **Forms of EMD and PBG**

Bidders can also submit the EMD with Banker's Cheque in favour of

Security Paper Mill
payable at
Narmadapuram

. Bidder has to upload scanned copy / proof of the BC along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

7. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Account Payee Demand Draft also (besides PBG which is allowed as per GeM GTC). DD should be made in favour of

Security Paper Mill
payable at
Narmadapuram

. After award of contract, Successful Bidder can upload scanned copy of the DD in place of PBG and has to ensure delivery of hard copy to the original DD to the Buyer within 15 days of award of contract.

8. **Forms of EMD and PBG**

Successful Bidder can submit the Performance Security in the form of Fixed Deposit Receipt also (besides PBG which is allowed as per GeM GTC). FDR should be made out or pledged in the name of

Security Paper Mill, Narmadapuram
A/C (Name of the Seller). The bank should certify on it that the deposit can be withdrawn only on the demand or with the sanction of the pledgee. For release of Security Deposit, the FDR will be released in favour of bidder by the Buyer after making endorsement on the back of the FDR duly signed and stamped along with covering letter. Successful Bidder has to upload scanned copy of the FDR document in place of PBG and has to ensure delivery of hard copy of Original FDR to the Buyer within 15 days of award of contract.

9. **Buyer Added Bid Specific ATC**

Buyer Added text based ATC clauses

ADDITIONAL TERMS & CONDITIONS (ATC)

1. Required Terms of Delivery: F.O.R. Security Paper Mill Narmadapuram (Duly Unloaded).

2. Destination: Security Paper Mill, Narmadapuram (M.P.)-461005

3. Payment Terms: 100% on receipt and acceptance (suitability) of goods by the SPM, Narmadapuram and on production of all required documents by the supplier.

4. Bidder Should Quote Prices Inclusive of GST And All Cost Components Such As Packing & Forwarding Details, Freight & Insurance Charges upto Destination etc. on FOR Security Paper Mill, Narmadapuram (Madhya Pradesh), India basis only.

5. Liquidated Damages (LD) Clause: If the contractor fails to deliver the goods and/or services or any installment thereof within the Delivery Period, SPM Narmadapuram shall, without prejudice to other rights and remedies available to SPM, Narmadapuram under the contract, deduct from the contract price, as Liquidated damages, a sum equivalent to the rate of 0.5 Percent of the delivered price of the delayed goods and/or services for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% of the delayed goods or services.

6. The terms and conditions, guidelines of SPMCIL Procurement Manual Version 3.0 will be applicable to this bid at any stage to avoid any conflict at later stage. Kindly refer General Instructions to Tenderer (GIT) and General Conditions of Contract (GCC) of SPMCIL Procurement Manual Version 3.0 for additional terms and conditions as per the links given below:

GIT: <https://www.spmcil.com/spmcil/UploadDocument/GIT.pdf>

GCC: <https://www.spmcil.com/spmcil/UploadDocument/GCC.pdf>

7. SPM (as Buyer) is liable to deduct TDS u/s 194Q @ applicable rate on goods purchases (if applicable). In case of deduction of TDS under section 194Q; the Supplier (Vendor) need not to charge TCS u/s 206C (1H) on invoicing on or after 01.07.2021.

8. Vendor has to submit declaration in specified format (*refer Buyer added Specific ATC*) for the compliance of Section 206AB of Income Tax Act, 1961. In case of non-submission of declaration; TDS will be deducted at higher rates (as applicable) as per section 206AB.

9. GST Return: Supplier should file the GST returns for outward supplies in time. SPM reserves the right to withhold the payment of further supplies till production of evidence of filing of Returns.

10. Bidder shall submit duly seal & signed copy of Technical Specifications and Evaluation may be carried out only on the basis of SPM Technical specification as mentioned below:

Item No. 10 Laboratory Steel Table with Island Top (Quantity: 8 Nos.)

Technical Specification for Laboratory Steel Table with Island Top

DIMENSION

- Size of side benches/Island benches (LxWxH) 1200 mm X 600 mm X 900 mm

- Electrical raceway size 150 mm(H) x 150 mm(W) x 900 mm
- Electrical service panels slideable size 200 mm (H) x 150 mm(W) x 900 mm

- Size of Verticals 150 mm x 25 mm thick x 1200 mm (H)

General

- Type of Lab furniture: Side bench without rack with table top
- Type of Frame for installation of bench: C type frame
- Type of laboratories furniture and allied accessories: Modular
- Cabinet design: Facilitating future equipment retrofits and full reconfigurations without requiring any major modification to the structure.

- Ground clearance \pm 5 mm : 25 mm
- Table back bottom skirting : 1 number
- Rear panel : Removable type(for maintenance)
- Provision of Electrical raceway : Yes
- Provision of Electrical points: Yes
- Provision of Electrical service panels Door type (two doors)
- Provision of Verticals Single Verticals single: 1 number
- mini Vertical Service channel connector: 1 number
- Provision of blower (to remove airborne contaminants): Yes
- Provision of ducting (for purpose of ventilation): Yes
- Scope of supply (offer price to include all cost components) :

Furnishing/Installation all the laboratories furnitures and allied accessories along with the supporting structures

Material

- Type of Frame C type Frame - One piece Deep Drawn moulded in EDD CRCA C' frame work with 50 mm width x 50 mm height and epoxy powder coated with self adjusting levellers (No tubular construction) – 2 numbers per table
- Each moulded C frame leg have a load carrying capacity 600 Kgs.
- Material of Frame Galvanized (Zinc coated) GI steel sheet double skin pass Thickness of Frame 1.2 mm Cabinets body (casing) material GI steel sheets

- Thickness of Cabinet frame cover panel 1.2 mm
- Base Cabinets UDL (uniformly distributed load) 300 Kgs
- Drawers support brackets shelves slides thickness 1.2 mm
- Side cover panels material 1.2 mm
- Side cover panels thickness 1.2 mm
- Handles thickness 1.2 mm
- Sandwich type metal shutters (within filled sound deadening material)
made up of GI steel sheets epoxy powder coated Sandwich type metal
shutters thickness 1.2 mm
- Shelves and Drawers load carrying capacity 40 Kgs
- Overall load carrying capacity of Cabinet 80 Kg (40 Kgs. On each shelf
and 40 Kgs. On bottom)
- Rear panel material GI steel sheets epoxy powder coated Rear panel
material thickness 1.2 mm
- Drawers and Doors pulls Made up of aluminium presser die cast (PDC)
- handles Minimum length of handle 330 mm
- epoxy powder coated Hinges Made up of SS 304
- 5 digit knuckle butt hinges (at least 95 degree opening) compliant to
SEFA 8M standard Minimum thickness of hinges raw material 2 mm
- Number of hinges for shutters / doors under 36 inches in height Hung
on 2 numbers of hinges Number of hinges for shutters / doors over 36
inches in height Hung on 3 numbers of hinges
- Locks Multipurpose type with two keys
- Shelf supports Power coated shelf support clips
- Legs made up of 2.5 mm thick EDD quality GI steel square having 2.5 mm
wall thickness
- Service pipe supports L type supports duly perforated
- Service pipe supports made up of 32 mm x 2 mm thick GI flats slotted
at a particular pitch epoxy coated
- Work tops Acid resistant granite 20 mm thick
- Colour of work top Jet black
- Granites edges Half rounded mouldings on all working sides of the
edges

- Worktop placed on 4 mm thick neoprene rubber stop back (placed in between table tops and table frames work
- Electrical points Provided with one number of 3 Module Plate having 5/15Amps combined switch and 3 sets of sockets.

C. General Conditions

1. The above dimensions/ sizes are minimum. However, Firm may quote for higher sizes/ dimensions as per availability and better combinations.
2. Installation / commissioning shall be done by the firm at the customer site after successful delivery of material.
3. The successful- bidder shall submit a certificate of manufacture along with Warranty for a period of minimum one (01) year from the date of commissioning.
4. The successful bidder shall give a certificate for best workmanship, design, quality of material used and satisfactory performance.
5. The warranty shall make the successful bidder liable for replacement of defective and failed parts at own expense. The one year warranty shall- also be extended to the replaced parts from the date of effective use and the successful bidder shall arrange to take back the defective or failed part at own cost.

Item No. 20 Modular Steel Platform with Island bench (Quantity: 1 No.)

Technical Specification for Modular Steel Platform with Island bench (table top) with sink.

- # Type of Lab furniture Island bench with table top
- # Provision of Electrical raceway : yes
- # Provision of Electrical points : yes
- # Provision of modular type reagent rack : Door type (two doors)
- # Thickness of Frame 1.2 mm
- # Thickness of Cabinet frame cover panel 1.1 mm
- # Drawers support brackets shelves slides thickness 1.1 mm
- # Side cover panels material 1.1 mm Side cover panels thickness 1.1 mm
- # Handles thickness 2 mm
- # Sandwich type metal shutters thickness 1.1 mm
- # Rear panel material thickness 1.1 mm
- # Legs made up of 2.5 mm thick EDD quality GI steel square having 2.5

mm wall thickness

Leg size 50 mm x 50 mm

Work tops Acid resistant granite 18 mm thick

Size of side benches/Island benches (LxWxH) 1500 mm X 1500 mm X 900 mm

General

- Type of Lab furniture: Island bench with table top
- Type of Frame for installation of bench: C type frame
- Type of laboratories furniture and allied accessories: Modular
- Cabinet design: Facilitating future equipment retrofits and full reconfigurations without requiring any major modification to the structure.

- Ground clearance \pm 5 mm : 25 mm
- Table back bottom skirting : 1 number
- Rear panel : Removable type(for maintenance)
- Provision of Electrical raceway : Yes
- Provision of Electrical points: Yes
- Provision of modular type reagent rack: Door type (two doors)
- Provision of Electrical service panels Door type (two doors)
- Provision of Verticals Single Verticals single: 1 number
- mini Vertical Service channel connector: 1 number
- Provision of blower (to remove airborne contaminants): Yes
- Provision of ducting (for purpose of ventilation): Yes
- Scope of supply (offer price to include all cost components) :

Furnishing/Installation all the laboratories furnitures and allied accessories along with the supporting structures

- Type of Frame C type Frame - One piece Deep Drawn moulded in EDD CRCA C' frame work with 50 mm width x 50 mm height and epoxy powder coated with self adjusting levellers (No tubular construction) - 2 numbers per table
- Each moulded C frame leg have a load carrying capacity 600 Kgs.
- Material of Frame Galvanized (Zinc coated) GI steel sheet double skin pass Thickness of Frame 1.2 mm Cabinets body (casing) material GI steel

sheets

- Thickness of Cabinet frame cover panel 1.2 mm
- Base Cabinets UDL (uniformly distributed load) 300 Kgs
- Drawers support brackets shelves slides thickness 1.2 mm
- Side cover panels material 1.2 mm
- Side cover panels thickness 1.2 mm
- Handles thickness 1.2 mm
- Sandwich type metal shutters (within filled sound deadening material) made up of GI steel sheets epoxy powder coated Sandwich type metal shutters thickness 1.2 mm
- Shelves and Drawers load carrying capacity 40 Kgs
- Overall load carrying capacity of Cabinet 80 Kg (40 Kgs. On each shelf and 40 Kgs. On bottom)
- Rear panel material GI steel sheets epoxy powder coated Rear panel material thickness 1.2 mm
- Drawers and Doors pulls Made up of aluminium presser die cast (PDC)
- handles Minimum length of handle 330 mm
- epoxy powder coated Hinges Made up of SS 304
- 5 digit knuckle butt hinges (at least 95 degree opening) compliant to SEFA 8M standard Minimum thickness of hinges raw material 2 mm
- Number of hinges for shutters / doors under 36 inches in height Hung on 2 numbers of hinges Number of hinges for shutters / doors over 36 inches in height Hung on 3 numbers of hinges
- Locks Multipurpose type with two keys
- "O" ring over the lock barrel Black coloured nylon moulded
- Shelf supports Power coated shelf support clips
- Shelf supports Power coated shelf support clips
- Legs made up of 2.5 mm thick EDD quality GI steel square having 2.5 mm wall thickness
- Service pipe supports L type supports duly perforated
- Service pipe supports made up of 32 mm x 2 mm thick GI flats slotted at a particular pitch epoxy coated
- Work tops Acid resistant granite 20 mm thick

- Colour of work top Jet black
- Granites edges Half rounded mouldings on all working sides of the edges
- Worktop placed on 4 mm thick neoprene rubber stop back (placed in between table tops and table frames work
- Electrical points Provided with one number of 3 Module Plate having 5/15Amps combined switch and 3 sets of sockets
- Modular type reagent rack One number rack with 2 Shelf of grade Aluminium and 6 mm thick compact laminate (to fit the table)

SIDE SINK ACCESSORIES

- Sink made up of Polypropylene (PP) Sink Size 560 mm(L) x 460 mm(W) x 250 mm(D)
- Number of Sink 1 number
- Water fitting 1 number (Three way)

C. General Conditions

1. The above dimensions/ sizes are minimum. However, Firm may quote for higher sizes/ dimensions as per availability and better combinations.
2. Installation / commissioning shall be done by the firm at the customer site after successful delivery of material.
3. The successful- bidder shall submit a certificate of manufacture along with Warranty for a period of minimum one (01) year from the date of commissioning.
4. The successful bidder shall give a certificate for best workmanship, design, quality of material used and satisfactory performance.
5. The warranty shall make the successful bidder liable for replacement of defective and failed parts at own expense. The one year warranty shall- also be extended to the replaced parts from the date of effective use and the successful bidder shall arrange to take back the defective or failed part at own cost.

Item No. 30 Interior SS structure Chairs (Quantity: 10 Nos.)

Technical Specification for chair

Chair Type Without Arms

Type of Seat and Backrest Made of polypropelene.

Cushion : NO

Frame Material SS 202 STRUCTURE

Chair Type Without Arms , without cushion

Type of Seat and Backrest Made of polypropelene.

Depth of Seat in mm (+/- 10 mm) 400

Height of Seat in mm (+/- 10 mm) 420

Width of Seat in mm (+/- 10 mm) 400

Overall Chair Height in mm (+/- 10 mm) 850

Width of Backrest (mm) 400 millimeter

Height of Backrest (mm) 400 millimeter

C. General Conditions

1. The above dimensions/ sizes are minimum. However, Firm may quote for higher sizes/ dimensions as per availability and better combinations.
2. Installation / commissioning shall be done by the firm at the customer site after successful delivery of material.
3. The successful- bidder shall submit a certificate of manufacture along with Warranty for a period of minimum one (01) year from the date of commissioning.
4. The successful bidder shall give a certificate for best workmanship, design, quality of material used and satisfactory performance.
5. The warranty shall make the successful bidder liable for replacement of defective and failed parts at own expense. The one year warranty shall- also be extended to the replaced parts from the date of effective use and the successful bidder shall arrange to take back the defective or failed part at own cost.

10. **Buyer Added Bid Specific ATC**

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.

3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---