



Bid Number/बोली क्रमांक (बिड संख्या):

GEM/2024/B/5227725

Dated/दिनांक : 22-08-2024

Bid Document/ बिड दस्तावेज़

Bid Details/बिड विवरण	
Bid End Date/Time/बिड बंद होने की तारीख/समय	21-09-2024 18:00:00
Bid Opening Date/Time/बिड खुलने की तारीख/समय	21-09-2024 18:30:00
Bid Offer Validity (From End Date)/बिड पेशकश वैधता (बंद होने की तारीख से)	120 (Days)
Ministry/State Name/मंत्रालय/राज्य का नाम	Ministry Of Finance
Department Name/विभाग का नाम	Department Of Economic Affairs
Organisation Name/संगठन का नाम	Security Printing And Minting Corporation Of India Limited (spmci)
Office Name/कार्यालय का नाम	Janpath
Total Quantity/कुल मात्रा	86
Item Category/मद केटेगरी	Ball Bearings as per IS 6455 (Q3) , Cylindrical Roller Bearing as per IS 6455 (Q3) , Tapered roller bearing (Q3)
MSE Exemption for Years Of Experience/अनुभव के वर्षों से एमएसई छूट/ and Turnover/टर्नओवर के लिए एमएसई को छूट प्राप्त है	Yes
Startup Exemption for Years Of Experience/अनुभव के वर्षों से स्टार्टअप छूट/ and Turnover/ टर्नओवर के लिए स्टार्टअप को छूट प्राप्त है	Yes
Document required from seller/विक्रेता से मांगे गए दस्तावेज़	Certificate (Requested in ATC),OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled/बिड से रिवर्स नीलामी सक्रिय किया	No
Type of Bid/बिड का प्रकार	Two Packet Bid
Primary product category	Ball Bearings as per IS 6455
Time allowed for Technical Clarifications during technical evaluation/तकनीकी मूल्यांकन के दौरान तकनीकी स्पष्टीकरण हेतु अनुमत समय	3 Days
Inspection Required (By Empanelled Inspection Authority / Agencies pre-registered with GeM)	No

Bid Details/बिड विवरण**Evaluation Method/मूल्यांकन पद्धति**

Item wise evaluation/

EMD Detail/ईएमडी विवरण

Required/आवश्यकता

No

ePBG Detail/ईपीबीजी विवरण

Required/आवश्यकता

No

MII Purchase Preference/एमआईआई खरीद वरीयता

MII Purchase Preference/एमआईआई खरीद वरीयता

No

MSE Purchase Preference/एमएसई खरीद वरीयता

MSE Purchase Preference/एमएसई खरीद वरीयता

Yes

1. If the bidder is a Micro or Small Enterprise as per latest definitions under MSME rules, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
2. If the bidder is a Startup, the bidder shall be exempted from the requirement of "Bidder Turnover" criteria and "Experience Criteria" subject to their meeting of quality and technical specifications. If the bidder is OEM of the offered products, it would be exempted from the "OEM Average Turnover" criteria also subject to meeting of quality and technical specifications. In case any bidder is seeking exemption from Turnover / Experience Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer.
3. Purchase preference will be given to MSEs having valid Udyam Registration and whose credentials are validated online through Udyam Registration portal as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail themselves of the Purchase preference, the bidder must be the manufacturer / OEM of the offered product on GeM. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises and hence resellers offering products manufactured by some other OEM are not eligible for any purchase preference. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service and Buyer will decide eligibility for purchase preference based on documentary evidence submitted, while evaluating the bid. If L-1 is not an MSE and MSE Seller (s) has / have quoted price within L-1+ 15% (Selected by Buyer) of margin of purchase preference /price band defined in relevant policy, such MSE Seller shall be given opportunity to match L-1 price and contract will be awarded for 25% (selected by Buyer) percentage of total quantity. The buyers are advised to refer the OM No. F.1/4/2021-PPD dated 18.05.2023 [OM No.1 4 2021 PPD dated 18.05.2023](#) for compliance of Concurrent application of Public Procurement Policy for Micro and Small Enterprises Order, 2012 and Public Procurement (Preference to Make in India) Order, 2017. Benefits of MSE will be allowed only if seller is validated on-line in GeM profile as well as validated and approved by Buyer after evaluation of documents submitted.
4. Estimated Bid Value indicated above is being declared solely for the purpose of guidance on EMD amount and for determining the Eligibility Criteria related to Turn Over, Past Performance and Project / Past Experience etc.

This has no relevance or bearing on the price to be quoted by the bidders and is also not going to have any impact on bid participation. Also this is not going to be used as a criteria in determining reasonableness of quoted prices which would be determined by the buyer based on its own assessment of reasonableness and based on competitive prices received in Bid / RA process.

Evaluation Method (Item Wise Evaluation Method)

Contract will be awarded schedulewise and the determination of L1 will be done separately for each schedule. The details of item-consignee combination covered under each schedule are as under:

Evaluation Schedules	Item/Category	Quantity
Schedule 1	Ball Bearings As Per Is 6455	6
Schedule 2	Ball Bearings As Per Is 6455	16
Schedule 3	Ball Bearings As Per Is 6455	6
Schedule 4	Ball Bearings As Per Is 6455	8
Schedule 5	Ball Bearings As Per Is 6455	4
Schedule 6	Ball Bearings As Per Is 6455	4
Schedule 7	Ball Bearings As Per Is 6455	4
Schedule 8	Ball Bearings As Per Is 6455	4
Schedule 9	Cylindrical Roller Bearing As Per Is 6455	4
Schedule 10	Ball Bearings As Per Is 6455	6
Schedule 11	Ball Bearings As Per Is 6455	4
Schedule 12	Ball Bearings As Per Is 6455	4
Schedule 13	Ball Bearings As Per Is 6455	4
Schedule 14	Tapered Roller Bearing	6
Schedule 15	Tapered Roller Bearing	6

Ball Bearings As Per IS 6455 (6 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6308(40*90*23)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	6	90

Ball Bearings As Per IS 6455 (16 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6411(55*140*33)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	16	90

Ball Bearings As Per IS 6455 (6 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6305(25*62*17)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	6	90

Ball Bearings As Per IS 6455 (8 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6205(25*52*15)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	One sided, Both sided, NA, Open
	Material of lubricated Sea	Rubber, Polymer, NA, Nitrile(NBR)
	Material of lubricated Shield	Low Carbon Press Steel, Nitrite rubber, NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	8	90

Ball Bearings As Per IS 6455 (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Angular contact
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	7206

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C0, C2, C3, C4, C5, C15
	Closure	Contact seal(RS), No contact seal(RZ), Shield(Z) Open, Open, Super Precision Angular contact bearing
	Protecting device/ closure	One sided, Both sided, NA, Open
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Additional Specification Parameters - Ball Bearings As Per IS 6455 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
OD-ID-Thickness	62 - 30 - 16
BECB	C3

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	4	90

Ball Bearings As Per IS 6455 (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6306(30*72*19)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	4	90

Ball Bearings As Per IS 6455 (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6207(35*72*17)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	One sided, Both sided, NA, Open
	Material of lubricated Sea	Rubber, Polymer, NA, Nitrile(NBR)
	Material of lubricated Shield	Low Carbon Press Steel, Nitrite rubber, NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	4	90

Ball Bearings As Per IS 6455 (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	Angular contact

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	7310
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	One sided, Both sided, NA, Open
	Material of lubricated Sea	Rubber, Polymer, NA, Nitrile(NBR)
	Material of lubricated Shield	Low Carbon Press Steel, Nitrite rubber, NA

Additional Specification Parameters - Ball Bearings As Per IS 6455 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Size	50 X 110 X 27

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	4	90

Cylindrical Roller Bearing As Per IS 6455 (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
ITEM	Type of Cylindrical Roller Bearing	Radial contact
	Number of Row in Cylindrical Roller Bearing	Single
DESIGN	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	N-310 (50*110*27), NU-310 (50*110*27)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005, Security Paper Mill ,Narmadapuram , Madhya Pradesh	4	90

Ball Bearings As Per IS 6455 (6 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6408
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	NA
	Material of lubricated Sea	NA
	Material of lubricated Shield	Low Carbon Press Steel, Nitrite rubber, NA

Additional Specification Parameters - Ball Bearings As Per IS 6455 (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Size	40 X 110 X 27

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	6	90

Ball Bearings As Per IS 6455 (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* [As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6204(20*47*14)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	One sided, Both sided, NA, Open
	Material of lubricated Sea	Rubber, Polymer, NA, Nitrile(NBR)
	Material of lubricated Shield	Low Carbon Press Steel, Nitrite rubber, NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	4	90

Ball Bearings As Per IS 6455 (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6009
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	One sided, Both sided, NA, Open
	Material of lubricated Sea	Rubber, Polymer, NA, Nitrile(NBR)
	Material of lubricated Shield	Low Carbon Press Steel, Nitrite rubber, NA

Additional Specification Parameters - Ball Bearings As Per IS 6455 (4 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Size	45 X 75 X 16

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	4	90

Ball Bearings As Per IS 6455 (4 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Item	Type of ball Bearing	DEEP GROOVE
	Number of Row in ball bearing	One
Design	Bearing Description and Boundary Dimensions (bore dia)* (outer diameter)* (width) in mm as per IS 5669-1987	6206(30*62*16)
	Bearing cage material as per IS 2398	J: Cage, steel, sheet, strip or wire form, centred by rolling elements
	Radial internal clearance in ball bearing as per IS 6455-1972	C3
	Closure	Open
	Protecting device/ closure	One sided, Both sided, NA, Open
	Material of lubricated Sea	Rubber, Polymer, NA, Nitrile(NBR)
	Material of lubricated Shield	Low Carbon Press Steel, Nitrite rubber, NA

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	4	90

Tapered Roller Bearing (6 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

* As per GeM Category Specification/जेम केटेगरी विशिष्टि के अनुसार

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Construction	Roller Bearings Design Types	Single Row Tapered roller Single)
	Outside Diameter	62.0 (millimeter)
	Inner Diameter	25.0 (millimeter)
	Bore Type	CYLINDRICAL

Additional Specification Parameters - Tapered Roller Bearing (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Thickness	18.25
SR Tapper Roller Bearing	30305 C

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्रा

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्रा	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	6	90

Tapered Roller Bearing (6 pieces)

Technical Specifications/तकनीकी विशिष्टियाँ

[* As per GeM Category Specification/जेम कैटेगरी विशिष्टि के अनुसार](#)

Specification	Specification Name/विशिष्टि का नाम	Bid Requirement/बिड के लिए आवश्यक (Allowed Values)/अनुमत मूल्य
Construction	Roller Bearings Design Types	Single Row Tapered roller Single)
	Outside Diameter	120.0 (millimeter)
	Inner Diameter	55.0 (millimeter)

Additional Specification Parameters - Tapered Roller Bearing (6 pieces)

Specification Parameter Name	Bid Requirement (Allowed Values)
Thickness	31.5
SR Taper Roller Bearing	31311

* Bidders offering must also comply with the additional specification parameters mentioned above.

Consignees/Reporting Officer/परेषिती/रिपोर्टिंग अधिकारी and/ तथा Quantity/मात्र

S.No./क्र. सं.	Consignee Reporting/Officer/ परेषिती/रिपोर्टिंग अधिकारी	Address/पता	Quantity/मात्र	Delivery Days/डिलीवरी के दिन
1	Anurag Sharma	461005,Security Paper Mill ,Narmadapuram , Madhya Pradesh	6	90

Buyer Added Bid Specific Terms and Conditions/क्रेता द्वारा जोड़ी गई बिड की विशेष शर्तें**1. Generic**

OPTION CLAUSE: The Purchaser reserves the right to increase or decrease the quantity to be ordered up to 25 percent of bid quantity at the time of placement of contract. The purchaser also reserves the right to increase the ordered quantity by up to 25% of the contracted quantity during the currency of the contract at the contracted rates. Bidders are bound to accept the orders accordingly.

2. Scope of Supply

Scope of supply (Bid price to include all cost components) : Only supply of Goods

3. Warranty

Warranty period of the supplied products shall be 1 years from the date of final acceptance of goods or after completion of installation, commissioning & testing of goods (if included in the scope of supply), at consignee location. OEM Warranty certificates must be submitted by Successful Bidder at the time of delivery of Goods. The seller should guarantee the rectification of goods in case of any break down during the guarantee period. Seller should have well established Installation, Commissioning, Training, Troubleshooting and Maintenance Service group in INDIA for attending the after sales service. Details of Service Centres near consignee destinations are to be uploaded along with the bid.

4. Buyer Added Bid Specific ATC

Buyer Added text based ATC clauses

Technical Specifications

1. Single Row Ball Bearing - 6308

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

2. Single Row Ball Bearing - 6411

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

3. Single Row Ball Bearing - 6305

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

4. Single Row Ball Bearing - 6205

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

5. Single Row Angular Contact Ball Bearing - 7206

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

6. Single Row Ball Bearing - 6306

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

7. Single Row Ball Bearing - 6207

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

8. Single Row Angular Contact Ball Bearing - 7310

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

9. Single Row Cylindrical Roller Bearing - NU 310

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

10. Single Row Ball Bearing - 6408

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

11. Single Row Ball Bearing - 6204

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

12. Single Row Ball Bearing - 6009

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

13. Single Row Ball Bearing - 6206

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

14. Single Row Tapper Roller Bearing - 30305 C

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

15. Single Row Taper Roller Bearing - 31311

Cage - Steel cage

Make - SKF/FAG/TIMKEN or Equivalent

Additional Terms and Conditions

- 1. Required Terms of Delivery:** FOR Security Paper Mill, Narmadapuram (duly unloaded)
- 2. Destination:** Security Paper Mill, Narmadapuram, Madhya Pradesh - 461 005
- 3. Payment Terms:** 100% on receipt and acceptance (suitability) of goods by the SPM, Narmadapuram and on production of all required documents by the supplier.
- 4.** Bidder Should Quote Prices Inclusive of GST And All Cost Components Such As Packing & Forwarding De tails, Freight & Insurance Charges upto Destination etc. on FOR Security Paper Mill, Narmadapuram (Madhya Pradesh), India basis only.
- 5. Liquidated Damages (LD) Clause:** If the contractor fails to deliver the goods and/or services or any installment thereof within the Delivery Period, SPM Narmadapuram shall, without prejudice to other rights and remedies available to SPM, Narmadapuram under the contract, deduct from the contract price, as Liquidated damages, a sum equivalent to the rate of 0.5 Percent of the delivered price of the delayed goods and/or services for each week of delay or part thereof until actual delivery or performance, subject to a maximum deduction of the 10% of the delayed goods or services.
- 6.** The terms and conditions, guidelines of SPMCIL Procurement Manual Version 3.0 will be applicable to this bid at any stage to avoid any conflict at later stage.

Kindly refer General Instructions to Tenderer (GIT) and General Conditions of Contract (GCC) of SPMCIL Procurement Manual Version 3.0 for additional terms and conditions as per the links given below:

GIT: <https://spmCIL.com/uploaddocument/GIT/new.pdf>

GCC: <https://spmCIL.com/uploaddocument/GCC/new.pdf>

- 7.** SPM (as Buyer) is liable to deduct TDS u/s 194Q @ applicable rate on goods purchases (if applicable). In case of deduction of TDS under section 194Q; the Supplier (Vendor) need not to charge TCS u/s 206C (1H) on invoicing on or after 01.07.2021.

8. Vendor has to submit declaration in specified format (refer Buyer added Specific ATC) for the compliance of Section 206AB of Income Tax Act, 1961. In case of non-submission of declaration; TDS will be deducted at higher rates (as applicable) as per section 206AB.
9. GST Return: Supplier should file the GST returns for outward supplies in time. SPM reserves the right to withhold the payment of further supplies till production of evidence of filling of Returns.
10. Bidder shall submit duly seal & signed copy of Technical Specifications.

5. Buyer Added Bid Specific ATC

Buyer uploaded ATC document [Click here to view the file.](#)

Disclaimer/अस्वीकरण

The additional terms and conditions have been incorporated by the Buyer after approval of the Competent Authority in Buyer Organization, whereby Buyer organization is solely responsible for the impact of these clauses on the bidding process, its outcome, and consequences thereof including any eccentricity / restriction arising in the bidding process due to these ATCs and due to modification of technical specifications and / or terms and conditions governing the bid. If any clause(s) is / are incorporated by the Buyer regarding following, the bid and resultant contracts shall be treated as null and void and such bids may be cancelled by GeM at any stage of bidding process without any notice:-

1. Definition of Class I and Class II suppliers in the bid not in line with the extant Order / Office Memorandum issued by DPIIT in this regard.
2. Seeking EMD submission from bidder(s), including via Additional Terms & Conditions, in contravention to exemption provided to such sellers under GeM GTC.
3. Publishing Custom / BOQ bids for items for which regular GeM categories are available without any Category item bunched with it.
4. Creating BoQ bid for single item.
5. Mentioning specific Brand or Make or Model or Manufacturer or Dealer name.
6. Mandating submission of documents in physical form as a pre-requisite to qualify bidders.
7. Floating / creation of work contracts as Custom Bids in Services.
8. Seeking sample with bid or approval of samples during bid evaluation process. (However, in bids for [attached categories](#), trials are allowed as per approved procurement policy of the buyer nodal Ministries)
9. Mandating foreign / international certifications even in case of existence of Indian Standards without specifying equivalent Indian Certification / standards.
10. Seeking experience from specific organization / department / institute only or from foreign / export experience.
11. Creating bid for items from irrelevant categories.
12. Incorporating any clause against the MSME policy and Preference to Make in India Policy.
13. Reference of conditions published on any external site or reference to external documents/clauses.
14. Asking for any Tender fee / Bid Participation fee / Auction fee in case of Bids / Forward Auction, as the case may be.

Further, if any seller has any objection/grievance against these additional clauses or otherwise on any aspect of this bid, they can raise their representation against the same by using the Representation window provided in the bid details field in Seller dashboard after logging in as a seller within 4 days of bid publication on GeM. Buyer

is duty bound to reply to all such representations and would not be allowed to open bids if he fails to reply to such representations.

[This Bid is also governed by the General Terms and Conditions/ यह बिड सामान्य शर्तों के अंतर्गत भी शासित है](#)

In terms of GeM GTC clause 26 regarding Restrictions on procurement from a bidder of a country which shares a land border with India, any bidder from a country which shares a land border with India will be eligible to bid in this tender only if the bidder is registered with the Competent Authority. While participating in bid, Bidder has to undertake compliance of this and any false declaration and non-compliance of this would be a ground for immediate termination of the contract and further legal action in accordance with the laws./जेम की सामान्य शर्तों के खंड 26 के संदर्भ में भारत के साथ भूमि सीमा साझा करने वाले देश के बिडर से खरीद पर प्रतिबंध के संबंध में भारत के साथ भूमि सीमा साझा करने वाले देश का कोई भी बिडर इस निविदा में बिड देने के लिए तभी पात्र होगा जब वह बिड देने वाला सक्षम प्राधिकारी के पास पंजीकृत हो। बिड में भाग लेते समय बिडर को इसका अनुपालन करना होगा और कोई भी गलत घोषणा किए जाने व इसका अनुपालन न करने पर अनुबंध को तत्काल समाप्त करने और कानून के अनुसार आगे की कानूनी कार्रवाई का आधार होगा।

---Thank You/धन्यवाद---