# Government eProcurement System

#### **Government eProcurement System**

#### **Tender Details**

Date: 06-Sep-2024 03:01 PM



| Basic Details                           |   |  |       |  |  |
|---|---|--|-------|--|--|
| Organisation Chain                      | SECURITY PRINTING AND MINTING CORPORATION OF INDIA-SPMCIL  SECURITY PAPER MILL NARMADAPURAM(MP)  Purchase Deptt -SPMCIL |  |       |  |  |
| Tender Reference Number                 | 6000018906/CIVIL/24-25  |  |       |  |  |
| Tender ID                               | 2024_SPMCI_207402_1   | Withdrawal Allowed                       | Yes   |  |  |
| Tender Type                             | Open Tender   | Form of contract                         | Works |  |  |
| Tender Category                         | Works   | No. of Covers                            | 2     |  |  |
| General Technical<br>Evaluation Allowed | No  | ItemWise Technical Evaluation<br>Allowed | No    |  |  |
| Payment Mode                            | Offline   | Is Multi Currency Allowed For BOQ        | No    |  |  |
| Is Multi Currency Allowed               | No  | Allow Two Stage Bidding                  | No    |  |  |

| <u>Paym</u> | Payment Instruments |                 |  |  |
|-------------|---------------------|-----------------|--|--|
| Offline     | S.No                | Instrument Type |  |  |
|             | 1                   | Demand Draft    |  |  |
|             | 2                   | FDR             |  |  |
|             | 3                   | Bankers Cheque  |  |  |
|             | 4                   | Bank Guarantee  |  |  |

| Cover De | <u>Cover Details, No. Of Covers - 2</u> |               |  |  |  |  |
|----------|---|---------------|--|--|--|--|
| Cover No | Cover                                   | Document Type | Description  |  |  |  |
| 1        | Fee/PreQual/Technical                   | .pdf          | CONSTRUCTION OF TOILET AND REPLACEMENT OF DAMAGED FLOOR AT OLD LABORATORY BUILDING(EXPRESS TENDER) |  |  |  |
| 2        | Finance                                 | .xls          | CONSTRUCTION OF TOILET AND REPLACEMENT OF DAMAGED FLOOR AT OLD LABORATORY BUILDING(EXPRESS TENDER) |  |  |  |

| Tender Fee Details, [Total Fee in ₹ * - 0.00] |      |                |     |  |
|---|------|----------------|-----|--|
| Tender Fee in ₹                               | 0.00 |                |     |  |
| Fee Payable To                                | Nil  | Fee Payable At | Nil |  |
| Tender Fee Exemption<br>Allowed               | No   |                |     |  |

| EMD Fee Details |   |                          |   |  |  |
|-----------------|---|--------------------------|---|--|--|
| EMD Amount in ₹ | 50,000                                  | EMD Exemption<br>Allowed | No                                      |  |  |
| EMD Fee Type    | fixed                                   | EMD Percentage           | NA                                      |  |  |
| EMD Payable To  | Security Paper<br>Mill,<br>Narmadapuram | EMD Payable At           | Security Paper<br>Mill,<br>Narmadapuram |  |  |

| Work /Item(s)                           |                                      |  |                            |                           |                                      |  |  |  |
|---|--------------------------------------|--|----------------------------|---------------------------|--------------------------------------|--|--|--|
| Title                                   | CONSTRUCTION OF TO                   | CONSTRUCTION OF TOILET AND REPLACEMENT OF DAMAGED FLOOR AT OLD LABORATORY BUILDING(EXPRESS TENDER) |                            |                           |                                      |  |  |  |
| Work Description                        | CONSTRUCTION OF TO                   | OILET AND REPLACEMENT OF D   | AMAGED FLOO                | r at old laboratory build | ING(EXPRESS TENDER)                  |  |  |  |
| <b>Pre Qualification Details</b>        | Please refer Tender do               | cuments.   |                            |                           |                                      |  |  |  |
| Independent External<br>Monitor/Remarks | NA NA                                |  |                            |                           |                                      |  |  |  |
| Tender Value in ₹                       | NA                                   | Product Category   | Civil Works -<br>Buildings | Sub category              | NA                                   |  |  |  |
| Contract Type                           | Tender                               | Bid Validity(Days)   | 120                        | Period Of Work(Days)      | 180                                  |  |  |  |
| Location                                | Security Paper Mill,<br>Narmadapuram | Pincode  | 461005                     | Pre Bid Meeting Place     | NA                                   |  |  |  |
| Pre Bid Meeting Address                 | NA                                   | Pre Bid Meeting Date   | NA                         | Bid Opening Place         | Security Paper Mill,<br>Narmadapuram |  |  |  |
| Should Allow NDA Tender                 | No                                   | Allow Preferential Bidder  | No                         |                           |                                      |  |  |  |

| <u>Critical Dates</u>               |                      |                                   |                      |  |  |
|-------------------------------------|----------------------|-----------------------------------|----------------------|--|--|
| Publish Date                        | 06-Sep-2024 09:00 AM | Bid Opening Date                  | 18-Sep-2024 09:00 AM |  |  |
| Document Download / Sale Start Date | 06-Sep-2024 09:00 AM | Document Download / Sale End Date | 17-Sep-2024 09:00 AM |  |  |
| Clarification Start Date            | NA                   | Clarification End Date            | NA                   |  |  |
| <b>Bid Submission Start Date</b>    | 06-Sep-2024 09:00 AM | Bid Submission End Date           | 17-Sep-2024 09:00 AM |  |  |

| <u>Tender Documents</u> |  |                     |                                     |  |   |  |         |
|-------------------------|--|---------------------|-------------------------------------|--|---|--|---------|
| NIT<br>Document         | S.No   | Document            | ent Name Description Docume (in KB) |  |   |  |         |
|                         | 1 Tendernotice_1.pdf CONSTRUCTION OF TOILET AND REPLACEMENT OF FLOOR AT OLD LABORATORY BUILDING(EXPRESS TE |                     |                                     |  | 1556.80   |  |         |
| Work Item<br>Documents  | ork Item Document Type Document Name   |                     | Description                         | on   | Document<br>Size (in<br>KB)   |  |         |
|                         |  | Tender<br>Documents | 6000018906ConstructionofToiletandre | $placement of damaged floor a told laboratary building {\bf II.pdf}$ | CONSTRUC<br>OF TOILET<br>REPLACEM<br>DAMAGED<br>AT OLD<br>LABORATO<br>BUILDING(<br>TENDER)                                  | AND<br>ENT OF<br>FLOOR<br>RY                             | 1540.46 |
|                         | 2  | воо                 | BOQ_226846.xls                      |  | CONSTRUC<br>OF TOILET<br>REPLACEM<br>DAMAGED<br>AT OLD<br>LABORATO<br>BUILDING(<br>TENDER) -<br>submitted v<br>Financial Bi | AND<br>ENT OF<br>FLOOR<br>RY<br>EXPRESS<br>to be<br>with | 339.50  |

|   | Tender Inviting Authority |                                   |  |  |
|---|---------------------------|-----------------------------------|--|--|
|   | Name                      | Biplab Basak                      |  |  |
| L | Address                   | Security Paper Mill, Narmadapuram |  |  |



### SECURITY PAPER MILL, NARMADAPURAM - 461005 (M.P), INDIA

(A Unit of Security Printing and Minting Corporation of India Limited) (Wholly owned by Government of India)

(Miniratna Category-I CPSE & ISO 9001:2015 & ISO 14001:2015 CERTIFIED)

Website: <a href="http://spmnarmadapuram.spmcil.com">http://spmnarmadapuram.spmcil.com</a>

E-Mail:gm.spm@spmcil.com CIN: U22213DL2006GOI144763 Ph.No:91-7574-255259,

GSTIN: 23AAJCS6111J3ZE Fax No: 07574-255170

| PR Number | PR Date    | Indenter | Department |
|-----------|------------|----------|------------|
| 12005189  | 30.10.2023 | CIVIL    | CIVIL WING |

Not Transferable

| Security | Classification: |
|----------|-----------------|
|----------|-----------------|

# TENDER DOCUMENT FOR: CONSTRUCTION OF TOILET AND REPLACEMENT OF DAMAGED FLOOR AT OLD LABORATORY BUILDING(EXPRESS TENDER)

Tender No: 6000018906/CIVIL/24-25 Dated: 05.09.2024

This Tender Document Contains 69 Pages.

**Tender Documents is issued to:** 

| M/s |  |
|-----|--|
|     |  |
|     |  |

**Details of Contact person in SPMCIL regarding this tender:** 

Name, Designation: Biplab Basak (Manager (Material)

Address: SPM, Narmadapuram

Phone, Fax, email: 07574-286792/6588/6776

Email: purchase.spm@spmcil.com



# **Disclaimer**

The information contained in this Bid Document or subsequently provided to Bidder(s), whether verbally or in documentary or any other form by or on behalf of the Security Printing and Minting Corporation Limited (hereafter referred as the "Purchaser") or any of its employees or associated agencies, is provided to Bidder(s) on the terms and conditions set out in this Bid Document and such other terms and conditions subject to which such information is provided. This Bid Document is not an agreement and is neither an offer nor invitation by the Purchaser to the prospective Bidder(s) or any other party hereunder. The purpose of this Bid Document is to provide the Bidder(s) with information to assist them in the formulation of their proposal submission This Bid document does not purport to contain all the information Bidder(s) may require. This Bid document may not be appropriate for all bidders, and it is not possible for the Purchaser to consider particular needs of each Bidder. Each Bidder should conduct its own investigation and analysis, and should check the accuracy, reliability, and completeness of the information in this document and obtain independent advice from appropriate sources. Information provided in this Bid Document to the Bidder(s) is on a wide range of matters, some of which may depend upon interpretation of law. The information given is not intended to be an exhaustive account of statutory requirements and should not be regarded as a complete or authoritative statement of law. The Purchaser, its employees and other associated agencies accept no responsibility for the accuracy or otherwise for any interpretation or opinion on law expressed herein. This Bid document and ensuing bids; communications and Contracts would alone determine the legal and commercial relationship between the bidders/ contractors and the Purchaser. No other Government or Purchaser's document/ guidelines/ Manuals including its Procurement Manual (which are for internal and official use of its officers), have any locus standii in such a relationship. These documents/ guidelines/ Manuals therefore should not be cited or referred in any legal or dispute resolution or grievance redressal proceedings. The Purchaser, its employees and other associated agencies make no representation or warranty and shall have no liability to any person, including any Bidder under any law, statute, rules or regulations or tort, principles of restitution or unjust enrichment or otherwise for any loss, damages, cost or expense which may arise from or be incurred or suffered on account of anything contained in this Bid Document or otherwise, including the accuracy, adequacy, correctness, completeness or reliability of the Bid Document and any assessment, assumption, statement or information contained therein or deemed to form part of this Bid Document or arising in any way for participation in this Bid Stage.

The Purchaser, its employees and other associated agencies also accept no liability of any nature whether resulting from negligence or otherwise howsoever caused arising from reliance of any Bidder(s) upon the statements contained in this Bid Document. The Purchaser may in its absolute discretion, but without being under any obligation to do so, update, amend or supplement the information, assessment or assumptions contained in this Bid Document.

The issue of this Bid Document does not imply that the Purchaser is bound to select Bidder(s) and the Purchaser reserves the right to reject all or any of the Bidders or Bids or to decide to drop the procurement process at any stage without assigning any reason.

The Bidder(s) shall bear all its costs associated with or relating to the preparation and submission of their Bids including but not limited to preparation, copying, postage, delivery fees, expenses associated with any submission of samples, demonstrations or presentations which may be required by the Purchaser or any other costs incurred in connection with or relating to their Bids. All such costs and expenses will remain with the Bidder(s) and the Purchaser shall not be liable in any manner whatsoever for the same or for any other costs or other expenses incurred by a Bidder(s) in preparation or submission of the Bid, regardless of the conduct or outcome of the Bidding Process. This disclaimer forms an integral part of the Bid document and shall supplement but not supplant the provision of the Bid Document.

Dated: 12.08.2024



## **Section I: Notice Inviting Tender (NIT)**

#### Tender Sl. No. 6000018906/CIVIL/24-25/

1 Sealed tenders are invited from eligible and qualified tenderers for supply of the following:

| Sche<br>dule<br>No. | Brief Description of Goods/ services   | Quantity<br>(with unit) | Earnest<br>Money (in<br>Rs.) | Remarks |
|---------------------|--|-------------------------|------------------------------|---------|
| 1                   | Construction of Toilet and replacement of<br>damage floor at old laboratory building | 1.000 AU                | 50,000.00<br>INR             |         |

| Type Of Tender (Two Bid/ PQB/ EOI/ RC/ Development/ Indigenization/ Disposal of Scrap/ Security Item etc.) | TWO-BID NATIONAL COMPETETIVE BID            |
|--|---|
| Dates of Sale of Tender documents  | As per CPP E-procurement portal             |
| Place of sale of tender documents  | As per CPP E-procurement portal             |
| Closing date and time for receipt of tenders   | As per CPP E-procurement portal             |
| Place of receipt of tenders  | On CPP E-procurement portal                 |
| Time and date of opening of tenders  | As per CPP E-procurement portal             |
| Place of opening of tenders  | ADM OFFICE SECURITY PAPER MILL NARMADAPURAM |
| Nominated Person/ Designation to Receive Bulky Tenders (Clause 21.21.1 of GIT)                             | Biplab Basak (Manager (Material))           |

#### 2 Information and instructions for bidders:-

The bidder shall go through the tender document carefully and shall comply with each clause of all the sections of the tender document.

Prospective tenderers are advised to go through <a href="https://etenders.gov.in/eprocure/app">https://etenders.gov.in/eprocure/app</a> and get themselves aware for e-tendering participation requirements. Registration:

- a) Bidders are required to register on the e-tendering portal of CPPP (https://etenders.gov.in/eprocure/app).
- b) Upon registration, Vendors/Suppliers must have valid Class-III Digital Signature both signing & Encryption type Certificate to participate in tenders. DSC can be procured from any of the Licensed Certifying Authorities by Controller of Certifying Authorities, details available at <a href="https://www.cca.gov.in">www.cca.gov.in</a>
- 3 Eligibility to participate as per Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/ revised) and Ministry of Finance, Department of Expenditure, Public Procurement Division's Orders (Public Procurement 1, 2 and 3) F.No.6/18/2019-PPD dated 23rd/ 24th July 2020 (or any further amendments thereof) regarding eligibility of bidders from neighboring countries shall apply to this tender.
- 4 Please note that SPMCIL reserves its right to grant Purchase preferences in accordance with



Government of India's Public Procurement (Preference to Make in India) Order 2017 (as amended/revised) and Public Procurement Policy for Micro and Small Enterprises (MSEs) Amendment Order, 2018 (as amended/revised).

- 5 Interested tenderers may obtain further information about this requirement from <a href="https://spmnarmadapuram.spmcil.com/">https://spmnarmadapuram.spmcil.com/</a> and submit its tender by utilizing CPP E-procurement Portal.
- 6 Tenderer may also download the tender documents from the web site mentioned above and submit its tender by utilizing the downloaded document; the bidder must not make any changes to the contents of the documents, except for filling the required information. A certificate to this effect must be submitted by the bidder in the Tender Form (Section X).
- 7 Tenderers shall ensure that their tenders, duly sealed and signed, complete in all respects as per instructions contained in the Tender Documents, are to be submitted on CPP e-procurement portal.
- 8 In the event of any of the above-mentioned dates being declared as a holiday/ closed day for the purchase organization, the tenders will be sold/ received/ opened on the next working day at the appointed time.
- 9 The tender documents are not transferable.
- 10 The bidder, their affiliates, or subsidiaries including subcontractors or suppliers for any part of the contract should not stand declared ineligible/ blacklisted/ banned/ debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations. A declaration to this effect shall be submitted by the bidder in the Tender Form (Section X).
- 11 EMD amount mentioned in Section VI List of Requirements shall be furnished in any one of the following forms:
  - a) Account Payee Demand Draft
  - b) Fixed Deposit Receipt
  - c) Banker's cheque
  - d) Or may be submitted online through direct bank transfer. The earnest money (EMD) should be valid for a period of 45 days beyond the final tender validity period.

In acceptable form, otherwise the tender will not be accepted in any case. The demand draft, fixed deposit receipt or banker's cheque shall be drawn on any scheduled commercial bank in India, in favour of account and place of payment specified in the para 1 above. In case of FDR, the same must be printed by bank alongwith first beneficiary name i.e. Security Paper Mill (handwritten anywhere on FDR will not be accepted) Payable at Narmadapuram, in single copy and the same shall be submitted to SPM. In case of bank guarantee, the same is to be provided from/confirmed by any scheduled commercial bank in India as per the format specified under



section XIII in these documents.

Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

- 12 Enclosed: BIDDER'S CHECK LIST BEFORE TENDER SUBMISSION
  - 1. Price Schedule (Annexure-I)
  - 2. Check list (Annexure-II)
  - 3. Declaration (Annexure-III)
  - 4. Declaration (Annexure-IV)
  - 5. Declaration (Annexure-V)

Yours faithfully,

(Biplab Basak)
Manager(Material)
For Chief General Manager
E-mail: purchase.spm@spmcil.com

PHONE: - (07574) 286792

#### CORRESPONDING ADDRESS

THE CHIEF GENERAL MANAGER SECURITY PAPER MILL NARMADAPURAM-461005(M.P.)

| SIGNATURE OF BIDDER WITH NAME ,<br>DESIGNATION & SEAL   |
|---|
| [Name, designation, address, tel. No etc. of the officer signing the document] For and on behalf of |
|   |



# Section II: General Instructions to Tenderer (GIT) Part I: General Instructions Applicable to all Types of Tenders

https://www.spmcil.com/spmcil/UploadDocument/GIT.pdf



# Section II: General Instructions to Tenderer (GIT) Part II: General Instructions Applicable to all Types of Tenders

https://www.spmcil.com/spmcil/UploadDocument/GIT.pdf



### Section III: Special Instructions to Tenderers (SIT)

The following Special Instructions to Tenderers will apply for this purchase. These special instructions will modify/ substitute/ supplement the corresponding General Instructions to Tenderers (GIT) incorporated in Section II. The corresponding GIT clause numbers have also been indicated in the text below:

In case of any conflict between the provision in the GIT and that in the SIT, the provision contained in the SIT shall prevail.

(Clauses of GIT listed below include a possibility for variation in their provisions through SIT. There could be other clauses in SIT as deemed fit.)

| SI.<br>No. | GIT<br>Clause<br>No. | Topic   | SIT Provision  |
|------------|----------------------|---|--|
| 1          | 3.                   | Eligible Tenderers  | Applicable   |
| 2          | 3.4                  | Eligible Goods and Services (Origin of Goods)   | Applicable   |
| 3          | 6.1                  | The tender documents includes:  | Applicable   |
| 4          | 8                    | Pre-bid Conference  | Not Applicable   |
| 5          | 9                    | Time Limit for receiving request for clarification of Tender Documents  | A Tenderer requiring any clarification or elucidation on any issue of the tender documents may take up the same with SPMN in writing or by fax/e-mail/telex. SPMN will respond in writing to such request provided the same is received before 14 days prior to the prescribed date of submission of tender. |
| 6          | 10.1                 | The Technical bid to be submitted by Tenderer shall contain the following documents, duly filled in, as required: | Applicable   |
| 7          | 11.2                 | Tender Currency   | Supplier is requested to quote price in INR within 2 Decimal place. Quotation with price quote beyond 2 decimal place is ignored.  |
| 8          | 12.1                 | Tender Prices   | Applicable   |
| 9          | 12.2,33,3<br>6.1     | Schedule wise evaluation  | Not Applicable   |
| 10         | 12.6                 | GST details   | Applicable   |
| 11         | 14                   | PVC Clause & Formula  | Not Applicable   |
| 12         | 14.4 to<br>14.7      | Exchange Rate Variation (ERV)   | Not Applicable   |
| 13         | 16.1 a) to<br>c)     | Documents Establishing Tenderer's Eligibility and Qualifications  | Not Applicable   |



| 14 | 18.4, 18.5           | Earnest Money Deposit (EMD)  | @ 2% i.e. Rs. 50,000  |
|----|----------------------|--|---|
| 15 | 19                   | Tender Validity  | 120 DAYS FROM THE DATE OF OPENING OF BID  |
| 16 | 20.4                 | Number of Copies of Tenders to be submitted                            | One copy in CPPP Portal with seal & sign  |
| 17 | 20.8                 | Two Bid System   | Applicable.   |
| 18 | 20.9                 | E-Procurement  | Applicable  |
| 19 | 34. and<br>35.1      | Comparison on CIF Destination Basis                                    | Not Applicable  |
| 20 | 35.2 to<br>35.6      | Additional Factors for Evaluation of Offers and Preferential schemes   | Not Applicable  |
| 21 | 43                   | Parallel Contracts   | Not Applicable  |
| 22 | 44.1                 | Serious Misdemeanors   | Applicable  |
| 23 | 44.3                 | Integrity Pact   | Not Applicable  |
| 24 | 45.1                 | Notification of Award  | Applicable  |
| 25 | 50.                  | Applicability of additional GIT for rate Contracts                     | Not Applicable  |
| 26 | 51.                  | Applicability of additional GIT for PQB Tenders                        | Not Applicable  |
| 27 | 52.                  | Applicability of additional GIT for Tenders involving Samples          | Not Applicable  |
| 28 | 53.                  | Applicability of additional GIT for EOI Tenders                        | Not Applicable  |
| 29 | 54.                  | Applicability of additional GIT for Tenders for Disposal of Scrap      | Not Applicable  |
| 30 | 55.                  | Applicability of additional GIT for Development/Indigenization Tenders | Not Applicable  |
| 31 | Special<br>Condition | GST Returns  | Supplier Should file the GST returns in time. SPM reserves the right to withhold the payment of GST till production of evidence of filling of Returns.  |
| 32 | Special<br>Condition | TCS u/s 206C (1H) read with TDS u/s 194Q:                              | SPM (as Buyer) is liable to deduct TDS u/s 194Q @ applicable rate on goods purchases (if applicable). In case of deduction of TDS under section 194Q; the Supplier (Vendor) need not to charge TCS u/s 206C (1H) on invoicing on or after 01.07.2021. |
| 33 | Special<br>Condition | Sec. 206AB of IT Act:  | Vendor has to submit declaration in specified format for the compliance of Section 206AB of Income Tax Act, 1961. In case of non-submission of declaration; TDS will be deducted at higher rates (as applicable) as per section 206AB.                |



# Section IV: General Conditions of Contract (GCC) Part I: General Conditions of Contract applicable to all types of Tenders

https://www.spmcil.com/spmcil/UploadDocument/GCC.pdf



# Section IV: General Conditions of Contract (GCC) Part II: Additional General Conditions of Contract applicable to all types of Tenders

https://www.spmcil.com/spmcil/UploadDocument/GCC.pdf



#### Section V: Special Conditions of Contract (SCC)

The following Special Conditions of Contract (SCC) will apply for this purchase. The corresponding clauses of General Conditions of Contract (GCC) relating to the SCC stipulations have also been incorporated below. These Special Conditions will modify/ substitute/ supplement the corresponding (GCC) clauses.

Whenever there is any conflict between the provision in the GCC and that in the SCC, the provision contained in the SCC shall prevail.

(Clauses of GCC listed below include a possibility for variation in their provisions through SCC. There could be other clauses in SCC as deemed fit)

| S.<br>No. | GCC<br>Clause<br>No. | Topic  | SCC<br>Provision  |  |  |
|-----------|----------------------|--|---|--|--|
| 1         | 1.2                  | Abbreviations:   | APPLICABLE  |  |  |
| 2         | 6.1, 6.3 &<br>6.5    | Performance Bond/ Security   | REFER SECTION-VI, CLAUSE NO.5 OF THE TENDER ENQUIRY)  |  |  |
| 3         | 8.2                  | Packing and Marking  | NOT APPLICABLE  |  |  |
| 4         | 9                    | Inspection and Quality Control                                     | APPLICABLE  |  |  |
| 5         | 11.2                 | Transportation of Domestic Goods                                   | APPLICABLE  |  |  |
| 6         | 12.                  | Insurance  | APPLICABLE  |  |  |
| 7         | 15                   | Distribution of Dispatch Documents for clearance/ Receipt of Goods | APPLICABLE  |  |  |
| 8         | 16.2, 16.4           | Warrantee Clause   | REFER SECTION-VI, CLAUSE NO.6 OF THE TENDER ENQUIRY)  |  |  |
| 9         | 19.3                 | Option Clause  | The Purchaser reserves the right to increase the ordered quantity by 25% at any time, till final delivery date of the contract, by giving reasonable notice even though the quantity ordered initially has been supplied in full before the last date of Delivery Period.   |  |  |
| 10        | 20.1                 | Price Adjustment Clause  | NOT APPLICABLE  |  |  |
| 11        | 21.                  | Taxes and Duties   | APPLICABLE  |  |  |
| 12        | 22.                  | Terms and Mode of payments   | REFER SECTION-VI, CLAUSE NO.4 OF THE TENDER ENQUIRY)  |  |  |
| 13        | 24.1                 | Quantum of LD  | If the contractor fails to deliver the goods and/or services or any installment thereof within the Delivery Period, SPM Narmadapuram shall, without prejudice to other rights and remedies available to SPM, Narmadapuram under the contract, deduct from the contractor price, as Liquidated damages, a sum equivalent to the rate of 0.5 % of the delivered price of the delayed goods and/or services for each week of delay or part thereof until actual delivery or performance, |  |  |



|    |         |  | subject to a maximum deduction of the 10% of the delayed goods or services. |
|----|---------|--|---|
| 14 | 25.1    | Bank Guarantee and Insurance for Material Loaned to Contractor | Not Applicable  |
| 15 | 33.1    | Resolution of Disputes   | APPLICABLE  |
| 16 | 36.3.2, | Disposal/ Sale of Scrap by Tender                              | Not Applicable  |



#### **Section VI: List of Requirements**

| Sch  | Brief description of goods and services  | HSN  | Accoun | Quantity | Amount of        | Place o  |
|------|--|------|--------|----------|------------------|----------|
| edul | (Related specifications etc. are in Section-                                       | Code | ting   |          | Earnest          | Delivery |
| е    | VII)   |      | unit   |          | Money            | for GS1  |
| No.  |  |      |        |          | (INR)            | purpose  |
| 1    | Construction of toilet and replacement of damaged floor at old laboratory building |      | AU     | 1.000    | 50,000.00<br>INR |          |

Technical bid and financial bid are to be submitted on the CPP E-Procurement Portal. It may be noted that the price not to be quoted in technical bid (Technical Cover). It shall only be quoted in price bid (Price Cover). Non-adherence to this shall be making tender liable for rejection.

Tenders shall be submitted in parts as below:-

- I. PART-A: TECHNO-COMMERCIAL BID: KINDLY SUBMIT FOLLOWING DOCUMENTS WITH TECHNO-COMMERCIAL BID:
  - 1) Earnest Money Deposit: Applicable and Bidder has to upload scanned copy / proof of the DD along with bid and has to ensure delivery of hardcopy to the Buyer within 5 days of Bid End date / Bid Opening date.

The EMD shall remain valid for a period of 45 days beyond BID validity i.e. 120+45=165 days after the date of opening of the tender. Any short validity, the tender shall be treated as unresponsive and rejected. The EMD should be in Indian Rupees Only. Successful tendered EMD will returned without any interest, after the receipt of performance security from the tenderer. Unsuccessful tenderer EMD will be returned to them without any interest, after expiry of the tender validity period.

NOTE: As per MSME office Memorandum No. F.No.1(3)/2018-MP, Part-III dated 25.03.2022. Subjected "Revised FAQs in respect of Public Procurement Policy for MSEs Order, 2012 reg. FAQ Question No.18 the works contracts are excluded from the purview of Public Procurement policy of MSME order 2012."

Being a Works Contract EMD is not exempted for Micro and Small Enterprises(MSEs). Hence, EMD must be submitted by the MSEs without any exemption. Non-submission of EMD will lead to rejection of the offer.

- 2) The tenderer shall submit the acceptance of detailed scope of work as per Section VII of this tender document.
- **3)** Containing un-priced tender consisting commercial package including all terms and conditions. No price details to be given in this tender (as per Section-X).
- **4)** Blank price bid(Section-XI & Annexure-I) duly sealed and signed without mentioning any price element.
- 5) Please confirm the validity, place of work, period of contract, payment terms and warranty as per the other terms and condition (Part-C, point no.1 to 4 & 6) of Section VI of tender document.



- 6) Submit the following declaration on your letter head with seal and sign as per the Annexure III of this tender:
  - a. We have not been blacklisted / debarred by BNPMIPL/BRBNMPL/SPMCIL or any Govt. Departments for participation in tenders. The information provided above is correct and true to the best of my knowledge and belief.
  - b. We do hereby declare that we have read and understood all terms and conditions of tender document including GIT, SIT, GCC, SCC, Technical Specification, Quality Control Criteria and confirm to abide to those conditions without any counter conditions.
  - c. "We are accepting all the terms and conditions of the tender document without any deviation and withdraw all deviations if any"
- 7) All Section & pages (front and back) of the tender documents strictly should be signed, name and sealed by bidder firm.
- 8) Submit Section-VIII(Quality Control Requirement) with Seal & Sign.
- 9) Containing un-priced tender consisting of complete Qualification/ Eligibility of the tenderer as per the format specified under Section-IX in this document.
  Note:- Submit all relevant supporting documents as mentioned in Section-IX of tender document.
- **10)** Submit the declaration duly seal and signed by Competent Authority on your letter head as per annexure-IV as below:

"I have read the clause regarding restrictions on procurement from a bidder of a country which shares a land border with India: I certify that M/s.....(firm's name) is not from such a country or, if from such a country, has been registered with the Competent Authority. I hereby certify that M/s .....(firm's name) fulfills at requirements in this regard and is eligible to be considered."

- I, the undersigned, declare that the item.....originate in....(Name of the country).
- **11)** Submit the declaration duly seal and signed by Competent Authority on your letter head as per annexure-V.

#### II. PART – B: PRICE BID:

The bidders shall quote the price and other elements of price as per the format given as Section – XI and Annexure-I of this tender document. Insertion, post script, addition and alteration shall not be made, if any, will not be considered for calculating the price.

Note: Un- Workable rates shall be liable for rejection.

#### III. PART C: OTHER IMPORTANT TERMS AND CONDITIONS:

- 1) Validity: 120 days from the date of opening of the tender, offer valid for a shorter period shall be treated as unresponsive & rejected.
- 2) Place of work: Security Paper Mill, Narmadapuram.
- 3) Period of Contract: 06 Months from the date of issue of NAC / PO.



#### 4) TERMS AND MODE OF PAYMENT:

- 4.1. Monthly payment shall be made as based on actual measurement of completed work/items on monthly basis after completion, suitability and on production of all required documents as per discounted DSR Rate submitted by firm in the tender.
- 4.2. The payment will be made by SPM through RTGS / NEFT to the contractor after submission of their bill duly certified by CIVIL DEPARTMENT.
- 4.3. Applicable taxes may please mention on Price schedule/ Invoice of document along with HSN/ SAC code.
- 4.4. Registration certificate of GSTIN issued from the concerned authority may please be attached along with tender document.
- 4.5. If income tax is payable then the bill payment will be made after the deduction of such taxes. The TDS certificate will be provided to the Contractor accordingly. The contractor will provide PAN in bills.
- 4.6. Any TDS or surcharge applicable to the contractor then as per rule the deduction from the bill will be made along with surcharge. The copy of the same will be provided accordingly.

#### 5) PERFORMANCE SECURITY

- 5.1. Within twenty-one days after the issue of notification of award by SPMN, the supplier shall furnish performance security of the value equal to 10% of the value of the contract to SPMN, valid up to sixty days after the date of completion of all contractual obligations by the supplier, including the warranty obligations.
- 5.2. The performance security shall be denominated in Indian Rupees or in the currency of the contract and shall be furnished in any of the following forms:
  - (a) Account Payee Demand Draft
  - (b) Banker's cheque and
  - (c) Bank Guarantee issued by scheduled commercial bank of India in the proforma given in Section XV of tender enquiry.
  - (i). The demand draft or banker's cheque shall be drawn on any scheduled "Scheduled Commercial Bank" in India, in favour of Security Paper Mill, Narmadapuram. In case of bank guarantee, the same is to be provided from any scheduled commercial bank in India as per the format specified under Section XIII in tender document.
  - ii. The performance security should remain valid for a period of 60 days beyond the date of completion of all contractual obligations.
  - (d) Insurance security bonds
  - (e) Fixed Deposit Receipt (FDR)
  - (f) Payment through online mode
- 5.3. In the event of any loss due to supplier's failure to fulfill its obligations in terms of the contract, the amount of the performance security shall be payable to SPM to compensate SPM for the same.
- 5.4. In the event of any amendment issued to the contract, the supplier shall, within twenty-one days of issue of the amendment, furnish the corresponding amendment to the Performance Security (as necessary), rendering the same valid in all respects in terms of the contract as amended.



#### 6) WARRANTY:

- 6.1. The supplier warrants that the goods supplied under the contract is new, unused and incorporate all recent improvements in design and materials unless prescribed otherwise by SPM in the contract. The supplier further warrants that the goods supplied under the contract shall have no defect arising from design, materials (except when the design adopted and / or the material used are as per SPM's specifications) or workmanship or from any act or omission of the supplier, that may develop under normal use of the supplied goods under the conditions prevailing in India.
- 6.2. This warranty shall remain valid for twelve months after the goods or any portion thereof as the case may be, have been delivered to the final destination and installed and commissioned at the final destination and accepted by SPM in terms of the contract or for eighteen months from the date of dispatch from the supplier's premises whichever is later.
- 6.3. In case of any claim arising out of this warranty, SPM shall promptly notify the same in writing to the supplier.
- 6.4. Upon receipt of such notice, the supplier shall, with all reasonable speed and time, repair or replace the defective goods or parts thereof, free of cost, at the ultimate destination. The supplier shall take over the replaced parts/ goods after providing their replacements and no claim, whatsoever shall lie on SPM for such replaced parts/ goods thereafter.
- 6.5. In the event of any rectification of a defect or replacement of any defective goods during the warranty period, the warranty for the rectified/ replaced goods shall be extended to a further period of twelve months from the date such rectified / replaced goods starts functioning to the satisfaction of SPM.
- 6.6. If the supplier, having been notified, fails to rectify/ replace the defect(s) within a delivery period, SPM may proceed to take such remedial action(s) as deemed fit by SPM, at the risk and expense of the supplier and without prejudice to other contractual rights and remedies, which SPM may have against the supplier.

#### 7) Procurement Preference for MSE

NOTE: As per MSME office Memorandum No. F.No.1(3)/2018-MP, Part-III dated 25.03.2022. Subjected "Revised FAQs in respect of Public Procurement Policy for MSEs Order, 2012 reg.FAQ Question No.18 the works contracts are excluded from the purview of Public Procurement policy of MSME order 2012."

#### 8) EVALUATION of L1 Bidder:-

The evaluation of L1 bidder shall be based on the consolidated Grand total offered by the bidder as per Annexure-I of tender document.

- **9)** Any dispute, arising out of the supply order/ contract will be subject to the exclusive jurisdiction of the competent court at Narmadapuram.
- **10)** Authorized representatives of the tenderers, who have submitted tenders on time may attend the tender opening, provided they bring with them letters of authority through firm.



- 11) All Sections & pages of the tender documents strictly should be signed, name and sealed by bidder firm.
- 12) Statutory Compliance: The Contractor must fulfill all the provisions/conditions required under the following Acts;
  - 1. The Contract Labour (Regulation & Abolition) Act, 1970.
  - 2. The Minimum Wages Act, 1948
  - 3. The Payment of Wages Act, 1936
  - 4. The Employee Provident Fund & Misc. Provisions Act, 1936
  - 5. The Employee Estate Insurance Act, 1948.
  - 6. The Industrial Dispute Act, 1947
  - 7. The Employees Compensation Act, 1923
  - 8. The Payment of Bonus Act, 1965
  - 9. Other Misc. as & when Applicable

#### 13) Safety Conditions:

- 13.1. The manpower supplied by the contractor will work under their Supervisor and will obey all the instructions given by Supervisors.
- 13.2. The contractor(s) must appoint their supervisor to look after the day to day activity of their labour at site.
- 13.3. Any injury/accident occurred at work place shall immediately be reported to the safety department of SPM/respective section.
- 13.4. The charges of such medical treatment will be borne by the contractor is addition to the various provisions under the ESI Act.
- Safety helmet, belt and other safety appliances as per the requirement at the working places shall have to be provided by the contractor.
- 13.6. The firm shall have to ensure the safety of their employee during the course of employment.

Note: - Successful bidder must provide all PPE kit (Safety shoes, I-card and uniform is compulsory) necessary as per given job and follow the safety norms of factory to all employee provided in Mill Area as per the factory rules.

- 14) Bidder to furnish stipulated documents along with tender in support of fulfillment of tender criteria. Further correspondence in this regard will not be entertained for any reason.
- 15) Non submission of any of the above document may lead to rejection of bid.



#### Section VII: Technical Specifications

#### SCOPE OF WORK AND SPECIFICATION

#### A. Scope of work

The following provisions have been considered in construction of toilet and replacement of damaged floor in old laboratory building.

- 1. Construction of RCC framed toilet of size 3m X 6m including pile foundation and pile cap.
- 2. Dismantling of existing damaged floor and platform of passage, senior chemist room, pulp testing room and laboratory hall.
- 3. Construction of new testing platform.
- 4. Providing and fixing ceramic glazed and vitrified floor tiles with RCC floor.
- 5. Specification: The work shall be carried out as per CPWD specifications 2019 Vol. I & II with up to date correction slip.
- 6. T&P: No special T&P required. However ordinary T&P required, shall be arranged by the contractor himself.
- 7. Time Period: 06 (Six) months from award of NAC/Purchase order
- 8. Quantity of work: SPM authority reserve the full rights to increase or decrease the quantities of item, at the time of award tender and any time during execution of contract period or extended period of contract as per its actual requirement. SPM reserve the rights "that it is not necessary that all the items will be executed in the said period of contract and therefore the contractor has no right to claim for any works/item of works for the execution in the time period of contract or extended period of the contract."
- 9. Records:- The Firm shall maintain complete official records like material brought at site register, site order book, cement register, test register, hindrance register, daily progress register etc.. SPM have rights to see these records any time and firm shall submit all records as mentioned in this point to SPM after completion of the work.
- 10. Safety in works shall be the responsibility of the contractor.
- 11. The work area to be cleaned after completion of work.

#### **BILL OF QUANTITIES**

1. Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil.

Qty:- 43 Cum

- 2. Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering All work up to plinth level :
- 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)

  Qty:- 24 Cum
- 3. Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement All work up to plinth level:
- a. 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)

  Qty:- 6.5 Cum
- b. 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size de rived from natural sources)

  Qty:- 18.5 Cum



4. Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement:

1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources)

Qty:- 9 Cum

5. Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources). Qty:- 5 Cum

6. Centering and shuttering including strutting, propping etc. and removal of form for

a. Walls (any thickness) including attached pilasters, butteresses, plinth and string courses etc.

Qty:- 95 Sqm

b. Foundations, footings, bases of columns, etc. for mass concretes

Qty:- 70 Sqm

c. Suspended floors, roofs, landings, balconies and access platform

Qty:- 27 Sqm

d. Lintels, beams, plinth beams, girders, bressumers and cantilevers

Qty:- 45 Sqm

e. Columns, Pillars, Piers, Abutments, Posts and Struts

Qty:- 20 Sqm

7. Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level and above plinth level

Thermo-Mechanically Treated bars of grade Fe-500D or more.

Qty:- 3525 Kg

8. Brick work with common burnt clay F.P.S. bricks of class designation 7.5 up to plinth level Cement mortar 1:6 (1 cement : 6 coarse sand)

Qty:- 4 Cum

9. Brick work with common burnt clay F.P.S. bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in :

Cement mortar 1:6 (1 cement : 6 coarse sand)

Qty:- 12 Cum

- 10. Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.

  35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws Qty:- 10 Sqm
- 11. Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to steel windows by welding

Qty:- 150 Kg

12. Providing and fixing bright finished brass handles with screws etc. complete:



125 mm Qty:- 18 EA

13. Providing and fixing bright finished brass hanging type floor door stopper with necessary screws, etc. complete.

Qty:- 4 EA

14. Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS : 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete :

250x16 mm Qty:- 14 EA

15. Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete:

250x10 mm Qty:- 9 EA

16. Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.

Twin rubber stopper

Qty:- 5 EA

17. Providing and fixing factory made door frame (single rebate) made out of single piece extruded solid PVC foam profile with homogenous fine cellular structure having smooth outer integral skin having 62 mm width & 32 mm thickness, frame will be mitred & Jointed with self driven self tapping screws of size 38 mm x 4 mm & PVC solvent cement, including fixing the frame to wall with suitable dia & length anchor fastener as per manufacturer's specification and direction of Engineer-incharge.

Qty:-25 Mtr

18. Providing and fixing factory made 30 mm thick door shutter made of solid PVC foam profile. The styles & rails shall be of size 75 mm x 30 mm having wall thickness 5 mm. The styles, top & bottom rails shall have one side wall thickness of 15 mm integrally extruded on the hinge side of the profile for better screw holding power. The styles and rails shall be reinforced with M.S. tubes of size 33 mm x 17 mmx 1 mm, painted with primer, all four corners of reinforcement to be welded or sealed. Solid PVC extruded bidding (push fit type) will be set inside the styles and the rails with a cavity, to receive single piece extruded 5mm PVC sheet as panel. The styles and rails will be mitred cut and joint with the help of PVC solvent cement & self driven self tapping screws. Single piece extruded solid PVC lock rail of size 100 mm x 30 mm with wall thickness 5 mm & 15 mm integrally extruded in the middle of the lock rail & fixed with styles with the help of PVC solvent cement & self driven self tapping screws of size 100mm x 8 mm complete as per manufacturer's specifications and direction of Engineer-in-charge.

Decorative finish (both side wood grained finish)

Qty:- 9 Sqm

19. Providing and fixing pressed steel door frames conforming to IS: 4351, manufactured from commercial mild steel sheet of 1.60 mm thickness, including hinges, jamb, lock jamb, bead and if required angle threshold of mild steel angle of section 50x25 mm, or base ties of 1.60 mm, pressed mild steel welded or rigidly fixed together by mechanical means, including M.S. pressed butt hinges 2.5 mm thick with mortar guards, lock strike-plate and shock absorbers as specified and applying a coat of approved steel primer after pre-treatment of the surface as directed by Engineer-in-charge:



Profile C

Fixing with carbon steel galvanised dash fastener of required dia and size (to be paid for separately) Qty:- 18 Mtr

20. Providing and fixing carbon steel galvanised (minimum coating 5 micron) dash fastener of 10 mm dia double threaded 6.8 grade (yield strength 480 N/mm2), counter sunk head, comprising of 10 mm dia polyamide PA 6 grade sleeve, including drilling of hole in frame, concrete/masonry, etc. as per direction of Engineer-in-charge.

10 x 120 mm Qty:- 18 EA

- 21. Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS: 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Qty:-170 Sqm
- 22. Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS: 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including pointing the joints with white cement and matching pigments etc., complete. Qty:- 107 Sqm
- 23. Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only. Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily.

Glazed vitrified floor tiles polished finish of size

Size of Tile 600 x 600 mm

Qty:- 85 Sqm

24. Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete.

Size of Tile 600 x 600 mm

Qty:- 17 Sqm

25. 12 mm cement plaster of mix:

1:6 (1 cement: 6 fine sand)

Qty:-85 Sqm

26. 15 mm cement plaster on the rough side of single or half brick wall of mix:

1:6 (1 cement: 6 fine sand)

Qty:-70 Sqm

27. 6 mm cement plaster of mix:

1:3 (1 cement : 3 fine sand)

Qty:- 25 Sqm



28. Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete

Qty:- 110 Sqm

29. Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification.

Two or more coats on new work

Qty:- 100 Sqm

30. Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade:

New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)

Qty:- 80 Sqm

31. Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade :

Two or more coats on new work

Qty:- 2 sqm

Door chowkhats

Qty:- 4 EA

- 33. Dismantling W.C. Pan of all sizes including disposal of dismantled materials i/c malba all complete as per directions of Engineer-in-Charge Qty:- 1 EA
- 34. Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer in charge.

Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)

Qty:- 19 Cum

- 35. Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer in- charge. Qty:- 16 Cum
- 36. Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead:
- a. Of area 3 sq. metres and below

Qty:- 2 EA

b. Of area beyond 3 sq. metres

Qty:- 2 EA

- 37. Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead:
- a. Of area 3 sq. metres and below



Qty:- 2 EA

b. Of area beyond 3 sq. metres

Qty:- 2 EA

38. Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge.

In cement mortar

Qty:- 18 Cum

39. Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead.

For thickness of tiles 10 mm to 25 mm

Qty:- 185 Sqm

40. Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.

Qty:- 1 EA

41. Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved

Qty:- 50 Cum

42. Providing and fixing water closet squatting pan (Indian type W.C. pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required:

White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests Qty:- 3 EA

43. Providing and fixing white vitreous china flat back half stall urinal of size 580x380x350 mm with white PVC automatic flushing cistern, with fittings, standard size C.P. brass flush pipe, spreaders with unions and clamps (all in C.P. brass) with waste fitting as per IS :2556, C.I. trap with outlet grating and other couplings in C.P. brass, including painting of fittings and cutting and making good the walls and floors wherever required:

Range of three half stall urinals with 10 litre P.V.C. automatic flushing cistern Qty:- 1 EA

44. Providing and fixing one piece construction white vitreous china squatting plate with an integral longitudinal flushing pipe, white P.V.C. automatic flushing cistern, with fittings, standard size G.I. / PVC flush pipe for back and front flush with standard spreader pipes with fittings, G.I clamps and C.P. brass coupling complete, including painting of fittings and cutting and making good the walls and floors etc. wherever required :

Range of two squatting plates with 5 litre P.V.C. automatic flushing cistern Qty:- 1 EA

45. Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:

White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps Qty:- 3 EA



46. Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug, 40 mm C.P brass waste and 40mm C.P. brass trap with necessary C.P. brass unions complete, including painting of fittings and brackets, cutting and making good the wall wherever required:

Size 600x450x200 mm

Qty:-8 EA

47. Providing and fixing P.V.C. waste pipe for sink or wash basin including P.V.C. waste fittings complete.

Semi rigid pipe

a. 32 mm dia

Qty:- 3 EA

b. 40 mm dia

Qty:- 8 EA

48. Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing : Rectangular shape 453x357 mm

Qty:- 3 EA

49. Providing and fixing soil, waste and vent pipes:

100 mm dia

Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989

Qty:- 71 Mtr

50. Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge.

Internal work - Exposed on wall

a. 15 mm nominal dia Pipes

Qtv:- 40 Mtr

b. 20 mm nominal dia Pipes

Qty:- 40 Mtr

51. Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge.

Concealed work, including cutting chases and making good the walls etc.

a. 15 mm nominal dia Pipes

Qty:- 40 Mtr

b. 20 mm nominal dia Pipes

Qty:- 35 Mtr

52. Providing and fixing PTMT bib cock of approved quality and colour.

15 mm nominal bore, 165 mm long, weighing not less than 110 gms

Qty:- 11 EA

53. Providing and fixing PTMT stop cock of approved quality and colour.

20 mm nominal bore, 89 mm long, weighing not less than 88 gms

Qty:- 11 EA



54. Providing and fixing PTMT pillar cock of approved quality and colour. 15 mm nominal bore, 107 mm long, weighing not less than 110 gms Qty:- 11 EA

55. Providing and fixing PTMT grating of approved quality and colour. 125 mm nominal dia with 25 mm waste hole

Qty:- 13 EA

56. Providing, laying and jointing glazed stoneware pipes class SP-1 with stiff mixture of cement mortar in the proportion of 1:1 (1 cement: 1 fine sand) including testing of joints etc. complete

a. 100 mm diameter

Qty:- 20 Mtr

b. 200 mm diameter

Qty:- 20 Mtr

57. Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design a. 100 mm diameter S.W. pipe

Qty:- 20 Mtr

b. 200 mm diameter S.W. pipe

Qty:- 20 Mtr

58. Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete :

For pipes 250 to 300 mm diameter

Qty:- 1 EA

59. Boring, providing and installation cast-in-situ single under reamed reamed reinforced cement concrete piles of specified diameter and length below the pile cap in cement concrete 1:1.5:3 (1 cement : 1.5 coarse sand : 3 stone aggregate 20 mm nominal size), to carry safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with augar and length of pile to br embedded in pile cap etc. all complete. (Lenght of pile cap for payment shall be measured upto the bottom of pile cap

300 mm dia pile

Qty:- 45 Mtr

60. Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.

Qty:- 3 Cum

- 61. Supplying and filling of Murram (including royalty) including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete.

  Qty:- 8 Cum
- 62. Providing, hoisting and fixing above plinth level up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but, excluding cost of reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources). Qty:- 1 Cum



63. Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 stone aggregate 10 mm and down gauge), including finishing with cement mortar 1:3 (1 cement : 3 fine sand) as per standard design :

In 75x75 mm deep chase

Qty:- 20 Mtr

64. Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement : 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels.

Granite stone slab of colour black, Cherry/Ruby red

Area of slab over 0.50 sqm

Qty:- 23 Sqm

65. Providing and fixing 75 mm high, 50 mm deep and 18 mm thick stone slab table rubbed, edges rounded and polished, fixed in urinal partitions by cutting a chase of appropriate width with chase cutter and embedding the stone in the chase with epoxy grout or with cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 6 mm nominal size) as per direction of Engineer-in-charge and finished smooth.

White Agaria Marble Stone

Qty:- 1 Sqm

66. Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work)

a. 15 mm nominal bore

Qty: 5 EA

b. 20 mm nominal bore

Qty: 5 EA

67. Providing and fixing terminal guard:

100 mm

Hubless centrifugally cast (spun) iron epoxy coated inside & outside as per IS:15905

Qty:- 2 EA

68. Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design :

With common burnt clay F.P.S. (modular) bricks of class designation 7.5

Qty:- 3 EA

69. Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes with fittings and the base support for tank.

Qty:- 1000 Ltr

70. Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth.

Qty:- 25 Sqm



71. Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth up to 30 cm measured at a height of 1 m above ground level and removal of rubbish up to a distance of 50 m outside the periphery of the area cleared.

Qty:- 54 Sqm

-----

SIGNATURE OF BIDDER WITH NAME, DESIGNATION & SEAL



### **Section VIII: Quality Control Requirements**

- 1. Specifications: The work shall be carried out as per relevant IS Code, CPWD specification 2019 Vol. I & Vol. II with up to date correction slips and CPWD maintenance manual 2023.
- 2. Execution of Civil Work and material shall be tested verified & inspected through NIT/IIT and it shall be in the scope of firm.



#### Section IX: Qualification/ Eligibility Criteria

#### **Experience & Past Performance:**

The bidder should have experience of having successfully completed similar works during last 7 years ending on 31.03.2023.

- a. Three similar completed works each costing not less than the amount equal to Rs. 9,97,706/- or
- b. Two similar completed works each costing not less than the amount equal to Rs. 12,47,133/-. or
- c. One similar completed work costing not less than the amount equal to Rs. 19,95,413/-

#### **Capability - Equipment & manufacturing Facilities:**

The bidder should be enlisted in either Central Public Works Department (CPWD) or Military Engineering Services (MES) or any other Government / PSU / Autonomous bodies.

#### **Financial Standing:**

The average annual financial turnover of the bidder during the last three years, ending on 31.03.2023, should be at least Rs. 9,97,706/- (or equivalent in foreign currency at exchange rate prevalent on '31.03.2023 as per the annual report (audited balance sheet and profit & loss account) of the relevant period, duly authenticated by a Chartered Accountant/ Cost Accountant in India or equivalent in relevant countries.

The bidder should not have suffered any financial loss for more than one year during the last three years, ending on 31.03.2023.

- i) The net worth of the Bidder should not be negative on 31.03.2023 and also
- ii) should not have eroded by more than 30% in the last three years, ending on 31.03.2023.

#### NOTE:

- 1. All experience, past performance and capacity/capability related data should be certified by the Authorized Signatory of the Bidder firm. The credentials regarding experience and past performance to the extent required as per the above eligibility criteria as submitted by the bidder may be verified by the parties for whom work has been done.
- **2.** All financial standing data should be certified by Chartered Accountants (CA) in India and certified Public Accountant/ Chartered Accountants of other countries.
- 3. As per MSME office Memorandum No. F.No.1(3)/2018-MP, Part-III dated 25.03.2022. Subjected "Revised FAQs in respect of Public Procurement Policy for MSEs Order, 2012 reg. FAQ Question No.18 the works contracts are excluded from the purview of Public Procurement policy of MSME order 2012.
- 4. Bidder shall submit the supporting document in support of above.

SIGNATURE OF BIDDER WITH NAME, DESIGNATION & SEAL



### **Section X: Tender Form**

| Date   |
|--|
| To,  |
|  |
|  |
|  |
| (Complete address of SPMCIL)   |
| Ref: Your Tender document No: 6000018906/CIVIL/24-25/1226, Dated: 12.08.2024   |
| We, the undersigned have examined the above-mentioned tender enquiry document, including amendment No, dated   |
| If our tender is accepted, we undertake to supply the goods and perform the services as mentioned above, in accordance with the delivery schedule specified in the List of Requirements.   |
| We further confirm that, if our tender is accepted, we shall provide you with a performance security of required amount in an acceptable form in terms of GCC clause 6, read with modification, if any, in Section V – "Special Conditions of Contract", for due performance of the contract.  |
| We agree to keep our tender valid for acceptance for a period upto, as required in the GIT clause19, read with modification, if any in Section-III - "Special Instructions to Tenderers" or for subsequently extended period, if any, agreed to by us. We also accordingly confirm to abide by this tender upto the aforesaid period and this tender may be accepted any time before the expiry of the aforesaid period. We further confirm that, until a formal contract is executed, this tender read with your written acceptance thereof within the aforesaid period shall constitute a binding contract between us. |
| We confirm that in case of downloaded Tender Document, we have not changed/ edited its contents. We  |

We further understand that you are not bound to accept the lowest or any tender you may receive against your above-referred tender enquiry.

realise that in case any such change is noticed at any stage including after the award of contract, we

We also solemnly declare as under:

would be liable to action under clause 44 of the GIT.



#### 1. Make in India Status:

Having read and understood the Public Procurement (Preference to Make in India PPP\_MII) Order, 2017 (as amended and revised till date) and related notifications from the relevant Nodal Ministry/ Department, and solemnly declare the following:

| (a) | <ul> <li>Class-I Local Supplier/</li> <li>Class-II Local Supplier/</li> <li>Non-Local Supplier.</li> <li>We also declare that</li> <li>There is no country whose bidders have been notified as ineligible on reciprocal basis under this order for offered product, or</li> </ul>   |
|-----|---|
|     | □ We do not belong to any Country whose bidders are notified as ineligible on reciprocal basis under this order   |
|     | Restrictions on procurement from bidders from a country or countries, or a class of countries under Rule 144 (xi) of the General Financial Rules 2017   |
|     | Having read and understood the Order (Public Procurement No. 1) issued vide F.No.6/18/2019-PPD dated 23 <sup>rd</sup> July 2020 (and its amendments if any) by Department of Expenditure, Ministry of Finance under the above provision and solemnly declare the following:   |
|     | □ We do not belong to any Country whose bidders are notified as ineligible under this order   |
|     | <b>Debarment Status:</b> Please state whether business dealings with you currently stand suspended/banned by any Ministry/ Depts. of Government of India or by any State Govt:  |
|     | <ul> <li>Yes (with period of Ban)</li> <li>No, We, solemnly declare that neither we nor any of our affiliates or subsidiaries – including subcontractors or suppliers for any part of the contract–do not stand declared ineligible/blacklisted/banned/debarred by any Government Agency anywhere in the world, for participating in its tenders, under that country's laws or official regulations.</li> </ul> |
|     | Penalties for false or misleading declarations: I/we hereby confirm that the particulars given above are correct and complete and also undertake to advise any future changes to the above details. We understood that any wrong or misleading self-declaration by us would be violation of code of Ethics and would attract penalties as mentioned in this tender document, including debarment.               |
|     |   |
|     | (Signature with date)   |
|     |   |



| SECURITY PRINTING AND MINTING CORPORATION OF INDIA LIMITED |
|--|
| Name and designation                                       |
| Duly authorized to sign tender for and on behalf of        |
|  |



# **Section XI: Price Schedule**

(As per Annexure-I)

| OFFER FORM for Tender No  |
|---|
| We  |
| production methods, quality control and testing of all materials and parts manufactured or used by us are open to inspection by the representative of( <i>Name of Purchaser</i> ) We hereby offer to supply the following items at the prices indicated below:  |
| Price Schedule as per Annexure-1  1. Scope of Work: Construction of toilet and replacement of damaged floor at old laboratory building as per Section-VII.  |
| <ul> <li>2. Taxation Details:</li> <li>a. PAN number</li> <li>b. Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc.)</li> <li>c. GSTIN number</li> <li>d. Registered Address as per GST registration and Place of Delivery for GST Purpose</li> <li>e. Contact Names, Nos. &amp; email IDs for GST matters (Please mention primary and secondary contacts)</li> </ul>   |
| 3. It is hereby certified that we have understood the General and Special Instructions to Tenderers (GIT and SIT), and also the General and Special Conditions of Contract (GCC and SCC) attached to the tender and have thoroughly examined specifications/ Quality Control Requirements and other stipulations in Section VII & VIII – Technical Specifications and Quality Control Requirements; and are thoroughly aware of the nature of stores required and our offer is to supply stores strictly in accordance with the requirements and according to the terms of the tender. We agree to abide solely by the General and Special Conditions of Contract and other conditions of the tender in accordance with the tender documents if the contract is awarded to us |
| 4. We hereby offer to supply the stores detailed above or such portion thereof, as you may specify in the acceptance of tender at the price quoted and agree to hold this offer open for acceptance for a period ofdays from the date of opening of tender (i.e., upto), We shall be bound by the communication of acceptance despatched.   |
| 5. Earnests Money/Bid Guarantee for an amount equal to enclosed in form of (form and reference number, date) as per the Tender Documents.   |
| 6. The method of evaluation of L1 criteria for awarding the contract shall be decided taking into consideration the total landed price up to SPM Narmadapuram.  |

7. TCS (u/s 206C (1 H) of IT Act is not applicable, as SPM will deduct TDS u/s 194Q.



| Datea | Dated |  |  |  |  |
|-------|-------|--|--|--|--|
|-------|-------|--|--|--|--|

Signature and seal of *Manufacturer/Bidder* 

#### Note:

- (i) The Bidder may prepare their own offer forms as per this proforma.
- (ii) No change in the proforma is permissible.
- (iii) No erasures or alternations in the text of the offer are permitted. Any correction made in the offer shall be initialled by the bidder.
- (iv) Figures in Columns 5 to 7 (both inclusive) and in Break-up of price in column 6, should be in both figures and words.
- (v) This Section should not bring in any new Technical Parameter that has not been mentioned in the Technical Bid.

\_\_\_\_\_

SIGNATURE OF BIDDER WITH NAME, DESIGNATION & SEAL



1. Vendor/ Contractor particulars:

secondary contacts):

#### **Section XII Vendor Details**

The tenderer should furnish specific details mentioned below. In case a question/issue does not apply to a tenderer, the same should be answered with the remark "not applicable".

Wherever necessary and applicable, the tenderer shall enclose certified copy as documentary proof/ evidence to substantiate the corresponding statement.

In case a tenderer furnishes a wrong or misleadin g answer against any of the under mentioned question/ issues, its tender will be liable to be ignored.

|    |      | The state of the s |
|----|------|--|
|    | (a)  | Name of the Company:   |
|    | (b)  | Corporate Identity No. (CIN):  |
|    | (c)  | Registration if any with SPMCIL:   |
|    | (d)  | Complete Postal Address:   |
|    | (e)  | Pin code/ ZIP code:  |
|    | (f)  | Telephone nos. (with country/area codes):  |
|    | (g)  | Fax No.: (with country/area codes):  |
|    | (h)  | Cell phone Nos.: (with country/area codes):  |
|    | (i)  | Contact persons /Designation:  |
|    | (j)  | Email IDs:   |
| 2. | Taxa | tion Details:  |
|    | (a)  | PAN Number:  |
|    | ` '  | Type of GST Registration (Registered, Unregistered, Composition, SEZ, RCM etc.):   |
|    | (c)  | GSTIN number:  |
|    | (d)  | Registered Address as per GST registration and Place of Delivery for GST Purpose:  |
|    | (e)  | Contact Names, Nos. & email IDs for GST matters (Please mention primary and  |



| We solemnly declare that our GST rating on the GST portal / Govt. official website is<br>NOT negative / blacklisted during the last three financial years. |
|--|
| (Signature with date)  |
|  |
| (Full name, designation & address of the person duly authorized sign on behalf of the tenderer)  |
| For and on behalf of   |
|  |
| (Name, address, and stamp of the tendering firm)   |

(Bank's Common Seal)

### **Section XIII: Bank Guarantee Form for EMD**

## BANK GUARANTEE FOR BID GUARANTEE (ON BANK'S LETTERHEAD WITH ADHESIVE STAMP)

| To,<br>The Chief Gener<br>Security Paper M<br>Narmadapuram,   | 1iII   | esh – 46   | 1 005  |   |   |   |                              |                      |                                |                                  |                         |
|---|--|--|--|---|---|---|------------------------------|----------------------|--------------------------------|----------------------------------|-------------------------|
| Dear Sir,   |  |  |  |   |   |   |                              |                      |                                |                                  |                         |
| Whereas<br>called the   | "Tenderer")  | has  | subm   | itted<br>for                                  | its<br>the                              | bid<br>supply                                 | numb<br>of                   | ered<br>             |                                | ···········                      | . dated                 |
| enquiry No  |  |  |  |   |   |   |                              |                      |                                |                                  |                         |
| persons by t  | hese preser<br>(here   | its tha<br>nafter                                    | t we<br>called   | the   | "Baı<br>bound                           | nk") ha<br>d unto                             | g<br>aving<br>the            | our<br>Purcha        | regis                          | tered in the                     | office at sum of        |
| forthwith, on den   | nand by the P  | urchase  | r, witho   |   |   |   |                              |                      |                                |                                  |                         |
| Sealed with the   | Common Seal  | of the s   | aid Bar  | nk this                                       |   |   | d                            | lay of               |                                |                                  | 20                      |
| The conditions o  | f this obligatio   | n are —  |  |   |   |   |                              |                      |                                |                                  |                         |
| (1) If the Tendero<br>the period of vali  |  |  | ds, impa   | airs, o                                       | r derog                                 | ates fro                                      | m the                        | tender,              | in any                         | / respec                         | t within                |
| (2) If the Tendere knowledge of the Clause.   |  |  |  |   |   |   |                              |                      |                                |                                  |                         |
| (3) If the Tenderoperiod of its valid   |  | notified   | d of the   | accep   | otance                                  | of his te                                     | nder b                       | y Purcl              | naser                          | during th                        | ne                      |
| a) Fails or refuse<br>b) Fails or refuse<br>We undertake to<br>without Purchase<br>that the amount<br>conditions, speci<br>above conditions | es to accept/ e. pay Purchase er having to suclaimed by it, iffying the occu | xecute ter up to | he cont<br>the abo<br>ate its do<br>it owin<br>adition(s | ract.<br>ve am<br>emane<br>g to the<br>s). We | nount, u<br>d, prov<br>ne occu<br>agree | upon rec<br>ided tha<br>urrence o<br>that the | eipt o<br>t in its<br>of one | f its first<br>deman | t writte<br>id Puro<br>e or al | en dema<br>chaser v<br>I the abo | nd,<br>vill note<br>ove |
| This guarantee v<br>days, in words a<br>any demand in r   | nd figures) day  | /s after   | the date   | e of  |   | (inse   | rt date                      | e of ten             | der op                         |                                  |                         |
| Date<br>Place   |  |  |  |   |   |   |                              |                      |                                |                                  |                         |
|   |  |  |  |   |   |   |                              |                      | (F                             | ignature<br>Printed N<br>Designa | Name)                   |
| Witnesses   |  |  |  |   |   |   |                              |                      |                                |                                  |                         |

### Section XV: Bank Guarantee Form for Performance Security

PROFORMA OF BANK GUARANTEE FOR CONTRACT PERFORMANCE GUARANTEE BOND

| (0  | N BANK'S LETTERHEAD WITH ADHESIVE STAMP)  |  |
|-----|---|--|
| Re  | sf  | Date   |
| Ва  | nk Guarantee No   |  |
| То  | ,   |  |
| (Ir | sert Name & Address of the Purchaser)   |  |
| De  | ear Sir,  |  |
| 1.  | Against contract vide Notification for Award of the Tender No   | (herein after chaser) (herein after called as the he 'Contractor'), this is to certify (mame of the bank), are (write the aser, against any loss or damage of any breach by the Contractor of the performance thereof. We agree of the terms and conditions of the hitted by the Contractor; and the the Purchaser, shall be final and |
| 2.  | We  | er the complete conclusion of the DDER and the BUYER, including nafter called the 'said date') and(name of the bank), by virtue of prceable against us   |
| 3.  | It is fully understood that this guarantee is effective from the dawe (name of the bank), undert during its currency, without the consent in writing of the Purchaser | ake not to revoke this guarantee   |

4. We undertake to pay to the Purchaser, any money so demanded, notwithstanding any dispute or

|     | made by us under this bond, shall be a valid discharge of our liability for payment thereunder, and the Contractor shall have no claim against us, for making such payments. |
|-----|--|
| 5.  | We   |
| 6.  | This guarantee will not be discharged due to the change in the constitution of the Bank or the Contractor.   |
| Da  | ite:   |
| Pla | ace:   |
| Sig | gnature  |
| (P  | rinted Name)   |
| (D  | esignation)  |
| Wi  | tnesses  |

disputes raised by the Contractor, in any suit or proceeding pending before any Court or Tribunal, relating thereto, our liability under this present, being absolute and unequivocal. The payments so

(Bank's Common Seal)

## **Section XVI: Contract Form**

| (Address of SPMCIL's office issuing the contract)   |  |  |  |  |  |  |
|---|--|--|--|--|--|--|
| Contract No dated   |  |  |  |  |  |  |
| This is in continuation to this office' Notification of Award No dated  |  |  |  |  |  |  |
| . Name & address of the Supplier  |  |  |  |  |  |  |
| SPMCIL's Tender document No   |  |  |  |  |  |  |
| 3. Supplier's Tender No   |  |  |  |  |  |  |
| <ul> <li>4. In addition to this Contract Form, the following documents etc, which are included in the documents mentioned under paragraphs 2 and 3 above, shall also be deemed to form and be read and construed as part of this contract: <ol> <li>(i) General Conditions of Contract;</li> <li>(ii) Special Conditions of Contract;</li> <li>(iii) List of Requirements;</li> <li>(iv) Technical Specifications;</li> <li>(v) Quality Control Requirements;</li> <li>(vi) Tender Form furnished by the supplier;</li> <li>(vii) Price Schedule(s) furnished by the supplier in its tender;</li> <li>(viii) Manufacturers' Authorization Form (if applicable for this tender);</li> <li>(ix) SPMCIL's Notification of Award</li> </ol> </li> <li>Note: The words and expressions used in this contract shall have the same meanings as are respectively assigned to them in the conditions of contract referred to above. Further, the definitions and abbreviations incorporated under Section – V - 'General Conditions of Contract' of SPMCIL's Tender document shall also apply to this contract.</li> </ul> |  |  |  |  |  |  |
| <ol><li>Some terms, conditions, stipulations etc. out of the above-referred documents are reproduced<br/>below for ready reference:</li></ol>   |  |  |  |  |  |  |
| (i) Brief particulars of the goods and services which shall be supplied/ provided by the supplier are as under:   |  |  |  |  |  |  |
| Schedule No. Brief description of Accounting Quantity to be supplied Unit Price Total price   |  |  |  |  |  |  |
|   |  |  |  |  |  |  |

| An                             | any other additional services (if applicable) and  | cost there of:                                    |
|--------------------------------|--|---|
| То                             | otal value (in figure)   | (In words)  |
| (v)<br>(vi)<br>(vii)<br>(viii) | Details of Performance Security  Quality Control  (a) Mode(s), stage(s), and place(s) of conduct  (b) Designation and address of SPMCIL's ins  Destination and dispatch instructions | • .   |
| (Sigi                          | gnature, name, and address of SPMCIL's autho   | orized official)                                  |
| For a                          | and on behalf of   |   |
| Rece                           | ceived and accepted this contract  |   |
|                                | gnature, name, and address of the supplier's eapplier)   | xecutive duly authorized to sign on behalf of the |
| For a                          | and on behalf of   |   |
| •                              | ame and address of the supplier)   |   |
|                                | eal of the supplier)   |   |
| Date                           | te:  |   |
| Place                          | ce:  |   |

## Section XVII: Letter of Authority for attending / Bid Opening (Refer to clause 24.2 of GIT)

The General Manager

| Unit Address  |      |                     |  |  |  |
|---|------|---------------------|--|--|--|
| Subject: Authorization for attending bid opening on (date) in the Tender of                                   |      |                     |  |  |  |
| Following persons are hereby authorized to attend the bid opening for the tender mentioned above on behalf of |      |                     |  |  |  |
| Order of Preference   | Name | Specimen Signatures |  |  |  |
| 1.  |      |                     |  |  |  |
| II.   |      |                     |  |  |  |
| Alternate Representative  |      |                     |  |  |  |
| Signatures of bidder or   |      |                     |  |  |  |
| Officer authorized to sign the bid Documents on behalf of the bidder  |      |                     |  |  |  |

#### NOTE

- 1. Maximum of two representatives will be permitted to attend pre-bid conference/bid opening. In cases where it is restricted to one, first named representative will be allowed to attend. Alternate representative will be permitted when regular representatives are not able to attend.
- 2. In case of pre-bid conference, self-attested copy of proof of purchase of Bid documents, in the name of the bidder must be enclosed with this authorization, without which entry would be refused. Bid documents would be available for sale at the site also.
- 3. Permission for entry to the hall where even is held may be refused in case authorization as prescribed above is not produced.

# Section XVIII: Proforma of Bills for Payments (Refer Clause 22.6 of GCC)

| Name a  | ind Address of the  | Firm  |                    |                |                     |        |  |
|---|---|---|--------------------|----------------|---------------------|--------|--|
| Bill No   |   |   | Dated              |                |                     |        |  |
| Purchase order  |   |   | No                 | Da             | ted                 |        |  |
| Name a  | and address of the  | consignee   |                    |                |                     |        |  |
| S.<br>No  | Authority for purchase  | Description of Stores                                 | Number or quantity | Rate<br>Rs. P. | Price per<br>Rs. P. | Amount |  |
| Total   |   |   |                    |                |                     |        |  |
| <ol> <li>Free</li> <li>Ex</li> <li>Pa</li> <li>Oth</li> <li>PV</li> </ol> | eight (if applicable) cise Duty (if applic cking and Forward hers (Please speci | ling charges (if appli<br>y)<br>alculation sheet encl | cable)             |                |                     |        |  |
| -   | Net amount payable (in words Rs.)   |   |                    |                |                     |        |  |
|   | , -   | ner proof of dispatch                                 | 1                  |                |                     |        |  |
|   |   |   |                    |                |                     |        |  |
| Inspecti  | on Certificate No .   |   | dated              |                | (encl               | osed)  |  |
| Place a   | nd Date   |   |                    |                |                     |        |  |
| Receive   | ed Rs   |   |                    |                |                     |        |  |
| Runaas  | ١   |   |                    |                |                     |        |  |

#### We solemnly certify that:

a. Goods and Services Tax (GST) charged on this Bill is not more than what is payable under the provision of the relevant Act or the Rules made there under.

- b. Goods on which GST has been charged have not been exempted under the GST Act or the rules made there under and the charges on account of GST on these goods are correct under the provisions of that Act or the Rules made there under.
- c. We are registered with above indicated GSTIN as dealer in the State where in their Billing address is located for the purpose of GST.
- d. This bill form / invoice is not a replacement for the GST invoice. The proper GST invoice as per requirements of GST rules has been sent to the Purchaser as and when deliveries are made to the consignee.
- e. That the payment being claimed is strictly in terms of the contract and all the obligations on the part of the supplier for claiming that payment has been fulfilled as required under the contract.

Revenue stamp

Signature and of Stamp Supplier

## Section XIX: NEFT Mandate (Refer clause 22.2 of GCC)

| From   | : M/s  | Date:   |
|--------|--|---|
| To:    |  |   |
| (Inser | t Name and Address of Purchaser's Payin  | g Authority as per NIT Clause 1)  |
| Sub:   | NEFT payments  |   |
| above  | efer to RBI's NEFT scheme. Our manda<br>e scheme to our under noted account.<br>ONAL ELECTRONIC FUNDS TRANSFER | te SPMCIL for making payments to us through the MANDATE FORM  |
| 1.     | Name of City   |   |
| 2.     | Bank Code No.  |   |
| 3.     | Branch Code No.  |   |
| 4.     | Bank's Name  |   |
| 5.     | Branch Address   |   |
| 6.     | Branch Telephone / Fax No.   |   |
| 7.     | Supplier's Account No.   |   |
| 8.     | Type of Account  |   |
| 9.     | IFSC code for NEFT   |   |
| 10.    | IFSC code for RTGS   |   |
| 11.    | Supplier's name as per Account   |   |
| 12.    | MICR Code No.  |   |
| photo  |  | nder, please attach a bank cancelled cheque or ank passbook issued by your bank for verification of |

I hereby declare that the particulars given above are correct and complete. If the transaction is delayed or not effected at all for reasons of incomplete or incorrect information, I would not hold the user institution responsible. I have read the option intimation letter and agree to discharge responsibility expected of me as a participant under the scheme.

| Date  | Signature of the Customer |
|---|---------------------------|
|   |                           |
| Certified that the above particulars are correct as per our record. |                           |
|   |                           |
| Stamp and   |                           |
| Signature of authorized   |                           |
| Official of the bank  |                           |
|   |                           |

### **ANNEXURE-I**

### TENDER NO. 6000018906/CIVIL/24-25/ , Dated: 12.08.2024

The Price bid should clearly indicate the break-up of the price as under:-

### **GSTIN No. of your Firm:**

| SN | Description   | HSN/<br>SAC | Qty   | Unit | Rate | Amount |
|----|---|-------------|-------|------|------|--------|
|    | Construction of toilet and replacement of damaged floor at old laboratory building  |             |       |      |      |        |
| 1  | Earth work in excavation by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m in width or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. All kinds of soil. Qty:- 43 Cum |             | 43.00 | М3   |      |        |
| 2  | Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level: 1:4:8 (1 Cement: 4 coarse sand (zone-III) derived from natural sources: 8 graded stone aggregate 40 mm nominal size derived from natural sources)  Qty:- 24 Cum   |             | 24.00 | М3   |      |        |
| 3  | Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level:   |             |       |      |      |        |
| а  | 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) Qty:- 6.5 Cum   |             | 6.50  | М3   |      |        |
| b  | 1:2:4 (1 cement : 2 coarse sand (zone-III) derived from natural sources : 4 graded stone aggregate 20 mm nominal size de rived from natural sources) Qty:- 18.5 Cum   |             | 18.50 | M3   |      |        |

| SN | Description  | HSN/<br>SAC | Qty   | Unit | Rate | Amount |
|----|--|-------------|-------|------|------|--------|
| 4  | Reinforced cement concrete work in walls (any thickness), including attached pilasters, buttresses, plinth and string courses, fillets, columns, pillars, piers, abutments, posts and struts etc. above plinth level up to floor five level, excluding cost of centering, shuttering, finishing and reinforcement :1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources) Qty:- 9 Cum              |             | 9.00  | M3   |      |        |
| 5  | Reinforced cement concrete work in beams, suspended floors, roofs having slope up to 15° landings, balconies, shelves, chajjas, lintels, bands, plain window sills, staircases and spiral stair cases above plinth level up to floor five level, excluding the cost of centering, shuttering, finishing and reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand(zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources). Qty:- 5 Cum |             | 5.00  | М3   |      |        |
| 6  | Centering and shuttering including strutting, propping etc. and removal of form for  |             |       |      |      |        |
| а  | Walls (any thickness) including attached pilasters, butteresses, plinth and string courses etc.  Qty:- 95 Sqm  |             | 95.00 | M2   |      |        |
| b  | Foundations, footings, bases of columns, etc. for mass concretes<br>Qty:- 70 Sqm   |             | 70.00 | M2   |      |        |
| С  | Suspended floors, roofs, landings, balconies and access platform Qty:- 27 Sqm  |             | 27.00 | M2   |      |        |
| d  | Lintels, beams, plinth beams, girders, bressumers and cantilevers<br>Qty:- 45 Sqm  |             | 45.00 | M2   |      |        |
| е  | Columns, Pillars, Piers, Abutments,<br>Posts and Struts<br>Qty:- 20 Sqm  |             | 20.00 | M2   |      |        |

| SN | Description  | HSN/<br>SAC | Qty     | Unit | Rate | Amount |
|----|--|-------------|---------|------|------|--------|
| 7  | Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete upto plinth level and above plinth level Thermo-Mechanically Treated bars of grade Fe-500D or more.  Qty:- 3525 Kg   |             | 3525.00 | KG   |      |        |
| 8  | Brick work with common burnt clay F.P.S. bricks of class designation 7.5 up to plinth level Cement mortar 1:6 (1 cement : 6 coarse sand) Qty:- 4 Cum   |             | 4.00    | M3   |      |        |
| 9  | Brick work with common burnt clay F.P.S. bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:6 (1 cement : 6 coarse sand) Qty:- 12 Cum   |             | 12.00   | М3   |      |        |
| 10 | Providing and fixing ISI marked flush door shutters conforming to IS: 2202 (Part I) decorative type, core of block board construction with frame of 1st class hard wood and well matched teak 3 ply veneering with vertical grains or cross bands and face veneers on both faces of shutters.  35 mm thick including ISI marked Stainless Steel butt hinges with necessary screws Qty:- 10 Sqm |             | 10.00   | M2   |      |        |
| 11 | Providing and fixing M.S. grills of required pattern in frames of windows etc. with M.S. flats, square or round bars etc. including priming coat with approved steel primer all complete. Fixed to steel windows by welding Qty:- 150 Kg   |             | 150.00  | KG   |      |        |
| 12 | Providing and fixing bright finished brass handles with screws etc. complete: 125 mm Qty:- 18 EA   |             | 18.00   | EA   |      |        |
| 13 | Providing and fixing bright finished brass hanging type floor door stopper with necessary screws, etc. complete. Qty:- 4 EA  |             | 4.00    | EA   |      |        |

| SN | Description   | HSN/<br>SAC | Qty   | Unit | Rate | Amount |
|----|---|-------------|-------|------|------|--------|
| 14 | Providing and fixing aluminium sliding door bolts, ISI marked anodised (anodic coating not less than grade AC 10 as per IS: 1868), transparent or dyed to required colour or shade, with nuts and screws etc. complete: 250x16 mm Qty:- 14 EA   |             | 14.00 | EA   |      |        |
| 15 | Providing and fixing aluminium tower bolts, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 250x10 mm Qty:- 9 EA  |             | 9.00  | EA   |      |        |
| 16 | Providing and fixing aluminium hanging floor door stopper, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour and shade, with necessary screws etc. complete.  Twin rubber stopper Qty:- 5 EA   |             | 5.00  | EA   |      |        |
| 17 | Providing and fixing factory made door frame (single rebate) made out of single piece extruded solid PVC foam profile with homogenous fine cellular structure having smooth outer integral skin having 62 mm width & 32 mm thickness, frame will be mitred & Jointed with self driven self tapping screws of size 38 mm x 4 mm & PVC solvent cement, including fixing the frame to wall with suitable dia & length anchor fastener as per manufacturer's specification and direction of Engineer-in-charge.  Qty:- 25 Mtr |             | 25.00 | М    |      |        |

| SN | Description  | HSN/<br>SAC | Qty  | Unit | Rate | Amount |
|----|--|-------------|------|------|------|--------|
| 18 | Providing and fixing factory made 30 mm thick door shutter made of solid PVC foam profile. The styles & rails shall be of size 75 mm x 30 mm having wall thickness 5 mm. The styles, top & bottom rails shall have one side wall thickness of 15 mm integrally extruded on the hinge side of the profile for better screw holding power. The styles and rails shall be reinforced with M.S. tubes of size 33 mm x 17 mmx 1 mm, painted with primer, all four corners of reinforcement to be welded or sealed. Solid PVC extruded bidding (push fit type) will be set inside the styles and the rails with a cavity, to receive single piece extruded 5mm PVC sheet as panel. The styles and rails will be mitred cut and joint with the help of PVC solvent cement & self driven self tapping screws. Single piece extruded solid PVC lock rail of size 100 mm x 30 mm with wall thickness 5 mm & 15 mm integrally extruded in the middle of the lock rail & fixed with styles with the help of PVC solvent cement & self driven self tapping screws of size 100mm x 8 mm complete as per manufacturer's specifications and direction of Engineer-in-charge. Decorative finish (both side wood grained finish) Qty:- 9 Sqm |             | 9.00 | M2   |      |        |

| SN | Description   | HSN/<br>SAC | Qty    | Unit | Rate | Amount |
|----|---|-------------|--------|------|------|--------|
| 19 | Providing and fixing pressed steel door frames conforming to IS: 4351, manufactured from commercial mild steel sheet of 1.60 mm thickness, including hinges, jamb, lock jamb, bead and if required angle threshold of mild steel angle of section 50x25 mm, or base ties of 1.60 mm, pressed mild steel welded or rigidly fixed together by mechanical means, including M.S. pressed butt hinges 2.5 mm thick with mortar guards, lock strike-plate and shock absorbers as specified and applying a coat of approved steel primer after pre-treatment of the surface as directed by Engineer-incharge:  Profile C  Fixing with carbon steel galvanised dash fastener of required dia and size (to be paid for separately)  Qty:- 18 Mtr |             | 18.00  | М    |      |        |
| 20 | Providing and fixing carbon steel galvanised (minimum coating 5 micron) dash fastener of 10 mm dia double threaded 6.8 grade (yield strength 480 N/mm2), counter sunk head, comprising of 10 mm dia polyamide PA 6 grade sleeve, including drilling of hole in frame, concrete/ masonry, etc. as per direction of Engineer-in-charge.  10 x 120 mm Qty:- 18 EA  |             | 18.00  | EA   |      |        |
| 21 | Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS: 15622, of approved make, in colours White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete. Qty:-170 Sqm   |             | 170.00 | M2   |      |        |

| SN | Description   | HSN/<br>SAC | Qty    | Unit | Rate | Amount |
|----|---|-------------|--------|------|------|--------|
| 22 | Providing and laying rectified Glazed Ceramic floor tiles of size 300x300 mm or more (thickness to be specified by the manufacturer), of 1st quality conforming to IS: 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick Cement Mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including pointing the joints with white cement and matching pigments etc., complete.  Qty:- 107 Sqm   |             | 107.00 | M2   |      |        |
| 23 | Providing and laying Vitrified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only. Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. Glazed vitrified floor tiles polished finish of size Size of Tile 600 x 600 mm Qty:-85 Sqm |             | 85.00  | M2   |      |        |
| 24 | Providing and laying Vitrified tiles in different sizes (thickness to be specified by manufacturer), with water absorption less than 0.08 % and conforming to I.S. 15622, of approved make, in all colours & shade, in skirting, riser of steps, over 12 mm thick bed of cement mortar 1:3 (1 cement: 3 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joint with white cement & matching pigments etc. complete.  Size of Tile 600 x 600 mm Qty:- 17 Sqm  |             | 17.00  | M2   |      |        |

| SN | Description   | HSN/<br>SAC | Qty    | Unit | Rate | Amount |
|----|---|-------------|--------|------|------|--------|
| 25 | 12 mm cement plaster of mix :<br>1:6 (1 cement: 6 fine sand)<br>Qty:-85 Sqm   |             | 85.00  | M2   |      |        |
| 26 | 15 mm cement plaster on the rough side of single or half brick wall of mix : 1:6 (1 cement: 6 fine sand) Qty:-70 Sqm  |             | 70.00  | M2   |      |        |
| 27 | 6 mm cement plaster of mix :<br>1:3 (1 cement : 3 fine sand)<br>Qty:- 25 Sqm  |             | 25.00  | M2   |      |        |
| 28 | Providing and applying plaster of paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete Qty:- 110 Sqm  |             | 110.00 | M2   |      |        |
| 29 | Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and colour complete, as per manufacturer's specification.  Two or more coats on new work Qty:- 100 Sqm |             | 100.00 | M2   |      |        |
| 30 | Finishing walls with Premium Acrylic Smooth exterior paint with Silicone additives of required shade: New work (Two or more coats applied @ 1.43 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm) Qty:- 80 Sqm       |             | 80.00  | M2   |      |        |
| 31 | Painting with synthetic enamel paint of approved brand and manufacture of required colour to give an even shade: Two or more coats on new work Qty:- 2 sqm  |             | 2.00   | M2   |      |        |

| SN | Description   | HSN/<br>SAC | Qty   | Unit | Rate | Amount |
|----|---|-------------|-------|------|------|--------|
| 32 | Fixing chowkhats in existing opening including embedding chowkhats in floors or walls cutting masonry for holdfasts, embedding hold fasts in cement concrete blocks of size 15 x 10 x 10 cm with cement concrete 1:3:6 (1 cement: 3 coarse sand: 6 graded stone aggregate 20 mm nominal size), painting two coats of approved wood preservative to sides of chowkhats and making good the damages to walls and floors as required complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge.  Door chowkhats  Qty:- 4 EA |             | 4.00  | EA   |      |        |
| 33 | Dismantling W.C. Pan of all sizes including disposal of dismantled materials i/c malba all complete as per directions of Engineer-in-Charge Qty:- 1 EA  |             | 1.00  | EA   |      |        |
| 34 | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge.  Nominal concrete 1:4:8 or leaner mix (i/c equivalent design mix)  Qty:- 19 Cum  |             | 19.00 | М3   |      |        |
| 35 | Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 metres lead as per direction of Engineer - in- charge.  Qty:- 16 Cum  |             | 16.00 | М3   |      |        |
| 36 | Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 metres lead:  |             |       |      |      |        |
| а  | Of area 3 sq. metres and below<br>Qty:- 2 EA  |             | 2.00  | EA   |      |        |
| b  | Of area beyond 3 sq. metres<br>Qty:- 2 EA   |             | 2.00  | EA   |      |        |

| SN | Description  | HSN/<br>SAC | Qty    | Unit | Rate | Amount |
|----|--|-------------|--------|------|------|--------|
| 37 | Taking out doors, windows and clerestory window shutters (steel or wood) including stacking within 50 metres lead  | SAC         | -      |      |      |        |
| а  | Of area 3 sq. metres and below<br>Qty:- 2 EA   |             | 2.00   | EA   |      |        |
| b  | Of area beyond 3 sq. metres<br>Qty:- 2 EA  |             | 2.00   | EA   |      |        |
| 38 | Demolishing brick work manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 metres lead as per direction of Engineer-in-charge. In cement mortar Qty:- 18 Cum   |             | 18.00  | М3   |      |        |
| 39 | Dismantling tile work in floors and roofs laid in cement mortar including stacking material within 50 metres lead. For thickness of tiles 10 mm to 25 mm Qty:- 185 Sqm   |             | 185.00 | M2   |      |        |
| 40 | Dismantling of flushing cistern of all types (C.I./PVC/Vitrious China) including stacking of useful materials near the site and disposal of unserviceable materials within 50 metres lead.  Qty:- 1 EA   |             | 1.00   | EA   |      |        |
| 41 | Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved Qty:- 50 Cum |             | 50.00  | МЗ   |      |        |

| SN | Description   | HSN/<br>SAC | Qty  | Unit | Rate | Amount |
|----|---|-------------|------|------|------|--------|
| 42 | Providing and fixing water closet squatting pan (Indian type W.C. pan ) with 100 mm sand cast Iron P or S trap, 10 litre low level white P.V.C. flushing cistern, including flush pipe, with manually controlled device (handle lever) conforming to IS: 7231, with all fittings and fixtures complete, including cutting and making good the walls and floors wherever required: White Vitreous china Orissa pattern W.C. pan of size 580x440 mm with integral type foot rests Qty:- 3 EA  |             | 3.00 | EA   |      |        |
| 43 | Providing and fixing white vitreous china flat back half stall urinal of size 580x380x350 mm with white PVC automatic flushing cistern, with fittings, standard size C.P. brass flush pipe, spreaders with unions and clamps (all in C.P. brass) with waste fitting as per IS :2556, C.I. trap with outlet grating and other couplings in C.P. brass, including painting of fittings and cutting and making good the walls and floors wherever required: Range of three half stall urinals with 10 litre P.V.C. automatic flushing cistern Qty:- 1 EA |             | 1.00 | EA   |      |        |
| 44 | Providing and fixing one piece construction white vitreous china squatting plate with an integral longitudinal flushing pipe, white P.V.C. automatic flushing cistern, with fittings, standard size G.I. / PVC flush pipe for back and front flush with standard spreader pipes with fittings, G.I clamps and C.P. brass coupling complete, including painting of fittings and cutting and making good the walls and floors etc. wherever required:  Range of two squatting plates with 5 litre P.V.C. automatic flushing cistern Qty:- 1 EA          |             | 1.00 | EA   |      |        |

| SN | Description   | HSN/<br>SAC | Qty   | Unit | Rate | Amount |
|----|---|-------------|-------|------|------|--------|
| 45 | Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:  White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps Qty:- 3 EA      |             | 3.00  | EA   |      |        |
| 46 | Providing and fixing white vitreous china laboratory sink with C.I. brackets, C.P. brass chain with rubber plug, 40 mm C.P brass waste and 40mm C.P. brass trap with necessary C.P. brass unions complete, including painting of fittings and brackets, cutting and making good the wall wherever required:  Size 600x450x200 mm Qty:- 8 EA |             | 8.00  | EA   |      |        |
| 47 | Providing and fixing P.V.C. waste pipe<br>for sink or wash basin including P.V.C.<br>waste fittings complete. Semi rigid pipe   |             |       |      |      |        |
| а  | 32 mm dia<br>Qty:- 3 EA   |             | 3.00  | EA   |      |        |
| b  | 40 mm dia<br>Qty:- 8 EA   |             | 8.00  | EA   |      |        |
| 48 | Providing and fixing mirror of superior glass (of approved quality) and of required shape and size with plastic moulded frame of approved make and shade with 6 mm thick hard board backing:  Rectangular shape 453x357 mm  Qty:- 3 EA  |             | 3.00  | EA   |      |        |
| 49 | Providing and fixing soil, waste and vent pipes: 100 mm dia Centrifugally cast (spun) iron socket & spigot (S&S) pipe as per IS: 3989 Qty:- 71 Mtr  |             | 71.00 | М    |      |        |

| SN | Description  | HSN/<br>SAC | Qty   | Unit | Rate | Amount |
|----|--|-------------|-------|------|------|--------|
| 50 | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, including fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and testing of joints complete as per direction of Engineer in Charge. Internal work - Exposed on wall   |             |       |      |      |        |
| а  | 15 mm nominal dia Pipes<br>Qty:- 40 Mtr  |             | 40.00 | М    |      |        |
| b  | 20 mm nominal dia Pipes<br>Qty:- 40 Mtr  |             | 40.00 | М    |      |        |
| 51 | Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply, including all CPVC plain & brass threaded fittings, i/c fixing the pipe with clamps at 1.00 m spacing. This includes jointing of pipes & fittings with one step CPVC solvent cement and the cost of cutting chases and making good the same including testing of joints complete as per direction of Engineer in Charge. Concealed work, including cutting chases and making good the walls etc. |             |       |      |      |        |
| а  | 15 mm nominal dia Pipes<br>Qty:- 40 Mtr  |             | 40.00 | М    |      |        |
| b  | 20 mm nominal dia Pipes<br>Qty:- 35 Mtr  |             | 35.00 | М    |      |        |
| 52 | Providing and fixing PTMT bib cock of approved quality and colour.  15 mm nominal bore, 165 mm long, weighing not less than 110 gms  Qty:- 11 EA   |             | 11.00 | EA   |      |        |
| 53 | Providing and fixing PTMT stop cock of approved quality and colour. 20 mm nominal bore, 89 mm long, weighing not less than 88 gms Qty:- 11 EA  |             | 11.00 | EA   |      |        |

| SN | Description   | HSN/<br>SAC | Qty   | Unit | Rate | Amount |
|----|---|-------------|-------|------|------|--------|
| 54 | Providing and fixing PTMT pillar cock of approved quality and colour.  15 mm nominal bore, 107 mm long, weighing not less than 110 gms  Qty:- 11 EA   |             | 11.00 | EA   |      |        |
| 55 | Providing and fixing PTMT grating of approved quality and colour. 125 mm nominal dia with 25 mm waste hole Qty:- 13 EA  |             | 13.00 | EA   |      |        |
| 56 | Providing, laying and jointing glazed stoneware pipes class SP-1 with stiff mixture of cement mortar in the proportion of 1:1 (1 cement: 1 fine sand) including testing of joints etc. complete   |             |       |      |      |        |
| а  | 100 mm diameter<br>Qty:- 20 Mtr   |             | 20.00 | М    |      |        |
| b  | 200 mm diameter<br>Qty:- 20 Mtr   |             | 20.00 | М    |      |        |
| 57 | Providing and laying cement concrete 1:5:10 (1 cement : 5 coarse sand : 10 graded stone aggregate 40 mm nominal size) all-round S.W. pipes including bed concrete as per standard design  |             |       |      |      |        |
| а  | 100 mm diameter S.W. pipe<br>Qty:- 20 Mtr   |             | 20.00 | М    |      |        |
| b  | 200 mm diameter S.W. pipe<br>Qty:- 20 Mtr   |             | 20.00 | М    |      |        |
| 58 | Making connection of drain or sewer line with existing manhole including breaking into and making good the walls, floors with cement concrete 1:2:4 mix (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size) cement plastered on both sides with cement mortar 1:3 (1 cement : 3 coarse sand), finished with a floating coat of neat cement and making necessary channels for the drain etc. complete : For pipes 250 to 300 mm diameter Qty:- 1 EA |             | 1.00  | EA   |      |        |

| SN | Description  | HSN/<br>SAC | Qty   | Unit | Rate | Amount |
|----|--|-------------|-------|------|------|--------|
| 59 | Boring, providing and installation cast- in-situ single under reamed reamed reinforced cement concrete piles of specified diameter and length below the pile cap in cement concrete 1:1.5:3 (1 cement : 1.5 coarse sand : 3 stone aggregate 20 mm nominal size), to carry safe working load not less than specified, excluding the cost of steel reinforcement but including the cost of boring with augar and length of pile to br embedded in pile cap etc. all complete. (Lenght of pile cap for payment shall be measured upto the bottom of pile cap 300 mm dia pile Qty:- 45 Mtr |             | 45.00 | M    |      |        |
| 60 | Filling available excavated earth (excluding rock) in trenches, plinth, sides of foundations etc. in layers not exceeding 20cm in depth, consolidating each deposited layer by ramming and watering, lead up to 50 m and lift upto 1.5 m.  Qty:- 3 Cum   |             | 3.00  | М3   |      |        |
| 61 | Supplying and filling of Murram (including royalty) including ramming and watering of the earth in layers not exceeding 20 cm in trenches, plinth, sides of foundation etc. complete. Qty:- 8 Cum  |             | 8.00  | М3   |      |        |
| 62 | Providing, hoisting and fixing above plinth level up to floor five level precast reinforced cement concrete work in string courses, bands, copings, bed plates, anchor blocks, plain window sills and the like, including the cost of required centering, shuttering but, excluding cost of reinforcement with 1:1.5:3 (1 cement : 1.5 coarse sand (zone-III) derived from natural sources : 3 graded stone aggregate 20 mm nominal size derived from natural sources). Qty:- 1 Cum  |             | 1.00  | М3   |      |        |
| 63 | Providing gola 75x75 mm in cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 stone aggregate 10 mm and down gauge), including finishing with cement mortar 1:3 (1 cement : 3 fine sand) as per standard design : In 75x75 mm deep chase Qty:- 20 Mtr   |             | 20.00 | М    |      |        |

| SN | Description   | HSN/<br>SAC | Qty   | Unit | Rate | Amount |
|----|---|-------------|-------|------|------|--------|
| 64 | Providing and fixing 18 mm thick gang saw cut, mirror polished, premoulded and prepolished, machine cut for kitchen platforms, vanity counters, window sills, facias and similar locations of required size, approved shade, colour and texture laid over 20 mm thick base cement mortar 1:4 (1 cement: 4 coarse sand), joints treated with white cement, mixed with matching pigment, epoxy touch ups, including rubbing, curing, moulding and polishing of edges to give high gloss finish etc. complete at all levels. Granite stone slab of colour black, Cherry/Ruby red Area of slab over 0.50 sqm Qty:- 23 Sqm |             | 23.00 | M2   |      |        |
| 65 | Providing and fixing 75 mm high, 50 mm deep and 18 mm thick stone slab table rubbed, edges rounded and polished, fixed in urinal partitions by cutting a chase of appropriate width with chase cutter and embedding the stone in the chase with epoxy grout or with cement concrete 1:2:4 (1 cement: 2 coarse sand: 4 graded stone aggregate 6 mm nominal size) as per direction of Engineer-in-charge and finished smooth.  White Agaria Marble Stone Qty:- 1 Sqm  |             | 1.00  | M2   |      |        |
| 66 | Providing and fixing G.I. Union in G.I. pipe including cutting and threading the pipe and making long screws etc. complete (New work)   |             |       |      |      |        |
| а  | 15 mm nominal bore<br>Qty: 5 EA   |             | 5.00  | EA   |      |        |
| b  | 20 mm nominal bore<br>Qty: 5 EA   |             | 5.00  | EA   |      |        |
| 67 | Providing and fixing terminal guard: 100 mm Hubless centrifugally cast (spun) iron epoxy coated inside & outside as per IS:15905 Qty:- 2 EA   |             | 2.00  | EA   |      |        |

| SN | Description  | HSN/<br>SAC | Qty     | Unit | Rate | Amount |
|----|--|-------------|---------|------|------|--------|
| 68 | Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) including 500x450 mm pre-cast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (modular) bricks of class designation 7.5 Qty:- 3 EA  |             | 3.00    | EA   |      |        |
| 69 | Providing and placing on terrace (at all floor levels) polyethylene water storage tank, IS: 12701 marked, with cover and suitable locking arrangement and making necessary holes for inlet, outlet and overflow pipes with fittings and the base support for tank.  Qty:- 1000 Ltr   |             | 1000.00 | L    |      |        |
| 70 | Making plinth protection 50mm thick of cement concrete 1:3:6 (1 cement : 3 coarse sand (zone-III) derived from natural sources : 6 graded stone aggregate 20 mm nominal size derived from natural sources) over 75mm thick bed of dry brick ballast 40 mm nominal size, well rammed and consolidated and grouted with fine sand, including necessary excavation, levelling & dressing & finishing the top smooth. Qty:- 25 Sqm |             | 25.00   | M2   |      |        |
| 71 | Clearing jungle including uprooting of rank vegetation, grass, brush wood, trees and saplings of girth up to 30 cm measured at a height of 1 m above ground level and removal of rubbish up to a distance of 50 m outside the periphery of the area cleared.  Qty:- 54 Sqm   |             | 54.00   | M2   |      |        |
| 72 | Any other charges (if any)   |             |         |      |      |        |
| 73 | Total (01 to 72)   |             |         |      |      |        |
| 74 | Total GST amount (mention GST % also) on 73  |             |         |      |      |        |
| 75 | Total Price (F.O.R, SPM, NARMADAPURAM) (in figures only) (73+74)   |             |         |      |      |        |
| 76 | Total Price (F.O.R, SPM, NARMADAPURAM) (in Words only) (73+74)   |             |         |      |      |        |

| Note :-The method of evaluation of L    | 1 criteria for award | ing the contract sh | hall be decided | taking into |
|---|----------------------|---------------------|-----------------|-------------|
| consideration the total landed price up | to SPM Narmada       | puram.              |                 |             |

| Signature                 |
|---------------------------|
| Name                      |
| Designation               |
| Date                      |
| Stamp of the Organization |

#### **ANNEXURE - II**

## TWO BID, SINGLE STAGE (TWO PACKET) TENDER BIDDER'S CHECK LIST BEFORE TENDER SUBMISSION

#### Part I: - TECHNO-COMMERCIAL BID

| S.No. | Tender Submission Check Points   | Check before submission Tick ( ) |
|-------|--|----------------------------------|
| 1     | Earnest Money Deposit  | Applicable                       |
| 2     | Technical Specification –Section VII as per tender   |                                  |
| 3     | Fill Tender Form – Section X duly seal & sign ( Without mentioning price)  |                                  |
| 4     | Blank Price Bid as per Section XI (Without Price but mention the taxes & other charges )                           |                                  |
| 5     | Accept validity, place of work, delivery terms, contract period, payment terms and warranty as per tender document |                                  |
| 6     | Submit Declaration as per Annexure-III of the tender document  |                                  |
| 7     | Submit Declaration as per Annexure-IV of the tender document   |                                  |
| 8     | Submit Declaration as per Annexure-V of the tender document  |                                  |
| 9     | Submit the documents as per Qualification / Eligibility criteria – Section IX                                      |                                  |
| 10    | Submit tender document with seal and sign  |                                  |

NOTE: "BIDDER TO FURNISH STIPULATED DOCUMENTS ALONG WITH TENDER IN SUPPORT OF FULFILLMENT OF TENDER CRITERIA. FURTHER CORRESPONDENCE IN THIS REGARD WILL NOT BE ENTERTAINED FOR ANY REASON. NON-SUBMISSION OR INCOMPLETE SUBMISSION OF DOCUMENTS MAY LEAD TO REJECTION OF OFFER

#### Part II: - PRICE BID

| S.No. | Tender Submission Check Points   | Check before submission Tick ( ) |
|-------|--|----------------------------------|
| 1     | Price Bid as per Section XI (Price including all taxes & other charges ) |                                  |

(Bidder's Seal & Sign) Seal & Sign)

#### **ANNEXURE - III**

## Tender No. 6000018906/CIVIL/24-25 , Dated: 12.08.2024 (To be submitted on the letter head)

#### **DECLARATION**

We do hereby declare that,

- 1. We have not been blacklisted /debarred by BNPMIPL /BRBNMPL /SPMCIL or any Govt. Departments for participation in tenders. The information provided above is correct and true to the best of my knowledge and belief.
- 2. We do hereby declare that we have read and understood all terms and conditions of tender document including GIT, SIT, GCC, SCC, Technical Specification, Quality Control Criteria and confirm to abide to those conditions without any counter conditions.
- 3. "We are accepting all the terms and conditions of the tender document without any deviation and withdraw all deviations if any".
- 4. "We Declare that If we withdraw or modify our bids during period of validity of tender etc. than we will be suspended for the period of 03 years from the date of opening of tender."

| Signature                 |
|---------------------------|
| Name                      |
| Designation               |
| Date                      |
| Stamp of the Organization |

### **ANNEXURE-IV**

## Tender No. 6000018906/CIVIL/24-25 ,Dated: 12.08.2024 (To be submitted on the letter head)

### **DECLARATION**

| "I have read the clause regarding restrictions on procurement from a bidder of a country which  |
|---|
| shares a land border with India. I certify that M/s   |
| (firm's name) is not from such a country or, if from such a country, has been registered        |
| with the Competent Authority. I hereby certify that M/s   |
| (firm's name) fulfils at requirements in this regard and is eligible to be considered."         |
| (where applicable, evidence of valid registration by the competent Authority shall be attached) |
|   |
| I, the undersigned, declare that the itemoriginate in(Name                                      |
| of the country)   |
| of the country).  |
|   |
| Signature   |
| Name  |
| Designation   |
| Date  |
| Stamp of the  |
| Organization  |

#### **Annexure-V**

## <u>Declaration for Section 206AB of TDS under income tax Act, 1961</u> (to be submitted on Letter Head)

| Vendor Cod                                  | le:  | <del></del>  |   |  |  |
|---|--|--|---|--|--|
| M/s   |  |  |   | _  |  |
| PAN   |  |  |   | GSTIN  |  |
| I/We  |  |  | <lega< th=""><th>ıl Name and com</th><th>nplete address &gt;,</th></lega<>              | ıl Name and com  | nplete address >,  |
| PAN:  |  | , TAN: _   |   |  | , referring to the   |
| provisions c                                | of 206AB of the IT   | Act, 1961, here  | by declare the foll   | owing:-  |  |
| Financia<br>I<br>Year                       | Aggregate<br>TDS & TCS<br>credit in our<br>name was<br>Rs. 50,000 or<br>more<br>("Yes / No") | Income Tax<br>Return<br>("ITR")<br>Filed<br>("Yes/No") | E-filing Acknowledg ment Number (15 digit - numeric)  (Attach copy of acknowledgm ents) |  | Linked PAN with Aadhaar number or will link it before 30 Jun 2022 (or any further date as may be notified by CBDT ("Yes / No") |
| 2021-22                                     |  |  |   |  |  |
| 2022-23                                     |  |  |   |  |  |
| correct, con<br>which are le<br>indemnify S | nplete and is truly<br>evied on SPM on<br>PM for the same.                                   | stated. In case account of the f                       | there is a tax lia  | e and belief what<br>bility, interest or pe<br>on/ declaration, I/we | nal consequences   |

Note: In case the vendor failed to comply with the above provisions, TDS shall be deducted at the higher of the following rates, namely: -

- (i) at twice the rate specified in the relevant provision of the Act; or
- (ii) at twice the rate or rates in force; or
- (iii) at the rate of five per cent (5%).